

GSM 02.42 V8.0.0 (1999-07)

Technical Specification

**Digital cellular telecommunications system (Phase 2+);
Network Identity and Timezone (NITZ);
Service description, Stage 1
(GSM 02.42 version 8.0.0 Release 1999)**

Available SMG only



GSM®
GLOBAL SYSTEM FOR
MOBILE COMMUNICATIONS

ETSI 

Reference

RTS/SMG-010242Q8 (xxx.PDF)

Keywords

Digital cellular telecommunications system,
Global System for Mobile communications
(GSM)

ETSI

Postal address

F-06921 Sophia Antipolis Cedex - FRANCE

Office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16
Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Internet

secretariat@etsi.fr
Individual copies of this ETSI deliverable
can be downloaded from
<http://www.etsi.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1999.
All rights reserved.

Contents

Intellectual Property Rights.....	4
Foreword	4
1 Scope	5
2 References	5
3 Definitions and abbreviations	5
4 Description	6
5 Applicability	6
6 Normal procedure	7
6.1 Transfer of NITZ information.....	7
6.2 Use of NITZ information.....	7
Annex A (Informative): Change history.....	8
History.....	9

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available **free of charge** from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by the Special Mobile Group (SMG).

The present document describes the feature Network Identity and Timezone (NITZ).

The contents of the present document is subject to continuing work within SMG and may change following formal SMG approval. Should SMG modify the contents of the present document, it will be re-released with an identifying change of release date and an increase in version number as follows:

Version 6.x.y

where:

- 6 indicates Release 1997 of GSM Phase 2+
- x the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- y the third digit is incremented when editorial only changes have been incorporated in the specification.

1 Scope

The present document describes the feature Network Identity and Timezone (NITZ).

This feature provides the means for serving PLMNs to transfer current identity, time, Daylight Saving Time and the local timezone to Mobile Stations (MS)s, and for the MSs to store and use this information. This enhances roaming by permitting accurate indication of PLMN identities that are either newer than the Mobile Equipment (ME) or have changed their name since the ME was sold. Additionally time, Daylight Saving Time and timezone information can be utilised by MEs as desired.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.
- For this Release 1999 document, references to GSM documents are for Release 1999 versions (version 8.x.y).

- [1] GSM 01.04: "Digital cellular telecommunication system (Phase 2+); Abbreviations and acronyms".
- [2] GSM 02.07: "Digital cellular telecommunications system (Phase 2+); Mobile Stations (MS) features".
- [3] GSM 04.08: "Digital cellular telecommunication system (Phase 2+); Mobile radio interface layer 3 specification".

3 Definitions and abbreviations

In addition to the following definitions, abbreviations used in the present document are listed in GSM 01.04.

NITZ	The feature Network Identity and Timezone as described in the present document.
UCS2	Universal Character Set 2
UT	Universal Time
LTZ	Local Time Zone, the offset from UT applying in that locality, including any adjustments for summer time, etc.
DST	Daylight Saving Time. Adjustment for summer time.

4 Description

The feature Network Identities and Timezone shall make it possible for a serving PLMN to transfer its current identity, universal time, DST and LTZ to MSs, and for the MS to store and use this information. Each one of these elements is optional. The feature significantly enhances roaming as it enables the accurate indication of network identities that are either newer than the ME or have changed their name since the ME was manufactured or sold. Additionally time and timezone information can be utilised by MEs as desired.

When using the default GSM character set, the serving PLMN shall make both a "short" and a "long" name available to the MS. As an alternative or, in addition, to the default GSM character set, the serving PLMN can make a name available in UCS2. The MS shall be free to choose one of these names depending upon its own characteristics and/or limitations, such as those of its display.

NOTE: Guidance is sought, particularly from non-European operators, as to whether long and short name is required in UCS2 format.

The Network Operator may change the network identity at any time. However the change of network identity need not force immediate transfer of information to the MS.

As a network option, it shall be possible to send universal time (UT) by the network. Time information shall include: Year, Month, Day, Hour, Minute, Second, Timezone and DST. The expected accuracy of the time information is in the order of minutes.

NOTE: Universal time indicates the time at which this information element [3] may have been sent by the network. Thus it can be assumed that the accuracy of the time information when it arrives at the MS is usually within a couple minutes.

The serving PLMN shall make Local Time Zone (LTZ) available to the MS as an offset from Universal Time in units of 15 minutes.

When the LTZ is compensated for DST (summertime), the serving PLMN shall provide a DST parameter to indicate this. The adjustment for DST can be +1h or +2h.

For PLMNs which cover more than one timezone, it is assumed that the Network Operator will arrange for boundaries between subsets of the PLMN service area to be approximately aligned with timezone boundaries. When an MS changes Local Time Zone the PLMN is not required to immediately transfer new time zone information. Similarly the PLMN will transfer the LTZ changes arising from summer/winter adjustments when convenient to the network operator.

The MS will implement the new time zone information at an appropriate time following receipt.

The information passed to MSs supporting the NITZ feature is controlled by the serving PLMN Operator through administrative interaction. The interface necessary to support this administrative interaction is outside the scope of the present document.

5 Applicability

Network Identity and Timezone is both an optional network feature and an optional MS feature.

The NITZ feature is not intended to replace the existing method of PLMN Indication, nor is it intended to discharge the administration and maintenance of the associated MoU Permanent Document, SE13.

6 Normal procedure

6.1 Transfer of NITZ information

Network name, time, DST and timezone information can be transferred from the serving PLMN to the MS:

- 1) Upon registering on the network.
- 2) When the MS geographically relocates to a different Local Time Zone.
- 3) When the network changes its Local Time Zone, e.g. between summer and winter time.
- 4) When the network changes its identity.
- 5) At any time during a signalling connection with mobile station.

Transfer of relevant information shall not unduly consume scarce network resources.

6.2 Use of NITZ information

Relevant information shall be presented to the MS user at the earliest opportunity.

It is expected that the MS will display the most up to date information transferred to it.

Switching off the MS should not cause the updated name of the network(s) to be deleted.

Removal of the SIM should not cause the updated name of the network(s) to be deleted.

However, the number of different network identities retained in the ME is a manufacturer issue.

Usage of time information in MS is a ME manufacturer issue. For example, time information can be utilised to time stamp transactions for logging purposes.

Annex A (Informative): Change history

Change history					
SMG No.	TDoc. No.	CR. No.	Section affected	New version	Subject/Comments
SMG#		A001			
SMG#24	972/97	A002	Scope, Normative references, Description, 6.1,	5.1.0	Alignment of NITZ (Network Identity and Time Zone) to 04.08 Correct inconsistency within specs & add value to GSM system, it is proposed to add the possibility to utilise time info into 02.42.
SMG#27				6.0.0	Release 1997 version
SMG#29	P-99-375	A003	1, 3, 4, 6.1	8.0.0	Addition of Daylight Saving Time (DST) parameter

History

Document history		
V6.0.0	April 1999	Publication
V8.0.0	July 1999	Release 1999 version - Available SMG only