3GPP TR 09.94 V7.0.1 (2002-11)

Technical Specification

3rd Generation Partnership Project; Technical Specification Group Core Networks; Recommended infrastructure measures to overcome specific Mobile Station (MS) faults (Release 1998)





The present document has been developed within the 3rd Generation Partnership Project (3GPPTM) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPP TM system should be obtained via the 3GPP Organizational Partners' Publications Offices.

Keywords GSM, network, terminal

3GPP

Postal address

3GPP support office address 650 Route des Lucioles - Sophia Antipolis Valbonne - FRANCE Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

http://www.3gpp.org

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© 2002, 3GPP Organizational Partners (ARIB, CWTS, ETSI, T1, TTA, TTC). All rights reserved.

Contents

Foreword					
1	Scope		5		
		es			
3	Abbrevia	tions	5		
5	Void		5		
6	Void		6		
Anne	x A:	Void	7		
Anne	xB:	Change History	8		

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document clarifies recommended measures which may be adopted by the GSM infrastructure to enable interworking to be obtained between the GSM infrastructure and various Mobile Station (MS) implementations of the GSM Phase 1 and Phase 2/2+ standard. The objective is to obtain compatibility without changing the consolidated set of Phase 1 and Phase 2/2+ specifications. The present document describes the recommended changes to the infrastructure to cater for specific faults within some MSs.

The lifetime of the herein described measures together with their potential impact on optimal network performance is out of the scope of the present document.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

[1]	Void.
[2]	Void.
[3]	Void.
[4]	Void.

- [5] Void.
- [6] Void.
- [7] 3GPP TR 29.994: Digital cellular telecommunications system; Recommended infrastructure measures to overcome specific Mobile Station (MS) faults.

3 Abbreviations

Void

4 General

The recommendations of the present document are provided in the latest major version of 3GPP TR 29.994 [7].

5 Void

6 Void

Annex A: Void

7

Annex B: Change History

Change history										
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment	Old	New			
					09.94		_			
	SMG#15		001		Dircted retry by external handover	4.0.0	4.0.1			
			002		Dircted retry handover for fax and data					
	SMG#16		003	Editorials on chapter 6	4.1.0	4.2.0				
			004		Editorials on section 5.2.2	1				
	SMG#19		A005	3	Guidelines for the support of MSs affected by frequency hopping on CBCH	4.2.0	4.3.0			
			A006	1	Scope of GSM 09.94					
	SMG#23		A007	1	Handling of new phase 2 BCCH and SACCH messages by phase 1 MS	4.3.0	4.4.0			
	SMG#20				upgrade to Ph2+	4.3.0	5.0.0			
	SMG#27				upgrade to Ph2+ R97	5.0.0	6.0.0			
	SMG#30				withdrawn	6.0.0	-			
	SMG#23		A007	1	Handling of new phase 2 BCCH and SACCH messages by phase 1 MS	4.3.0	4.4.0			
	SMG#30		A008		Change of Title, Scope and References Clauses 1 to 5)	4.4.0	4.5.0			
			A009		Frequency Hopping using ARFCN=0	1				
Jun 2002	CN#16	NP-020222	A013	2	QoS IE length	4.5.0	7.0.0			
Nov 2002					Editorial revisions due to changing the title from TS to TR.	7.0.0	7.0.1			