

**3rd Generation Partnership Project;
Technical Specification Group Services and System Aspects;
Telecommunication management;
Inventory Management (IM) Network Resource Model (NRM)
Integration Reference Point (IRP);
Solution Set (SS) definitions
(Release 11)**



Keywords

NRM, IRP, Converged Management, Inventory
Management**3GPP**

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2012, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).
All rights reserved.

UMTSTM is a Trade Mark of ETSI registered for the benefit of its members
3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
LTE™ is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the 3GPP Organizational Partners
GSM® and the GSM logo are registered and owned by the GSM Association

Contents

Foreword	4
Introduction	4
1 Scope	5
2 References.....	5
3 Definitions and abbreviations	5
3.1 Definitions	5
3.2 Abbreviations.....	6
4 Solution Set definitions	6
Annex A (normative): XML definitions	7
A.1 Architectural features	7
A.1.1 Syntax for Distinguished Names	7
A.2 Mapping	7
A.3 Solution Set definitions	7
A.3.1 XML definition structure	7
A.3.2 XML schema "inventoryNrm.xsd"	7
A.3.3 XML schema "inventoryNrmAlt2.xsd"	10
Annex B (informative): Change history	13

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Ready for Converged Management

This specification is part of a set that has been developed for converged management solutions.

Introduction

The present document is part of a TS-family covering the 3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Telecommunication management; as identified below:

- 32.690: Inventory Management (IM); Requirements
- 28.631: Inventory Management (IM) Network Resource Model (NRM) Integration Reference Point (IRP); Requirements
- 28.632: Inventory Management (IM) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)
- 28.633: Inventory Management (IM) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions**

Inventory Management (IM), in general, provides the operator with the ability to assure correct and effective operation of the 3G network as it evolves. IM actions have the objective to monitor the actual configuration on the Network Elements (NEs) and Network Resources (NRs), and they may be initiated by the operator or by functions in the Operations Systems (OSs) or NEs. The final goal of IM is the establishment of an accurate and timely model of the actual inventory in the NEs or NRs.

The present document covers the Inventory Management (IM) Network Resource Model (NRM) Integration Reference Point (IRP); Solution Set (SS) definitions.

1 Scope

The present document provides the NRM-specific part related to the Inventory Management NRM IRP IS in 3GPP TS 28.632 [1] of solution set definitions.

This Solution Set definitions specification is related to 3GPP TS 28.632 V 11.0.X.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 28.632: "Telecommunication management; Inventory Management (IM) Network Resource Model (NRM) Integration Reference Point (IRP); Information Service (IS)".
- [2] 3GPP TS 32.612: "Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP); Information Service (IS)".
- [3] 3GPP TS 32.616: "Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP); Solution Set (SS) definitions".
- [4] W3C REC-xml-20001006: "Extensible Markup Language (XML) 1.0 (Second Edition)".
- [5] W3C REC-xmlschema-0-20010502: "XML Schema Part 0: Primer".
- [6] W3C REC-xmlschema-1-20010502: "XML Schema Part 1: Structures".
- [7] W3C REC-xmlschema-2-20010502: "XML Schema Part 2: Datatypes".
- [8] W3C REC-xml-names-19990114: "Namespaces in XML".
- [9] 3GPP TS 32.300: "Telecommunication management; Configuration Management (CM); Name convention for Managed Objects".
- [10] 3GPP TS 32.342: "Telecommunication management; File Transfer (FT) Integration Reference Point (IRP); Information Service (IS)".
- [11] 3GPP TS 28.623: "Generic network resources Integration Reference Point (IRP); Solution Set (SS) definition".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

XML file: See definition of [11].

XML document: See definition of [11].

XML declaration: See definition of [11].

XML element: See definition of [11].

empty XML element: See definition of [11].

XML content (of an XML element): See definition of [13].

XML start-tag: See definition of [11].

XML end-tag: See definition of [11].

XML empty-element tag: See definition of [11].

XML attribute specification: See definition of [11].

DTD: See definition of [11].

XML schema: See definition of [11].

XML namespace: See definition of [11].

XML complex type: See definition of [11].

XML element type: See definition of [11].

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

CORBA	Common Object Request Broker Architecture
DTD	Document Type Definition
IM	Inventory Management
IRP	Integration Reference Point
IS	Information Service
NRM	Network Resource Model
XML	eXtensible Markup Language
XSD	XML Schema Definition

4 Solution Set definitions

This specification defines the following 3GPP Inventory Management (IM) Network Resource Model (NRM) IRP Solution Set (SS) definitions:

- 3GPP Inventory Management (IM) Network Resource Model (NRM) IRP XML definitions (Annex A)

CORBA Solution Set is not present in the current version of this specification.

Annex A (normative): XML definitions

This annex provides the NRM-specific part related to the Inventory Management NRM IRP IS in 3GPP TS 28.632 [1] of the XML file format definition for the Bulk Configuration Management IRP IS in 3GPP TS 32.612 [2] as well as for use with File Transfer IRP [10].

A.1 Architectural features

The overall architectural feature of Inventory Management NRM IRP IS is specified in 3GPP TS 28.632 [1]. This clause specifies features that are specific to the XML Schema definitions.

A.1.1 Syntax for Distinguished Names

The syntax of a Distinguished Name is defined in 3GPP TS 32.300 [9].

A.2 Mapping

Not present in the current version of this specification.

A.3 Solution Set definitions

A.3.1 XML definition structure

The overall description of the file format of inventory data XML files is provided by 3GPP TS 32.616 [3].

A.3.2 defines the NRM-specific XML schema `inventoryNrm.xsd` for the Inventory Management NRM IRP IS alternative 1 defined in 3GPP TS 28.632 [1].

A.3.3 defines the NRM-specific XML schema `inventoryNrmAlt2.xsd` for the Inventory Management NRM IRP IS alternative 2 as defined in 3GPP TS 28.632 [1].

XML schema `inventoryNrmAlt1.xsd` and `inventoryNrmAlt2.xsd` explicitly declare NRM-specific XML element types for the related NRM.

The definition of those NRM-specific XML element types complies with the generic mapping rules defined in 3GPP TS 32.616 [3].

A.3.2 XML schema "inventoryNrm.xsd"

The following XML schema `inventoryNrm.xsd` is the NRM-specific schema for the Inventory Management NRM IRP IS alternative 1 defined in 3GPP TS 28.632 [1].

```
<?xml version="1.0" encoding="UTF-8"?>
<!--
  3GPP TS 28.633 Inventory Management NRM IRP
  Inventory data file NRM-specific XML schema
  inventoryNrm.xsd
-->
<schema
  targetNamespace=
```

```
"http://www.3gpp.org/ftp/specs/archive/32_series/28.633#inventoryNrm"
  elementFormDefault="qualified"
  xmlns="http://www.w3.org/2001/XMLSchema"
  xmlns:xn=
"http://www.3gpp.org/ftp/specs/archive/32_series/28.623#genericNrm"
  xmlns:in=
"http://www.3gpp.org/ftp/specs/archive/32_series/28.633#inventoryNrm"
>

<import
  namespace=
"http://www.3gpp.org/ftp/specs/archive/32_series/28.623#genericNrm"
/>

<!-- Inventory Management Alternative 1 NRM IRP NRM class associated XML elements -->
<simpleType name="eightOctetsType">
  <restriction base="hexBinary">
    <length value="8"/>
  </restriction>
</simpleType>
<simpleType name="fourOctetsType">
  <restriction base="hexBinary">
    <length value="4"/>
  </restriction>
</simpleType>
<simpleType name="angleValueType">
  <restriction base="short">
    <minInclusive value="0"/>
    <maxInclusive value="3600"/>
  </restriction>
</simpleType>
<element
  name="InventoryUnit"
  substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass"
>
<complexType>
  <complexContent>
    <extension base="xn:NrmClass">
      <sequence>
        <element
          name="attributes"
          minOccurs="0">
          <complexType>
            <all>
              <element
                name="inventoryUnitType"
                type="string"
                />
              <element
                name="vendorUnitFamilyType"
                type="string"
                minOccurs="0"
                />
              <element
                name="vendorUnitTypeNumber"
                type="string"
                minOccurs="0"
                />
              <element
                name="vendorName"
                type="string"/>
              <element
                name="serialNumber"
                type="string"
                minOccurs="0"/>
              <element
                name="dateOfManufacture"
                type="date"
                minOccurs="0"/>
              <element
                name="dateOfLastService"
                type="date"
                minOccurs="0"/>
              <element
                name="unitPosition"
                type="string"
                minOccurs="0"/>
            </all>
          </complexType>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
</element>
```

```

<element
  name="manufacturerData"
  type="string"
  minOccurs="0"/>
<element
  name="versionNumber"
  type="string"
  minOccurs="0"/>
<element name="relatedFunction" type="xn:dn" minOccurs="0"/>
</all>
</complexType>
</element>
<choice minOccurs="0" maxOccurs="unbounded">
  <element ref="in:InventoryUnit"/>
  <element ref="xn:VsDataContainer"/>
  <element ref="in:TmaInventoryUnit"/>
  <element ref="in:AntennaInventoryUnit"/>
</choice>
</sequence>
</extension>
</complexContent>
</complexType>
<element name="TmaInventoryUnit" substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>
                <!-- Inherited attributes from InventoryUnit-->
                <element name="inventoryUnitType" type="string"/>
                <element name="vendorUnitFamilyType" type="string" minOccurs="0"/>
                <element name="vendorUnitTypeNumber" type="string" minOccurs="0"/>
                <element name="vendorName" type="string"/>
                <element name="serialNumber" type="string" minOccurs="0"/>
                <element name="dateOfManufacture" type="date" minOccurs="0"/>
                <element name="dateOfLastService" type="date" minOccurs="0"/>
                <element name="unitPosition" type="string" minOccurs="0"/>
                <element name="manufacturerData" type="string" minOccurs="0"/>
                <element name="versionNumber" type="string" minOccurs="0"/>
                <element name="relatedFunction" type="xn:dn" minOccurs="0"/>
                <!-- End of inherited attributes from InventoryUnit -->
                <element name="tmaNumberOfNonLinearGainValues" type="short" minOccurs="0"/>
                <element name="tmaNonLinearGainValue" type="short" minOccurs="0"/>
                <element name="tmaAdditionalDataFieldNumber" type="short" minOccurs="0"/>
                <element name="tmaAntennaModelNumber" type="string" minOccurs="0"/>
                <element name="tmaAntennaOperatingBands" type="short" minOccurs="0"/>
                <element name="tmaBeamwidthForEachOpBandInBandOrder" type="in:eightOctetsType"
minOccurs="0"/>
                <element name="tmaGainForEachOpBandInBandOrder" type="in:fourOctetsType"
minOccurs="0"/>
                <element name="tmaInstallationDate" type="string" minOccurs="0"/>
                <element name="tmaInstallersId" type="string" minOccurs="0"/>
                <element name="tmaMaxSupportedGain" type="short" minOccurs="0"/>
                <element name="tmaMinSupportedGain" type="short" minOccurs="0"/>
              </all>
            </complexType>
          </element>
        </sequence>
      <choice minOccurs="0" maxOccurs="unbounded">
        <element ref="in:InventoryUnit"/>
        <element ref="xn:VsDataContainer"/>
      </choice>
    </sequence>
  </extension>
</complexContent>
</complexType>
<element name="AntennaInventoryUnit"
substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
  <complexType>
    <complexContent>
      <extension base="xn:NrmClass">
        <sequence>
          <element name="attributes" minOccurs="0">
            <complexType>
              <all>

```

```

<!-- Inherited attributes from InventoryUnit-->
<element name="inventoryUnitType" type="string"/>
<element name="vendorUnitFamilyType" type="string" minOccurs="0"/>
<element name="vendorUnitTypeNumber" type="string" minOccurs="0"/>
<element name="vendorName" type="string"/>
<element name="serialNumber" type="string" minOccurs="0"/>
<element name="dateOfManufacture" type="date" minOccurs="0"/>
<element name="dateOfLastService" type="date" minOccurs="0"/>
<element name="unitPosition" type="string" minOccurs="0"/>
<element name="manufacturerData" type="string" minOccurs="0"/>
<element name="versionNumber" type="string" minOccurs="0"/>
<element name="relatedFunction" type="xn:dn" minOccurs="0"/>
<!-- End of inherited attributes from InventoryUnit-->
<element name="maxTiltValue" type="in:angleValueType" minOccurs="0"/>
<element name="minTiltValue" type="in:angleValueType" minOccurs="0"/>
<element name="mechanicalOffset" type="in:angleValueType" minOccurs="0"/>
<element name="baseElevation" type="integer" minOccurs="0"/>
<element name="latitude" type="decimal" minOccurs="0"/>
<element name="longitude" type="decimal" minOccurs="0"/>
<element name="patternLabel" type="string" minOccurs="0"/>
</all>
</complexType>
</element>
<choice minOccurs="0" maxOccurs="unbounded">
    <element ref="in:InventoryUnit"/>
    <element ref="xn:VsDataContainer"/>
</choice>
</sequence>
</extension>
</complexContent>
</complexType>
</element>
</schema>

```

A.3.3 XML schema "inventoryNrmAlt2.xsd"

The following XML schema `inventoryNrmAlt2.xsd` is the NRM-specific schema for the Inventory Management NRM IRP IS alternative 2 defined in 3GPP TS 28.632 [1].

```

<?xml version="1.0" encoding="UTF-8"?>
<!--
    3GPP TS 28.633 Inventory Management NRM IRP
    Inventory data file NRM-specific XML schema
    inventoryNrmAlt2.xsd
-->
<schema xmlns="http://www.w3.org/2001/XMLSchema"
    xmlns:xn="http://www.3gpp.org/ftp/specs/archive/32_series/28.623#genericNrm"
    xmlns:in="http://www.3gpp.org/ftp/specs/archive/32_series/28.633#inventoryNrmAlt2"
    targetNamespace="http://www.3gpp.org/ftp/specs/archive/32_series/28.633#inventoryNrmAlt2"
    elementFormDefault="qualified">
    <import namespace="http://www.3gpp.org/ftp/specs/archive/32_series/28.623#genericNrm"/>
    <!-- Inventory Management Alternative 2 NRM IRP NRM class associated XML elements -->
    <element name="InventoryUnitNE"
        substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
        <complexType>
            <complexContent>
                <extension base="xn:NrmClass">
                    <sequence>
                        <element name="attributes" minOccurs="0">
                            <complexType>
                                <all>
                                    <element name="neId" type="string"/>
                                    <element name="customerIdentifier" type="string" minOccurs="0"/>
                                    <element name="productName" type="string"/>
                                    <element name="vendorName" type="string"/>
                                    <element name="productType" type="string" minOccurs="0"/>
                                    <element name="salesUniqueId" type="string" minOccurs="0"/>
                                    <element name="operatorUniqueName" type="string" minOccurs="0"/>
                                    <element name="siteId" type="integer" minOccurs="0"/>
                                    <element name="additionalInformation" type="string"
minOccurs="0"/>
                                    <element name="hWLList" type="xn:dnList" minOccurs="0"/>
                                    <element name="sWLList" type="xn:dnList" minOccurs="0"/>
                                    <element name="lICLList" type="xn:dnList" minOccurs="0"/>
                                    <element name="mFunction" type="xn:dn" minOccurs="0"/>
                                </all>
                            </complexType>
                        </element>
                    </sequence>
                </extension>
            </complexContent>
        </complexType>
    </element>
</schema>

```

```

        </element>
        <element ref="in:InventoryUnitNE" minOccurs="0" maxOccurs="unbounded"/>
    </sequence>
</extension>
</complexContent>
</complexType>
</element>
<element name="InventoryUnitHw"
substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
<complexType>
<complexContent>
<extension base="xn:NrmClass">
<sequence>
<element name="attributes" minOccurs="0">
<complexType>
<all>
<element name="hwId" type="string"/>
<element name="hwType" type="string"/>
<element name="hwName" type="string" minOccurs="0"/>
<element name="vendorName" type="string" minOccurs="0"/>
<element name="hwVersion" type="string"/>
<element name="salesUniqueId" type="string" minOccurs="0"/>
<element name="hwUnitLocation" type="string"/>
<element name="model" type="string" minOccurs="0"/>
<element name="hwCapability" type="string" minOccurs="0"/>
<element name="modificationDate" type="string" minOccurs="0"/>
<element name="manualDataEntry" type="string" minOccurs="0"/>
<element name="additionalInformation" type="string"
minOccurs="0"/>
<element name="nELList" type="xn:dnList" minOccurs="0"/>
<element name="sWLList" type="xn:dnList" minOccurs="0"/>
<element name="lICList" type="xn:dnList" minOccurs="0"/>
<element name="mFunction" type="xn:dn" minOccurs="0"/>
</all>
</complexType>
</element>
<element ref="in:InventoryUnitHw" minOccurs="0" maxOccurs="unbounded"/>
</sequence>
</extension>
</complexContent>
</complexType>
</element>
<element name="InventoryUnitSw"
substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">
<complexType>
<complexContent>
<extension base="xn:NrmClass">
<sequence>
<element name="attributes" minOccurs="0">
<complexType>
<all>
<element name="swId" type="string"/>
<element name="swName" type="string" minOccurs="0"/>
<element name="vendorName" type="string" minOccurs="0"/>
<element name="swVersion" type="string" minOccurs="0"/>
<element name="salesUniqueId" type="string" minOccurs="0"/>
<element name="classification" type="string"/>
<element name="swInstallationTime" type="dateTime"
minOccurs="0"/>
<element name="swActivationTime" type="dateTime" minOccurs="0"/>
<element name="swStatus" type="string" minOccurs="0"/>
<element name="additionalInformation" type="string"
minOccurs="0"/>
<element name="nELList" type="xn:dnList" minOccurs="0"/>
<element name="hWLList" type="xn:dnList" minOccurs="0"/>
<element name="lICList" type="xn:dnList" minOccurs="0"/>
<element name="mFunction" type="xn:dn" minOccurs="0"/>
</all>
</complexType>
</element>
<element ref="in:InventoryUnitSw" minOccurs="0" maxOccurs="unbounded"/>
</sequence>
</extension>
</complexContent>
</complexType>
</element>
<element name="InventoryUnitLic"
substitutionGroup="xn:ManagedElementOptionallyContainedNrmClass">

```

```
<complexType>
  <complexContent>
    <extension base="xn:NrmClass">
      <sequence>
        <element name="attributes" minOccurs="0">
          <complexType>
            <all>
              <element name="licId" type="string"/>
              <element name="licType" type="string" minOccurs="0"/>
              <element name="vendorName" type="string" minOccurs="0"/>
              <element name="validity" type="string" minOccurs="0"/>
              <element name="key" type="string" minOccurs="0"/>
              <element name="licActivationTime" type="dateTime"
minOccurs="0"/>
              <element name="licStatus" type="string" minOccurs="0"/>
              <element name="salesUniqueId" type="string" minOccurs="0"/>
              <element name="additionalInformation" type="string"
minOccurs="0"/>
              <element name="nEList" type="xn:dnList" minOccurs="0"/>
              <element name="hWList" type="xn:dnList" minOccurs="0"/>
              <element name="sWList" type="xn:dnList" minOccurs="0"/>
              <element name="mFunction" type="xn:dn" minOccurs="0"/>
            </all>
          </complexType>
        </element>
        <element ref="in:InventoryUnitLic" minOccurs="0" maxOccurs="unbounded"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
</element>
</schema>
```

Annex B (informative): Change history

Change history							Old	New
Date	TSG #	TSG Doc.	CR	Rev	Subject/Comment			
2012-10					First Draft		---	0.0.0
2012-12	SA#58				Draft sent for Information & Approval			1.0.0
2012-12					New version after approval		1.0.0	11.0.0