# 3GPP TS 31.133 V11.0.0 (2012-09)

**Technical Specification** 

3<sup>rd</sup> Generation Partnership Project; Technical Specification Group Core Network and Terminals; IP Multimedia Services Identity Module (ISIM) Application Programming Interface (API); ISIM API for Java Card<sup>™</sup> (Release 11)





The present document has been developed within the 3<sup>rd</sup> Generation Partnership Project (3GPP <sup>TM</sup>) and may be further elaborated for the purposes of 3GPP. The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPP <sup>TM</sup> system should be obtained via the 3GPP Organizational Partners' Publications Offices.

Keywords UMTS, API, Card, SIM, LTE

3GPP

Postal address

3GPP support office address 650 Route des Lucioles – Sophia Antipolis Valbonne – France Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Int<u>ernet</u>

http://www.3gpp.org

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© 2012, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC). All rights reserved.

UMTS<sup>TM</sup> is a Trade Mark of ETSI registered for the benefit of its members 3GPP<sup>TM</sup> is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners LTE<sup>TM</sup> is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the 3GPP Organizational Partners GSM® and the GSM logo are registered and owned by the GSM Association

# Contents

Forew	vord	4		
1	Scope	5		
2	References	5		
3 3.1 3.2	Definitions and abbreviations Definitions Abbreviations	5		
4 4.0 4.1	Description Overvie w ISIM Java Card <sup>™</sup> arch itecture	5 6		
5 Anne	File Access API			
Anne	x B (normative): Java Card™ ISIM API identifiers			
Anne	Annex C (normative): ISIM API package version management			
Anne	Annex D (normative): ISIM API jar files10			
Anne	x E (informative): Change History1	1		

### Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

4

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- Y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

### 1 Scope

The present document defines the ISIM Application Programming Interface extending the "UICC API for Java Card<sup>TM</sup>" [2].

5

This API allows to develop an application running together with a ISIM application.

The present document includes information applicable to network operators, service providers, server -,-ISIM – and database anufactures.

### 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.
- [1] ETSI TS 101 220: "Smart Cards; ETSI numbering system for telecommunication application providers".
- [2] ETSI TS 102 241 V9.0.0: "Smart Cards; UICC Application Programming Interface (UICC API) for Java Card<sup>TM</sup>".
- [3] 3GPP TS 31.103: "Characteristics of the IP Multimedia Services Identity Module (ISIM) application".

### 3 Definitions and abbreviations

#### 3.1 Definitions

For the purposes of the present document, the terms and definitions defined in ETSI TS 102 241 [2] apply.

#### 3.2 Abbreviations

For the purposes of the present document, the abbreviations defined in ETSI TS 102 241 [2] apply.

### 4 Description

#### 4.0 Overview

This API is an extension to the ETSI TS 102 241 [2] "UICC API for Java Card<sup>TM</sup>" and requires the implementation of this specification.

The classes and interfaces described in this specification inherit functionality from the classes and interfaces specified in ETSI TS 102 141[2] "UICC API for Java Card™".

### 4.1 ISIM Java Card<sup>™</sup> architecture

The overall architecture of the ISIM API is based on the "UICC API for Java Card™" defined in ETSI TS 102 2412].

# 5 File Access API

The ISIM file access API consists of the package *uicc.isim.access*. This package defines additional constants to those defined in the *uicc.access* package from ETSI TS 102 241 [2]. The access to the file system, defined in TS 31.103 [3] is the one specified in ETSI TS 102 241 [2] via the UICC *FileView* Interface.

# Annex A (normative): Java Card™ ISIM API

The attached files "31133\_Annex\_A\_Java.zip", and "31133\_Annex\_A\_HTML.zip" contain source files and html documentation for the Java Card™ ISIM API.

### Annex B (normative): Java Card<sup>™</sup> ISIM API identifiers

The attached file "31133\_Annex\_B\_Export\_files.zip" contains the export files for the uicc.isim.access package.

# Annex C (normative): ISIM API package version management

The following table describes the relationship between each TS 31.133 specification version and its packages AID and Major, Minor versions defined in the export files.

TS 31.133	uicc.isim.access package		
	AID	Major, Minor	
	A0 00 00 00 87 10 05 FF FF FF FF 89 14	1.1	
	10 00 00		

The package AID coding is defined in ETSI TS 101 220 [1]. The ISIM API packages AID are not modified by changes to Major or Minor Version.

The Major Version shall be incremented if a change to the specification introduces byte code incompatibility with the previous version.

The Minor Version shall be incremented if a change to the specification does not introduce byte code incompatibility with the previous version.

The package *uicc.isim.access* contains only constants, therefore it may not be loaded on the UICC.

# Annex D (normative): ISIM API jar files

The attached file "31133\_Annex\_D.jar" contains class files for the Java Card<sup>TM</sup> ISIM API.

# Annex E (informative): Change History

0.1.0 0.2.0 y 0.2.1 y 1.0.0
0.2.0
/ 0.2.1
/ 1.0.0
2.0.0
2.1.0
2.1.1
7.0.0
7.1.0
7.2.0
7.2.1
7.2.2
8.0.0
8.1.0
9.0.0
9.1.0
9.2.0
10.0.0
11.0.0