

3GPP TS 34.108 V11.7.0 (2013-09)

Technical Specification

3rd Generation Partnership Project; Technical Specification Group Radio Access Network; Common test environments for User Equipment (UE); Conformance testing (Release 11)



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPP™ system should be obtained via the 3GPP Organizational Partners' Publications Offices.

Keywords

UMTS, testing, terminal

3GPP

Postal address

3GPP support office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2013, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).
All rights reserved.

Change the copyright date above as necessary.

UMTS™ is a Trade Mark of ETSI registered for the benefit of its members

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners

LTE™ is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the 3GPP Organizational Partners

GSM® and the GSM logo are registered and owned by the GSM Association

Contents

Foreword	47
Introduction	47
1 Scope	48
2 References.....	48
3 Definitions, abbreviations and symbols	50
3.1 Definitions	50
3.2 Abbreviations	50
3.3 Symbols.....	51
4 Common requirements of test equipment	51
4.1 General Functional Requirements	51
4.2 Minimum performance levels	52
4.2.1 Supported Cell Configuration	52
4.2.1.1 Supported Channels for FDD Mode.....	52
4.2.1.1.1 Logical channels	52
4.2.1.1.2 Transport channels.....	52
4.2.1.1.3 Physical channels	52
4.2.1.2 Supported Channels for TDD Mode.....	53
4.2.1.2.1 Logical channels	53
4.2.1.2.2 Transport channels.....	53
4.2.1.2.3 Physical channels (3.84 Mcps option).....	54
4.2.1.2.4 Physical channels (1.28 Mcps option).....	54
4.2.1.2A Supported Channels for MBSFN (FDD and TDD Mode)	55
4.2.1.2A.1 Logical channels	55
4.2.1.2A.2 Transport channels.....	55
4.2.1.2A.3 Physical channels (3.84/7.68 Mcps options).....	55
4.2.1.2A.3A Physical channels (3.84 Mcps TDD IMB option).....	55
4.2.1.3 Support of T_{cell} timing offset.....	56
4.2.2 RF Performance	56
4.2.2.1 Frequency of Operation	56
4.2.2.2 Power Level Setting Accuracy	56
4.2.2.3 Uplink Power Control	56
4.2.2.4 Uplink Signal Handling	56
4.2.2.5 Uplink Sensitivity	56
4.2.3 Timers Tolerances	56
5 Reference test conditions	57
5.1 Test frequencies	57
5.1.1 FDD Mode Test frequencies	57
5.1.1.1 FDD reference test frequencies for Operating Band I	57
5.1.1.2 FDD reference test frequencies for Operating Band II	58
5.1.1.3 FDD reference test frequencies for Operating Band III	59
5.1.1.4 FDD reference test frequencies for Operating Band IV	59
5.1.1.5 FDD reference test frequencies for Operating Band V	60
5.1.1.6 FDD reference test frequencies for Operating Band VI	61
5.1.1.7 FDD reference test frequencies for Operating Band VII	62
5.1.1.8 FDD reference test frequencies for Operating Band VIII	62
5.1.1.9 FDD reference test frequencies for Operating Band IX	63
5.1.1.10 FDD reference test frequencies for Operating Band X	63
5.1.1.11 FDD reference test frequencies for Operating Band XI	64
5.1.1.12 FDD reference test frequencies for Operating Band XII	64
5.1.1.13 FDD reference test frequencies for Operating Band XIII	65
5.1.1.14 FDD reference test frequencies for Operating Band XIV	66
5.1.1.15 FDD reference test frequencies for Operating Band XV	66
5.1.1.16 FDD reference test frequencies for Operating Band XVI	66

5.1.1.17	FDD reference test frequencies for Operating Band XVII	66
5.1.1.18	FDD reference test frequencies for Operating Band XVIII	66
5.1.1.19	FDD reference test frequencies for Operating Band XIX	66
5.1.1.20	FDD reference test frequencies for Operating Band XX	67
5.1.1.21	FDD reference test frequencies for Operating Band XXI	68
5.1.1.22	FDD reference test frequencies for Operating Band XXII	68
5.1.1.23	FDD reference test frequencies for Operating Band XXIII	69
5.1.1.24	FDD reference test frequencies for Operating Band XXIV	69
5.1.1.25	FDD reference test frequencies for Operating Band XXV	69
5.1.1.26	FDD reference test frequencies for Operating Band XXVI	69
5.1.2	TDD Mode Test frequencies	70
5.1.2.1	Standard TDD reference test frequencies (3.84 Mcps option)	70
5.1.2.2	Standard TDD reference test frequencies (1.28 Mcps option)	70
5.1.2.3	Standard TDD reference test frequencies (7.68 Mcps option)	71
5.2	Radio conditions	71
5.2.1	Normal propagation condition	71
5.2.2	Static propagation condition	71
5.2.3	Multi-path fading propagation conditions	71
5.2.4	Moving propagation conditions	71
5.2.5	Birth-Death propagation conditions	71
5.2.6	High speed train conditions	71
5.3	Standard test signals	71
5.4	Signal levels	72
5.4.1	Downlink signal levels	72
5.4.2	Uplink signal levels	72
5.5	Downlink Physical Channels Code Allocation	72
5.5.1	Downlink physical channels code allocation for Signalling (FDD)	72
5.5.1.1	Downlink physical channels code allocation for non-HSDPA test cases	72
5.5.1.2	Downlink physical channels code allocation for HSDPA test cases	72
5.5.1.3	Downlink physical channels code allocation for E-DCH test cases	73
5.5.1.4	Downlink physical channels code allocation for MBMS/MBSFN test cases	74
5.5.2	Downlink physical channels code allocation for Signalling (TDD)	76
5.5.2.1	Downlink physical channels code allocation for Signalling (3.84 Mcps TDD IMB)	76
5.5.2.2	Physical channels code allocation for Signalling (1.28 Mcps TDD)	77
5.5.3	Downlink physical channels code allocation for RF	77
6	Reference system configurations	78
6.1	Simulated network environments	78
6.1.0a	Default Master Information Block and Scheduling Block messages	78
6.1.0a.1	Grouping SIBs for testing	78
6.1.0a.2	SIB configurations	79
6.1.0a.3	SIB default schedule	79
	Contents of Master Information Block PLMN type is the case of GSM-MAP	81
	Contents of Scheduling Block 1 (FDD and 1.28 Mcps TDD)	82
	Contents of Scheduling Block 1 (3.84 Mcps TDD and 7.68 Mcps TDD)	82
6.1.0a.4	SIB special schedules	83
6.1.0a.4.1	SIB schedule for two S-CCPCH or two P-RACH (For FDD and 1.28 Mcps TDD)	83
6.1.0a.4.2	SIB schedule for Idle Mode, Measurement and Inter RAT UTRAN to GERAN test cases	84
6.1.0a.4.3	SIB schedule for Inter RAT handover GERAN to UTRAN test cases	85
6.1.0a.4.4	SIB schedule for MBMS test cases	86
6.1.0a.4.5	SIB schedule for MBMS MBSFN test cases	87
	Contents of Master Information Block in the case where PLMN type is GSM-MAP	87
6.1.0a.4.6	SIB default schedule for long SIB5/SIB5bis	87
6.1.0b	Default System Information Block Messages	88
	Contents of System Information Block type 1 (supported PLMN type is GSM-MAP)	88
	Contents of System Information Block type 2	89
	Contents of System Information Block type 3 (FDD)	89
	Contents of System Information Block type 3 (3.84 Mcps TDD, 1.28 Mcps TDD and 7.68 Mcps TDD)	90
	Contents of System Information Block type 4 in connected mode (FDD)	91
	Contents of System Information Block type 4 in connected mode (similar to SIB type3) (3.84 Mcps TDD, 1.28 Mcps TDD and 7.68 Mcps TDD)	91

Contents of System Information Block type 5 (FDD)	91
Contents of System Information Block type 5 (3.84 Mcps TDD)	100
Contents of System Information Block type 5 (1.28 Mcps TDD)	103
Contents of System Information Block type 5 (7.68 Mcps TDD)	110
Contents of System Information Block type 5bis (FDD)	113
Contents of System Information Block type 6 in connected mode (FDD)	113
Contents of System Information Block type 6 in connected mode (similar to SIB type 5) (3.84 Mcps TDD)	113
Contents of System Information Block type 6 In connected mode (1.28 Mcps TDD)	116
Contents of System Information Block type 6 in connected mode (7.68 Mcps TDD)	117
Contents of System Information Block type 7 (FDD)	117
Contents of System Information Block type 7 (TDD)	117
Contents of System Information Block type 8, 9 (only for FDD R99 and Rel-4).....	117
Contents of System Information Block type 10 (only for FDD R99 and Rel-4).....	117
Contents of System Information Block type 11 (FDD).....	117
Contents of System Information Block type 11 (3.84 Mcps, 1.28 Mcps and 7.68 Mcps TDD)	121
Contents of System Information Block type 12 in connected mode (FDD)	124
Contents of System Information Block type 12 in connected mode (3.84 Mcps, 1.28 Mcps and 7.68 Mcps TDD)	124
Contents of System Information Block type 13 (used when supported PLMN type is ANSI-41).....	124
Contents of System Information Block type 14 (3.84 Mcps and 7.68 Mcps TDD)	125
Contents of System Information Block type 16 (FDD)	125
Contents of System Information Block type 17 (3.84 Mcps TDD and 1.28 Mcps TDD)	131
Contents of System Information Block type 18	131
Contents of System Information Block type 19	131
6.1.1 SCCPCH configuration with Stand-alone SRB for PCCH in the first SCCPCH and Interactive/Background 32 kbps PS RAB + SRBs for CCCH/DCCH/BCCH in the second SCCPCH	132
Contents of System Information Block type 5 (FDD)	132
Contents of System Information Block type 5bis (FDD)	136
Contents of System Information Block type 5 (3.84 Mcps TDD)	136
Contents of System Information Block type 5 (1.28 Mcps TDD)	140
Contents of System Information Block type 5 (3.84 Mcps TDD)	140
Contents of System Information Block type 6 in connected mode (FDD)	143
Contents of System Information Block type 6 in connected mode (3.84 Mcps TDD)	144
Contents of System Information Block type 6 in connected mode (1.28 Mcps TDD)	144
Contents of System Information Block type 6 in connected mode (7.68 Mcps TDD)	144
6.1.2 SCCPCH configuration with Stand-alone SRB for PCCH in the first SCCPCH, RB for CTCH + SRBs for CCCH/BCCH in the second SCCPCH and Interactive/Background 32 kbps PS RAB + SRBs for CCCH/DCCH/BCCH in the third SCCPCH (FDD only)	144
Contents of System Information Block type 5 (FDD)	144
Contents of System Information Block type 5bis (FDD)	148
Contents of System Information Block type 6 in connected mode (FDD)	148
6.1.3 SCCPCH configuration with Stand-alone SRB for PCCH in the first SCCPCH and Interactive/Background 32 kbps PS RAB + SRBs for CCCH/DCCH/BCCH in the second and third SCCPCHs	149
Contents of Scheduling Block 1 (FDD).....	149
Contents of System Information Block type 5 (FDD)	150
Contents of System Information Block type 5bis (FDD)	155
Contents of System Information Block type 5 (3.84 Mcps TDD)	155
Contents of System Information Block type 5 (1.28 Mcps TDD)	155
6.1.4 Default parameters for 1 to 8 cell environments.....	155
Default settings for cell No.1 (FDD).....	155
Contents of System Information Block type 11 for cell No.1 (FDD)	155
Contents of System Information Block type 12 in connected mode for cell No.1 (FDD).....	155
Default settings for cell No.1 (TDD)	155
Contents of System Information Block type 11 for cell No.1 (TDD)	155
Contents of System Information Block type 12 in connected mode for cell No.1 (TDD)	155
Cell No.2 155	
Default settings for cell No.2 (FDD).....	156
Contents of System Information Block type 11 for cell No.2 (FDD)	156
Default settings for cell No.2 (TDD)	157
Contents of System Information Block type 11 for cell No.2 (TDD)	157
Cell No.3 158	

Default settings for cell No.3 (FDD).....	158
Contents of System Information Block type 11 for cell No.3 (FDD)	158
Default settings for cell No.3 (TDD)	159
Contents of System Information Block type 11 for cell No.3 (TDD)	159
Cell No.4	160
Default settings for cell No.4 (FDD).....	160
Contents of System Information Block type 11 for cell No.4 (FDD)	160
Default settings for cell No.4 (TDD)	162
Contents of System Information Block type 11 for cell No.4 (TDD)	162
Cell No.5	163
Default settings for cell No.5 (FDD).....	163
Contents of System Information Block type 11 for cell No.5 (FDD)	163
Default settings for cell No.5 (TDD)	165
Contents of System Information Block type 11 for cell No.5 (TDD)	165
Cell No.6	166
Default settings for cell No.6 (FDD).....	166
Contents of System Information Block type 11 for cell No.6 (FDD)	166
Default settings for cell No.6 (TDD)	168
Contents of System Information Block type 11 for cell No.6 (TDD)	168
Cell No.7	169
Default settings for cell No.7 (FDD).....	169
Contents of System Information Block type 11 for cell No.7 (FDD)	169
Default settings for cell No.7 (TDD)	170
Contents of System Information Block type 11 for cell No.7 (TDD)	170
Cell No.8	171
Default settings for cell No.8 (FDD).....	171
Contents of System Information Block type 11 for cell No.8 (FDD)	171
Default settings for cell No.8 (TDD)	172
Contents of System Information Block type 11 for cell No.8 (TDD)	172
Cell No.9	173
Contents of System Information for cell No.9 (GSM).....	173
Default settings for cell No.9 (GSM)	173
Cell No.10	173
Contents of System Information for cell No.10 (GSM).....	173
Default settings for cell No.10 (GSM).....	173
Cell No.11	173
Default settings for cell No.11 (FDD)	173
Contents of System Information Block type 11 for cell No.11 (FDD)	173
6.1.4.1 Default Cell parameters Two PLMN in UTRAN test scenario	174
Contents of System Information Block type 18 for cell No.1, 2, 3, 7, 8.....	174
Contents of System Information Block type 18 for cell No.4, 5, 6	174
6.1.4.1a Default Cell parameters Two PLMN in UTRAN test scenario with cells on PLMN1 belonging to two different frequencies	175
Contents of System Information Block type 18 for cell No.1, 2, 3, 4, 5, 6	175
Contents of System Information Block type 18 for cell No.7, 8	175
6.1.4.2 Default Cell parameters Three PLMN in UTRAN test scenario	175
Contents of System Information Block type 18 for cell No.1, 2, 3	176
Contents of System Information Block type 18 for cell No.4, 5, 6	176
Contents of System Information Block type 18 for cell No.7, 8	176
6.1.4.3 Default Cell parameters for MBMS 21 to 28 cell environments	176
Cell No.21	176
Default settings for cell No.21 (FDD)	176
Contents of System Information Block type 11 for cell No.21 (FDD)	176
Default settings for cell No.21 (TDD)	178
Contents of System Information Block type 11 for cell No.21 (TDD)	178
Cell No.22	180
Default settings for cell No.22 (FDD)	180
Contents of System Information Block type 11 for cell No.22 (FDD)	180
Default settings for cell No.22 (TDD)	182
Contents of System Information Block type 11 for cell No.22 (TDD)	182
Cell No.23	183

Default settings for cell No.23 (FDD)	183
Contents of System Information Block type 11 for cell No.23 (FDD)	183
Default settings for cell No.23 (TDD)	185
Contents of System Information Block type 11 for cell No.23 (TDD)	185
Cell No.24 187	
Default settings for cell No.24 (FDD)	187
Contents of System Information Block type 11 for cell No.24 (FDD)	187
Default settings for cell No.24 (TDD)	189
Contents of System Information Block type 11 for cell No.24 (TDD)	189
Cell No.25 191	
Default settings for cell No.25 (FDD)	191
Contents of System Information Block type 11 for cell No.25 (FDD)	191
Default settings for cell No.25 (TDD)	193
Contents of System Information Block type 11 for cell No.25 (TDD)	194
Cell No.26 195	
Default settings for cell No.26 (FDD)	195
Contents of System Information Block type 11 for cell No.26 (FDD)	196
Default settings for cell No.26 (TDD)	198
Contents of System Information Block type 11 for cell No.26 (TDD)	198
Cell No.27 200	
Default settings for cell No.27 (FDD)	200
Contents of System Information Block type 11 for cell No.27 (FDD)	200
Default settings for cell No.27 (TDD)	202
Contents of System Information Block type 11 for cell No.27 (TDD)	202
Cell No.28 203	
Default settings for cell No.28 (FDD)	203
Contents of System Information Block type 11 for cell No.28 (FDD)	203
Default settings for cell No.28 (TDD)	205
Contents of System Information Block type 11 for cell No.28 (TDD)	205
6.1.4.4 Default Cell parameters for MBSFN 31 to 38 cell environments	207
Cell No.31 207	
Default settings for cell No.31 (TDD)	207
Default settings for cell No.31 (3.84 Mcps TDD IMB)	207
Default settings for cell No.31 (FDD)	207
Contents of System Information Block type 3 for cell No.31 (FDD, TDD)	207
Contents of System Information Block type 3 for cell No.31 (3.84 Mcps TDD IMB)	208
Contents of System Information Block type 5 for cell No.31 (FDD)	209
Contents of System Information Block type 5 for cell No.31 (3.84 Mcps TDD)	209
Contents of System Information Block type 5 for cell No.31 (3.84 Mcps TDD IMB)	212
Contents of System Information Block type 5 for cell No.31 (1.28 Mcps TDD)	218
Contents of System Information Block type 5 for cell No.31 (7.68 Mcps TDD)	220
Contents of System Information Block type 11 for cell No.31 (FDD)	223
Contents of System Information Block type 11 for cell No.31 (3.84 Mcps and 7.68 Mcps TDD)	224
Contents of System Information Block type 11 for cell No.31 (3.84 Mcps TDD IMB)	225
Contents of System Information Block type 11 for cell No.31 (1.28 Mcps TDD)	226
Cell No.32 227	
Default settings for cell No.32 (FDD)	227
Default settings for cell No.32 (TDD)	227
Default settings for cell No.31 (3.84 Mcps TDD IMB)	227
Contents of System Information Block type 5 for cell No.32 (FDD)	227
Contents of System Information Block type 5 for cell No.32 (3.84 Mcps TDD)	227
Contents of System Information Block type 5 for cell No.32 (1.28 Mcps TDD)	227
Contents of System Information Block type 5 for cell No.32 (7.68 Mcps TDD)	228
Contents of System Information Block type 11 for cell No.32 (FDD)	228
Contents of System Information Block type 11 for cell No.32 (3.84 Mcps and 7.68 Mcps TDD)	228
Contents of System Information Block type 11 for cell No.32 (1.28 Mcps TDD)	229
Cell No.33 229	
Default settings for cell No.33 (FDD)	229
Default settings for cell No.33 (TDD)	230
Default settings for cell No.33 (3.84 Mcps TDD IMB)	230
Contents of System Information Block type 5 for cell No.33 (FDD)	230

Contents of System Information Block type 5 for cell No.33 (3.84 Mcps and 7.68 Mcps TDD)	230
Contents of System Information Block type 5 for cell No.33 (1.28 Mcps TDD)	231
Contents of System Information Block type 11 for cell No.33 (FDD)	231
Contents of System Information Block type 11 for cell No.33 (3.84 Mcps and 7.68 Mcps TDD)	232
Contents of System Information Block type 11 for cell No.33 (1.28 Mcps TDD)	232
Cell No.34 233	
Default settings for cell No.34 (FDD)	233
Default settings for cell No.34 (TDD)	233
Default settings for cell No.31 (3.84 Mcps TDD IMB).....	233
Contents of System Information Block type 5 for cell No.34 (FDD)	233
Contents of System Information Block type 5 for cell No.34 (3.84 Mcps and 7.68 Mcps TDD)	234
Contents of System Information Block type 5 for cell No.34 (1.28 Mcps TDD)	234
Contents of System Information Block type 11 for cell No.34 (FDD)	235
Contents of System Information Block type 11 for cell No.34 (3.84 Mcps and 7.68 Mcps TDD).....	235
Contents of System Information Block type 11 for cell No.34 (1.28 Mcps TDD)	236
Cell No.35 236	
Default settings for cell No.35 (FDD)	237
Default settings for cell No.35 (TDD)	237
Default settings for cell No.31 (3.84 Mcps TDD IMB).....	237
Contents of System Information Block type 5 for cell No.35 (FDD)	237
Contents of System Information Block type 5 for cell No.35 (3.84 Mcps and 7.68 Mcps TDD)	237
Contents of System Information Block type 5 for cell No.35 (1.28 Mcps TDD)	238
Contents of System Information Block type 11 for cell No.35 (FDD)	238
Contents of System Information Block type 11 for cell No.35 (3.84 Mcps and 7.68 Mcps TDD).....	239
Contents of System Information Block type 11 for cell No.35 (1.28 Mcps TDD)	239
Cell No.36 240	
Default settings for cell No.36 (FDD)	240
Default settings for cell No.36 (TDD)	240
Default settings for cell No.31 (3.84 Mcps TDD IMB).....	240
Contents of System Information Block type 5 for cell No.36 (FDD)	240
Contents of System Information Block type 5 for cell No.36 (3.84 Mcps and 7.68 Mcps TDD)	241
Contents of System Information Block type 5 for cell No.36 (1.28 Mcps TDD)	241
Contents of System Information Block type 11 for cell No.36 (FDD)	242
Contents of System Information Block type 11 for cell No.36 (3.84 Mcps and 7.68 Mcps TDD).....	242
Contents of System Information Block type 11 for cell No.36 (1.28 Mcps TDD)	243
Cell No.37 243	
Default settings for cell No.37 (FDD)	244
Default settings for cell No.37 (TDD)	244
Default settings for cell No.31 (3.84 Mcps TDD IMB).....	244
Contents of System Information Block type 5 for cell No.37 (FDD)	244
Contents of System Information Block type 5 for cell No.37 (3.84 Mcps TDD)	244
Contents of System Information Block type 5 for cell No.37 (1.28 Mcps TDD)	244
Contents of System Information Block type 5 for cell No.37 (7.68 Mcps TDD)	244
Contents of System Information Block type 11 for cell No.37 (FDD)	245
Contents of System Information Block type 11 for cell No.37 (3.84 Mcps and 7.68 Mcps TDD).....	245
Contents of System Information Block type 11 for cell No.37 (1.28 Mcps TDD)	245
Default settings for cell No.38 (FDD)	246
Default settings for cell No.38 (TDD)	246
Default settings for cell No.31 (3.84 Mcps TDD IMB).....	246
Contents of System Information Block type 5 for cell No.38 (FDD)	246
Contents of System Information Block type 5 for cell No.38 (3.84 Mcps TDD)	247
Contents of System Information Block type 5 for cell No.38 (1.28 Mcps TDD)	247
Contents of System Information Block type 5 for cell No.38 (7.68 Mcps TDD)	247
Contents of System Information Block type 11 for cell No.38 (FDD)	247
Contents of System Information Block type 11 for cell No.38 (3.84 Mcps and 7.68 Mcps TDD).....	247
Contents of System Information Block type 11 for cell No.38 (1.28 Mcps TDD)	248
6.1.5 Reference Radio Conditions (FDD).....	248
6.1.5.1 HARQ Transmission Parameters (FDD)	250
6.1.5.2 Inter-band testing (FDD)	250
6.1.6 Reference Radio Conditions (TDD)	250
6.1.6.1 Reference Radio Conditions (3.84 Mcps TDD IMB).....	251

6.1.7	Reference Radio Conditions (GSM)	252
6.2	Number of neighbour cells	253
6.2.1	Basic Network	253
6.2.2	Soft Handover Network (FDD)	253
6.2.3	Hard Handover Network.....	253
6.2.4	'Roaming' Network	253
6.3	Cell/BS codes etc.....	253
6.4	Routing/location area	253
6.5	Network options settings.....	254
6.6	Power control mode	254
6.6.1	Downlink Power Control	254
6.6.1.1	Outer Loop Power Control.....	254
6.6.1.2	Inner Loop Power Control.....	254
6.6.2	Uplink Power Control	254
6.6.2.1	Outer Loop Power Control.....	254
6.6.2.2	Inner Loop Power Control (FDD).....	254
6.7	Tx Diversity modes.....	254
6.7.1	Non-Diverse Operation	254
6.7.2	Diverse Operation	254
6.7.2.1	Diverse Operation (FDD mode)	254
6.7.2.2	Diverse Operation (TDD mode).....	254
6.7.2.2.1	3.84 Mcps option	254
6.7.2.2.2	1.28 Mcps option	255
6.7.2.2.1	7.68 Mcps option	255
6.8	Compressed mode parameters	255
6.8.1	Single compressed mode pattern	255
6.8.1.1	Inter Frequency FDD measurement.....	255
6.8.1.2	Inter Frequency TDD measurement	256
6.8.1.3	Inter RAT measurement (GSM - Carrier RSSI)	256
6.8.1.4	Inter RAT measurement (GSM - Initial BSIC Identification)	257
6.8.1.5	Inter RAT measurement (GSM - BSIC re-confirmation)	257
6.8.2	Multiple compressed mode patterns	258
6.8.2.1	Inter RAT measurement GSM.....	258
6.8.2.2	Inter Frequency FDD measurement & Inter RAT measurement GSM	258
6.8.2.3	Inter Frequency FDD measurement & Inter Frequency TDD measurement.....	259
6.8.2.4	Inter Frequency TDD measurement & Inter RAT measurement GSM	259
6.8.2.5	Inter Frequency FDD measurement & Inter Frequency TDD measurement & Inter RAT measurement GSM	259
6.9	BCCH parameters.....	260
6.10	Reference Radio Bearer configurations used in Radio Bearer interoperability testing	261
6.10.1	QoS Architecture and RAB attributes	261
6.10.2	RAB and signalling RB for FDD	262
6.10.2.1	RABs and signalling RBs	262
6.10.2.2	Combinations of RABs and Signalling RBs	264
6.10.2.3	Example of linkage between RABs and services	270
6.10.2.4	Typical radio parameter sets	271
6.10.2.4.1	Combinations on DPCH	271
6.10.2.4.1.1	Stand-alone UL:1.7 DL:1.7 kbps SRBs for DCCH	271
6.10.2.4.1.2	Stand-alone UL:3.4 DL:3.4 kbps SRBs for DCCH	272
6.10.2.4.1.3	Stand-alone UL:13.6 DL:13.6 kbps SRBs for DCCH	274
6.10.2.4.1.4	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	275
6.10.2.4.1.4a	Conversational / speech / UL:(12.2 7.95 5.9 4.75) DL:(12.2 7.95 5.9 4.75) kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	277
6.10.2.4.1.4b	Conversational / speech / UL:(12.2 7.4 5.9 4.75) DL:(12.2 7.4 5.9 4.75) kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH + DL:0.15 kbps SRB#5 for DCCH	278
6.10.2.4.1.5	Conversational / speech / UL:10.2 DL:10.2 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	280
6.10.2.4.1.5a	Conversational / speech / UL:(10.2, 6.7, 5.9, 4.75) DL:(10.2, 6.7, 5.9, 4.75) kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	282

6.10.2.4.1.6	Conversational / speech / UL:7.95 DL:7.95 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	284
6.10.2.4.1.7	Conversational / speech / UL:7.4 DL:7.4 kbps / CS RAB+ UL:3.4 DL:3.4 kbps SRBs for DCCH.....	286
6.10.2.4.1.7a	Conversational / speech / UL:(7.4, 6.7, 5.9, 4.75) DL:(7.4, 6.7, 5.9, 4.75) kbps / CS RAB+ UL:3.4 DL:3.4 kbps SRBs for DCCH	287
6.10.2.4.1.8	Conversational / speech / UL:6.7 DL:6.7 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	289
6.10.2.4.1.9	Conversational / speech / UL:5.9 DL:5.9 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	291
6.10.2.4.1.10	Conversational / speech / UL:5.15 DL:5.15 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	293
6.10.2.4.1.11	Conversational / speech / UL:4.75 DL:4.75 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	295
6.10.2.4.1.12	Conversational / unknown / UL:28.8/DL:28.8 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	297
6.10.2.4.1.13	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	298
6.10.2.4.1.14	Conversational / unknown / UL:32 DL:32 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	300
6.10.2.4.1.15	Streaming / unknown / UL:14.4/DL:14.4 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	301
6.10.2.4.1.16	Streaming / unknown / UL:28.8/DL:28.8 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	302
6.10.2.4.1.17	Streaming / unknown / UL:57.6/DL:57.6 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	304
6.10.2.4.1.18	Void	305
6.10.2.4.1.19	Void	305
6.10.2.4.1.20	Void	305
6.10.2.4.1.21	Void	305
6.10.2.4.1.22	Void	305
6.10.2.4.1.23	Interactive or background / UL:32 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	305
6.10.2.4.1.23a	Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	307
6.10.2.4.1.23b	Interactive or background / UL:16 DL:16 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	308
6.10.2.4.1.23c	Interactive or background / UL:32 DL:32 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	310
6.10.2.4.1.23d	Interactive or background / UL:32 DL:32 kbps / PS RAB (20 ms TTI)+ UL:3.4 DL:3.4 kbps SRBs for DCCH.....	311
6.10.2.4.1.24	Void	313
6.10.2.4.1.25	Interactive or background / UL:32 DL: 64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	313
6.10.2.4.1.26	Interactive or background / UL:64 DL: 64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	314
6.10.2.4.1.27	Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	314
6.10.2.4.1.28	Interactive or background / UL:128 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	315
6.10.2.4.1.29	Interactive or background / UL:64 DL:144 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH.....	316
6.10.2.4.1.30	Interactive or background / UL:144 DL:144 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH.....	317
6.10.2.4.1.31	Interactive or background / UL:64 DL:256 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH.....	318
6.10.2.4.1.32	Interactive or background / UL:64 DL:384 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH.....	319
6.10.2.4.1.33	Interactive or background / UL:128 DL:384 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	320

6.10.2.4.1.34	Interactive or background / UL:384 DL:384 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	320
6.10.2.4.1.35	Interactive or background / UL:64 DL:2 048 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	321
6.10.2.4.1.36	Void	322
6.10.2.4.1.37	Void	322
6.10.2.4.1.38	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:32 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	322
6.10.2.4.1.38a	Conversational / speech / 12.2 kbps / CS RAB + Interactive or background / UL:0 DL:0 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	323
6.10.2.4.1.38b	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	325
6.10.2.4.1.38c	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:32 DL:32 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	327
6.10.2.4.1.38d	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	328
6.10.2.4.1.38e	Conversational / speech / (12.2 7.95 5.9 4.75) kbps / CS RAB + Interactive or background / UL:0 DL:0 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	330
6.10.2.4.1.38f	Conversational / speech / (12.2 7.95 5.9 4.75) kbps / CS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	331
6.10.2.4.1.38g	Conversational / speech / (12.2 7.95 5.9 4.75) kbps / CS RAB + Interactive or background / UL:16 DL:16 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	332
6.10.2.4.1.38h	Conversational / speech / (12.2 7.95 5.9 4.75) kbps / CS RAB + Interactive or background / UL:32 DL:32 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	333
6.10.2.4.1.38i	Conversational / speech / (12.2 7.95 5.9 4.75) kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	335
6.10.2.4.1.38j	Conversational / speech / (12.2 7.95 5.9 4.75) kbps / CS RAB + Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	337
6.10.2.4.1.38k	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:32 DL:32 kbps / PS RAB + Interactive or background / UL:32 DL:32 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH (L1 multiplexing).....	338
6.10.2.4.1.39	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:32 DL:64 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH	340
6.10.2.4.1.40	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH	341
6.10.2.4.1.41	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	341
6.10.2.4.1.42	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:256 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	342
6.10.2.4.1.43	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:384 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	343
6.10.2.4.1.44	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:128 DL:2 048 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	344
6.10.2.4.1.45	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming / unknown / UL:57.6 DL:57.6 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	347
6.10.2.4.1.46	Void	348
6.10.2.4.1.47	Void	348
6.10.2.4.1.48	Void	348
6.10.2.4.1.49	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	348
6.10.2.4.1.49a	Conversational / speech / UL:(12.2 7.95 5.9 4.75) DL:(12.2 7.95 5.9 4.75) kbps / CS RAB + Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	349
6.10.2.4.1.50	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	350
6.10.2.4.1.51	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	351
6.10.2.4.1.51a	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or Background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	352

6.10.2.4.1.51b	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or Background / UL:16 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	353
6.10.2.4.1.52	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	354
6.10.2.4.1.53	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:128 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	355
6.10.2.4.1.54	Void	355
6.10.2.4.1.55	Void	355
6.10.2.4.1.56	Interactive or background / UL:8 DL:8 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	355
6.10.2.4.1.57	Interactive or background / UL:64 DL:64 kbps / PS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	357
6.10.2.4.1.58	Streaming / unknown / UL:16 DL:64 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	359
6.10.2.4.1.58a	Streaming / unknown / UL:16 DL:128 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	360
6.10.2.4.1.59	Conversational / speech / UL:42.8 DL:42.8 kbps / PS RAB + Interactive / UL:16 DL:16 kbps / PS RAB + Interactive / UL:16 DL:16 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	361
6.10.2.4.1.60	Conversational / speech / UL:42.8 DL:42.8 kbps / PS RAB + Interactive / UL:16 DL:16 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	364
6.10.2.4.1.61	Conversational / unknown / UL:8 DL:8 kbps / PS RAB + Interactive or Background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	365
6.10.2.4.1.62	Conversational / speech / UL:(12.65 8.85 6.6) DL:(12.65 8.85 6.6) kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH + DL:0.15 kbps SRB#5 for DCCH	368
6.10.2.4.1.63	Interactive or background / UL:64 DL:768 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH	370
6.10.2.4.2	Combinations on PDSCH and DPCH	371
6.10.2.4.2.1	Void	371
6.10.2.4.2.2	Interactive or background / UL:64 DL:384 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH	371
6.10.2.4.2.3	Interactive or background / UL:64 DL:2 048 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH	372
6.10.2.4.2.4	Void	374
6.10.2.4.2.5	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:384 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	374
6.10.2.4.2.6	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:2 048 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	374
6.10.2.4.3	Combinations on SCCPCH	375
6.10.2.4.3.1	Stand-alone signalling RB for PCCH	375
6.10.2.4.3.2	Interactive/Background 32 kbps PS RAB + SRBs for CCCH + SRB for DCCH + SRB for BCCH	376
6.10.2.4.3.2a	Interactive/Background 32 kbps PS RAB + Interactive/Background 32 kbps PS RAB + SRBs for CCCH + SRB for DCCH + SRB for BCCH	377
6.10.2.4.3.3	Interactive/Background 32 kbps RAB + SRB for PCCH + SRB for CCCH + SRB for DCCH + SRB for BCCH	378
6.10.2.4.3.4	RB for CTCH + SRB for CCCH + SRB for BCCH	379
6.10.2.4.3.5	64.8kbps RB for MTCH with 80 ms TTI	380
6.10.2.4.3.6	129.6 kbps RB for MTCH with 80 ms TTI	381
6.10.2.4.3.7	259.2 kbps RB for MTCH with 40 ms TTI	382
6.10.2.4.3.8	7.6 kbps signalling RB for MCCH	383
6.10.2.4.3.9	Interactive/Background 32 kbps RAB + SRB for PCCH + SRB for CCCH + SRB for DCCH + SRB for BCCH + SRB for MCCH	383
6.10.2.4.4	Combinations on PRA CH	384
6.10.2.4.4.1	Interactive/Background 32 kbps PS RAB + SRB for CCCH + SRB for DCCH	384
6.10.2.4.4.2	Interactive/Background 32 kbps PS RAB + Interactive/Background 32 kbps PS RAB + SRB for CCCH + SRB for DCCH	385
6.10.2.4.5	Combinations on DPCH and HS-PDSCH	387
6.10.2.4.5.1	Interactive or background / UL:64 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	387

6.10.2.4.5.1a	Interactive or background / UL:128 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	391
6.10.2.4.5.2	Interactive or background / UL:384 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	392
6.10.2.4.5.3	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:384 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	393
6.10.2.4.5.3a	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	394
6.10.2.4.5.4	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:384 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	395
6.10.2.4.5.4a	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:64 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	396
6.10.2.4.5.5	Interactive or background / UL:384 DL:[Bit rate depending on the UE category] / PS RAB + Interactive or background / UL:384 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH6.10.2.4.5.5.1 Uplink	396
6.10.2.4.5.5a	Interactive or background / UL:64 DL:[Bit rate depending on the UE category] / PS RAB + Interactive or background / UL:64 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	398
6.10.2.4.5.6	Streaming / unknown / UL:128 DL: [guaranteed 128, max bit rate depending on UE category] kbps / PS RAB + Interactive or background / UL:128 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	399
6.10.2.4.5.7	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming / unknown / UL:128 DL: [guaranteed 128, max bit rate depending on UE category] kbps / PS RAB + Interactive or background / UL:128 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	401
6.10.2.4.5.8	Conversational / speech / UL:(12.65 8.85 6.6) DL:(12.65 8.85 6.6) kbps / CS RAB + Interactive or Background / UL:384 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH + DL:0.15 kbps SRB#5 for DCCH	402
6.10.2.4.5.9	Streaming MBMS PTP / unknown / UL:16 DL: [max bit rate depending on UE category] kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	405
6.10.2.4.5.10	Streaming MBMS PTP / unknown / UL:16 DL: [max bit rate depending on UE category] kbps / PS RAB + Interactive or background / UL:64 DL: [max bit rate depending on UE category] / PS RAB + Interactive or background / UL:64 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	408
6.10.2.4.6	Combinations on HS-PDSCH and E-DPDCH.....	409
6.10.2.4.6.1	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH	409
6.10.2.4.6.1a	Stand-alone UL: [max bit rate depending on UE category and TTI] DL:[max bit rate depending on UE category] SRBs for DCCH on E-DCH and HS-DSCH	411
6.10.2.4.6.2	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:[max bit rate depending on UE category and TTI] DL:3.4 kbps SRBs for DCCH on E-DCH and DL DCH.....	412
6.10.2.4.6.3	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] SRBs for DCCH on E-DCH and HS-DSCH.....	413
6.10.2.4.6.4	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	415
6.10.2.4.6.5	Streaming or interactive or background / UL:[max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] kbps / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:[max bit rate depending on UE category and TTI] DL:3.4 kbps SRBs for DCCH on E-DCH and DL DCH	415

6.10.2.4.6.6	Conversational / unknown or speech / UL:[max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] kbps / PS RAB + Streaming or Interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] SRBs for DCCH on E-DCH and HS-DSCH (REL-6)	416
6.10.2.4.6.7	Conversational / unknown or speech / UL:[max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] kbps / PS RAB + Streaming or Interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + Streaming or Interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] SRBs for DCCH on E-DCH and HS-DSCH (REL-6)	418
6.10.2.4.6.8	Conversational / speech / UL:(12.65 8.85 6.6) DL:(12.65 8.85 6.6) kbps / CS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH + DL:0.15 kbps SRB#5 for DCCH	421
6.10.2.4.6.9	Conversational / speech / UL:(12.2, 7.95, 5.9, 4.75) kbps DL: (12.2, 7.95, 5.9, 4.75) kbps / CS RAB on E-DCH and HS-DSCH + UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] SRBs for DCCH on E-DCH and HS-DSCH	422
6.10.2.4.7	Combinations on PRACH and HS-DSCH	426
6.10.3	RAB and signalling RB for TDD	429
6.10.3.1	RABs and signalling RBs	429
6.10.3.2	Combinations of RABs and Signalling RBs	430
6.10.3.3	Example of linkage between RABs and services	436
6.10.3.4	Typical radio parameter sets	436
6.10.3.4.1	Combinations on DPCH	436
6.10.3.4.1.1	Stand-alone UL:1.7 DL:1.7 kbps SRBs for DCCH	436
6.10.3.4.1.1a	Stand-alone UL:1.7 DL:1.7 kbps SRBs for DCCH (multiframe)	438
6.10.3.4.1.2	Stand-alone UL:3.4 DL:3.4 kbps SRBs for DCCH	439
6.10.3.4.1.3	Stand-alone UL:13.6 DL:13.6 kbps SRBs for DCCH	441
6.10.3.4.1.4	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	442
6.10.3.4.1.4a	Conversational / speech / UL:(12.2, 7.95, 5.9, 4.75) DL:(12.2, 7.95, 5.9, 4.75) kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	444
6.10.3.4.1.5	Conversational / speech / UL:10.2 DL:10.2 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	446
6.10.3.4.1.5a	Conversational / speech / UL:(10.2, 6.7, 5.9, 4.75) DL:(10.2, 6.7, 5.9, 4.75) kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	448
6.10.3.4.1.6	Conversational / speech / UL:7.95 DL:7.95 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	449
6.10.3.4.1.7	Conversational / speech / UL:7.4 DL:7.4 kbps / CS RAB+ UL:3.4 DL:3.4 kbps SRBs for DCCH	451
6.10.3.4.1.7a	Conversational / speech / UL:(7.4, 6.7, 5.9, 4.75) DL:(7.4, 6.7, 5.9, 4.75) kbps / CS RAB+ UL:3.4 DL:3.4 kbps SRBs for DCCH	453
6.10.3.4.1.8	Conversational / speech / UL:6.7 DL:6.7 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	455
6.10.3.4.1.9	Conversational / speech / UL:5.9 DL:5.9 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	456
6.10.3.4.1.10	Conversational / speech / UL:5.15 DL:5.15 kbps / CS RAB + UL:1.7 DL:1.7 kbps SRBs for DCCH	458
6.10.3.4.1.11	Conversational / speech / UL:4.75 DL:4.75 kbps / CS RAB + UL:1.7 DL:1.7 kbps SRBs for DCCH	460
6.10.3.4.1.12	Conversational / unknown / UL:28.8/DL:28.8 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	461
6.10.3.4.1.13	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	463
6.10.3.4.1.14	Conversational / unknown / UL:32 DL:32 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	464

6.10.3.4.1.15	Streaming / unknown / UL:14.4/DL:14.4 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	466
6.10.3.4.1.16	Streaming / unknown / UL:28.8/DL:28.8 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	467
6.10.3.4.1.17	Streaming / unknown / UL:57.6/DL:57.6 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	469
6.10.3.4.1.18	Void	470
6.10.3.4.1.19	Void	470
6.10.3.4.1.20	Void	470
6.10.3.4.1.21	Void	470
6.10.3.4.1.22	Void	470
6.10.3.4.1.23	Interactive or background / UL:32 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	470
6.10.3.4.1.23a	Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	472
6.10.3.4.1.23b	Interactive or background / UL:16 DL:16 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	473
6.10.3.4.1.23c	Interactive or background / UL:32 DL:32 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	474
6.10.3.4.1.23d	Interactive or background / UL:32 DL:32 kbps / PS RAB (20 ms TTI)+ UL:3.4 DL:3.4 kbps SRBs for DCCH	476
6.10.3.4.1.24	Void	477
6.10.3.4.1.25	Interactive or background / UL:32 DL: 64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	477
6.10.3.4.1.26	Interactive or background / UL:64 DL: 64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	478
6.10.3.4.1.27	Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	479
6.10.3.4.1.28	Interactive or background / UL:128 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	480
6.10.3.4.1.29	Interactive or background / UL:64 DL:144 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH	481
6.10.3.4.1.30	Interactive or background / UL:144 DL:144 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH	482
6.10.3.4.1.31	Interactive or background / UL:64 DL:256 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH	483
6.10.3.4.1.32	Interactive or background / UL:64 DL:384 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH	484
6.10.3.4.1.33	Interactive or background / UL:128 DL:384 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	485
6.10.3.4.1.34	Interactive or background / UL:384 DL:384 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	485
6.10.3.4.1.35	Interactive or background / UL:64 DL:2 048 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	486
6.10.3.4.1.36	Void	487
6.10.3.4.1.37	Void	487
6.10.3.4.1.38	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:32 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	487
6.10.3.4.1.38a	Conversational / speech / 12.2 kbps / CS RAB + Interactive or background / UL:0 DL:0 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	489
6.10.3.4.1.38b	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	490
6.10.3.4.1.38c	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:32 DL:32 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	491
6.10.3.4.1.38d	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	493
6.10.3.4.1.38e	Conversational / speech / UL:(12.2, 7.95, 5.9, 4.75) DL:(12.2, 7.95, 5.9, 4.75) kbps / CS RAB + Interactive or background / UL:0 DL:0 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	495

6.10.3.4.1.38f	Conversational / speech / (12.2, 7.95, 5.9, 4.75) kbps / CS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	496
6.10.3.4.1.38g	Conversational / speech / (12.2, 7.95, 5.9, 4.75) kbps / CS RAB + Interactive or background / UL:16 DL:16 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	497
6.10.3.4.1.38h	Conversational / speech / (12.2, 7.95, 5.9, 4.75) kbps / CS RAB + Interactive or background / UL:32 DL:32 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	499
6.10.3.4.1.38i	Conversational / speech / (12.2, 7.95, 5.9, 4.75) kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	500
6.10.3.4.1.38j	Conversational / speech / (12.2, 7.95, 5.9, 4.75) kbps / CS RAB + Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	502
6.10.3.4.1.39	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:32 DL:64 kbps / PS RAB+ UL:3.4 DL: 3.4 kbps SRBs for DCCH	503
6.10.3.4.1.40	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB+ UL:3.4 DL: 3.4 kbps SRBs for DCCH	504
6.10.3.4.1.41	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	506
6.10.3.4.1.42	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:256 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	507
6.10.3.4.1.43	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:384 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	509
6.10.3.4.1.44	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:128 DL:2 048 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	510
6.10.3.4.1.45	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming / unknown / UL:57.6 DL:57.6 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	513
6.10.3.4.1.46	Void	514
6.10.3.4.1.47	Void	514
6.10.3.4.1.48	Void	514
6.10.3.4.1.49	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	514
6.10.3.4.1.49a	Conversational / speech / UL:(12.2 7.95 5.9 4.75) DL:(12.2 7.95 5.9 4.75) kbps / CS RAB + Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	515
6.10.3.4.1.50	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	516
6.10.3.4.1.51	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	517
6.10.3.4.1.51a	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or Background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	519
6.10.3.4.1.51b	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or Background / UL:16 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	520
6.10.3.4.1.52	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	520
6.10.3.4.1.53	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:128 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	521
6.10.3.4.1.54	Void	522
6.10.3.4.1.55	Void	522
6.10.3.4.1.56	Interactive or background / UL:8 DL:8 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	522
6.10.3.4.1.57	Interactive or background / UL:64 DL:64 kbps / PS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	523
6.10.3.4.1.58	Streaming / unknown / UL:16 DL:64 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	525
6.10.3.4.1.59	Reserved for future use.....	526
6.10.3.4.1.60	Reserved for future use.....	526
6.10.3.4.1.61	Conversational / unknown / UL:8 DL:8 kbps / PS RAB + Interactive or Background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	526
6.10.3.4.2	Combinations on PDSCH, SCCPCH, PUSCH and PRACH	528
6.10.3.4.2.1	Interactive or background / UL: 64 DL: 256 kbps / PS RAB + UL: 3.4/16.8 DL: 3.4/33.6 kbps SRBs for DCCH, CCCH and BCCH + UL: 16.8 DL: 16 kbps SRBs for SHCCH	528
6.10.3.4.2.2	Interactive or background / UL: 64 DL: 384 kbps / PS RAB + UL: 3.4/16.8 DL: 3.4/33.6 kbps SRBs for DCCH, CCCH and BCCH+ UL: 16.8 DL: 16 kbps SRBs for SHCCH	534

6.10.3.4.2.3	Interactive or background / UL: 64 DL: 2 048 kbps / PS RAB + UL: 3.4/16.8 DL: 3.4/33.6 kbps SRBs for DCCH, CCCH and BCCH + UL: 16.8 DL: 16 kbps SRBs for SHCCH.....	536
6.10.3.4.2.4	Interactive or background / UL: 384 DL: 2 048 kbps / PS RAB + UL: 3.4/16.8 DL: 3.4/33.6 kbps SRBs for DCCH, CCCH and BCCH + UL: 16.8 DL: 16 kbps SRBs for SHCCH.....	537
6.10.3.4.3	Combinations on PDSCH, SCCPCH, DPCH, PUSCH and PRACH	539
6.10.3.4.3.1	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH + Interactive or background / UL: 64 DL: 256 kbps / PS RAB + UL: 16.8 kbps SRBs for CCCH and SHCCH+ DL: 33.6 kbps SRBs for CCCH SHCCH and BCCH	539
6.10.3.4.3.2	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH + Interactive or background / UL: 64 DL: 384 kbps / PS RAB + UL: 16.8 kbps SRBs for CCCH and SHCCH+ DL: 33.6 kbps SRBs for CCCH, SHCCH and BCCH	541
6.10.3.4.3.3	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH + Interactive or background / UL: 64 DL: 2 048 kbps / PS RAB + UL: 16.8 kbps SRBs for CCCH and SHCCH+ DL: 33.6 kbps SRBs for CCCH, SHCCH and BCCH	542
6.10.3.4.4	Combinations on SCCPCH	543
6.10.3.4.4.1	Stand-alone signalling RB for PCCH	543
6.10.3.4.4.2	Interactive/Background 32 kbps PS RAB + SRBs for CCCH + SRB for DCCH + SRB for BCCH	544
6.10.3.4.4.2a	Interactive/Background 32 kbps PS RAB + Interactive/Background 32 kbps PS RAB + SRBs for CCCH + SRB for DCCH + SRB for BCCH	545
6.10.3.4.4.2b	SRBs for CCCH + SRB for DCCH + SRB for BCCH	546
6.10.3.4.4.3	Interactive/Background 32 kbps RAB + SRB for PCCH + SRB for CCCH + SRB for DCCH + SRB for BCCH	547
6.10.3.4.4.3a	SRB for PCCH + SRB for CCCH + SRB for DCCH + SRB for BCCH	547
6.10.3.4.4.4	RB for CTCH + SRB for CCCH + SRB for BCCH.....	548
6.10.3.4.4.5	64.8kbps RB for MTCH with 80 ms TTI.....	549
6.10.3.4.4.6	129.6kbps RB for MTCH with 80 ms TTI.....	550
6.10.3.4.4.7	259.2 kbps RB for MTCH with 40 ms TTI.....	551
6.10.3.4.4.8	7.6 kbps signalling RB for MCCH	552
6.10.3.4.4.9	124.4kbps RB for MBSFN MTCH with 80 ms TTI.....	553
6.10.3.4.4.10	320.4kbps RB for MBSFN MTCH with 80 ms TTI.....	554
6.10.3.4.4.11	497.6kbps RB for MBSFN MTCH with 80 ms TTI.....	555
6.10.3.4.4.12	7.2 kbps signalling RB for MBSFN MCCH	556
6.10.3.4.5	Combinations on PRACH	556
6.10.3.4.5.1	SRB for CCCH + SRB for DCCH.....	556
6.10.3.4.5.2	Interactive/Background 12.8 kbps PS RAB + SRB for CCCH + SRB for DCCH	557
6.10.3.4.5.3	Interactive/Background 12.8 kbps PS RAB + Interactive/Background 12.8 kbps PS RAB + SRB for CCCH + SRB for DCCH.....	557
6.10.3.4.6	Combinations on DPCH and HS-PDSCH.....	558
6.10.3.4.6.1	Interactive or background / UL:64 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	558
6.10.3.4.6.2	Interactive or background / UL:128 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	560
6.10.3.4.6.3	Interactive or background / UL:384 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	561
6.10.3.4.6.4	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:384 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	561
6.10.3.4.6.5	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	563
6.10.3.4.6.6	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:384 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	563
6.10.3.4.6.7	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:64 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	565

6.10.3.4.6.8	Interactive or background / UL:384 DL:[Bit rate depending on the UE category] / PS RAB + Interactive or background / UL:384 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	565
6.10.3.4.6.9	Interactive or background / UL:64 DL:[Bit rate depending on the UE category] / PS RAB + Interactive or background / UL:64 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	567
6.10.3.4.6.10	Streaming / unknown / UL:128 DL: [guaranteed 128, max bit rate depending on UE category] kbps / PS RAB + Interactive or background / UL:128 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	568
6.10.3.4.6.11	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming / unknown / UL:128 DL: [guaranteed 128, max bit rate depending on UE category] kbps / PS RAB + Interactive or background / UL:128 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	569
6.10.3.4.7	Combinations on HS-PDSCH and E-PUCH	571
6.10.3.4.7.1	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH	571
6.10.3.4.7.3	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] SRBs for DCCH on E-DCH and HS-DSCH.....	573
6.10.3.4.7.4	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	573
6.10.3.4.7.5	Streaming or interactive or background / UL:[max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] kbps / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:[max bit rate depending on UE category and TTI] DL:3.4 kbps SRBs for DCCH on E-DCH and DL DCH	574
6.11	Common Radio Bearer configurations for other test purposes.....	576
6.11.1	Unacknowledged Mode Radio Bearer configuration (7 bit Length Indicator).....	576
6.11.1a	Streaming / unknown / DL:64 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	577
6.11.1b	Streaming / unknown / DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	578
6.11.1c	8kbps RB for MBSFN MTCH (3.84 Mcps TDD).....	579
6.11.1d	8kbps RB for MBSFN MTCH (7.68 Mcps TDD).....	579
6.11.1e	8kbps RB for MBSFN MTCH (3.84 Mcps TDD IMB)	580
6.11.2	Unacknowledged Mode Radio Bearer configuration (15 bit Length Indicator)	580
6.11.2.1	Transport channel parameters for the Uplink RAB	580
6.11.2.2	Transport channel parameters for the Downlink RAB.....	581
6.11.2a	64kbps RB for MBSFN MTCH (3.84 Mcps TDD).....	581
6.11.2b	64kbps RB for MBSFN MTCH (7.68 Mcps TDD).....	582
6.11.3	Acknowledged Mode Radio Bearer configuration (7 bit Length Indicator).....	582
6.11.4	Acknowledged Mode Radio Bearer configuration (15 bit Length Indicator).....	583
6.11.4.1	Transport channel parameters for the Uplink RAB	583
6.11.4.2	Transport channel parameters for the Downlink RAB.....	583
6.11.4a	Reference Radio Bearer configurations used in MAC-hs testing.....	584
6.11.4a.1	5 x Interactive or background / UL: 8 kbps DL: [max bit rate depending on UE category] / UM PS RAB	584
6.11.4a.1.1	Uplink	584
6.11.4a.1.1.1	Uplink Transport channel parameters for DCH	584
6.11.4a.1.1.2	Uplink physical channel parameters	584
6.11.4a.1.2	Downlink.....	584
6.11.4a.1.2.1	Transport channel parameters for HS-DSCH	585
6.11.4a.1.2.2	Downlink Transport channel parameters for DCH.....	585
6.11.4a.1.2.3	Downlink physical channel parameters	586
6.11.4b	Interactive or background / UL: 0 kbps DL: 0 kbps PS RAB	586
6.11.4b.1	Uplink	586
6.11.4b.1.1	Uplink Transport channel parameters for DCH.....	586
6.11.4b.2	Downlink.....	586
6.11.4b.2.1	Downlink Transport channel parameters for DCH	586

6.11.4c	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH ...	588
6.11.4c.1	Uplink	588
6.11.4c.1.1	Transport channel parameters	588
6.11.4c.1.1.1	Transport channel parameters for E-DCH	588
6.11.4c.1.2	Physical channel parameters	588
6.11.4c.1.2.1	Physical channel parameters on E-DPDCH	588
6.11.4c.1.2.2	Physical channel parameters for DPCH	588
6.11.4c.2	Downlink	588
6.11.4c.2.1	Transport channel parameters	588
6.11.4c.2.1.1	Transport channel parameters for HS-DSCH	588
6.11.4c.2.2	Physical channel parameters	589
6.11.4c.2.2.1	Physical channel parameters on DPCH	589
6.11.4c.2.2.2	Physical channel parameters on HS-PDSCH	589
6.11.4d	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] + DL: 3.4 kbps SRBs for DCCH on E-DCH and DCH	589
6.11.4d.1	Uplink	589
6.11.4d.1.1	Transport channel parameters	589
6.11.4d.1.1.1	Transport channel parameters for E-DCH	589
6.11.4d.1.2	Physical channel parameters	590
6.11.4d.1.2.1	Physical channel parameters on E-DPDCH	590
6.11.4d.2	Downlink	590
6.11.4d.2.1	Transport channel parameters	590
6.11.4d.2.1.1	Transport channel parameters for HS-DSCH	590
6.11.4d.2.1.2	Transport channel parameters for DCH	590
6.11.4d.2.2	Physical channel parameters	590
6.11.4d.2.2.1	Physical channel parameters on DPCH	590
6.11.4d.2.2.2	Physical channel parameters on HS-PDSCH	590
6.11.4e	Interactive or background / UL:64 DL: 64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	590
6.11.4e.1	Uplink	590
6.11.4e.1.1	Transport channel parameters	590
6.11.4e.1.1.1	Transport channel parameters for Interactive or background / UL:64 kbps / PS RAB	590
6.11.4e.1.1.2	Transport channel parameters for UL:3.4 kbps SRBs for DCCH	591
6.11.4e.1.1.3	TFCS	591
6.11.4e.2	Downlink	591
6.11.4e.2.1	Transport channel parameters	591
6.11.4e.2.1.1	Transport channel parameters for Interactive or background / DL:64 kbps / PS RAB	591
6.11.4e.2.1.2	Transport channel parameters for DL:3.4 kbps SRBs for DCCH	591
6.11.4e.2.1.3	TFCS	592
6.11.4e.2.2	Physical channel parameters	592
6.11.4f	Reference Radio Bearer configurations used in MAC-ehs testing	592
6.11.4f.1	3 x Interactive or background / UL: 8 kbps DL: [max bit rate depending on UE category] / UM PS RAB	592
6.11.4f.1.1	Uplink	592
6.11.4f.1.1.1	Uplink Transport channel parameters for DCH	592
6.11.4f.1.1.2	Uplink physical channel parameters	593
6.11.4f.1.2	Downlink	593
6.11.4f.1.2.1	Transport channel parameters for HS-DSCH	593
6.11.4f.1.2.2	Downlink Transport channel parameters for DCH	593
6.11.4f.1.2.3	Downlink physical channel parameters	593
6.11.4f.2	1 x Interactive or background / UL: 8 kbps DL: [max bit rate depending on UE category] / UM PS RAB	593
6.11.4f.2.1	Uplink	594
6.11.4f.2.1.1	Uplink Transport channel parameters for DCH	594
6.11.4f.2.1.2	Uplink physical channel parameters	594
6.11.4f.2.2	Downlink	594
6.11.4f.2.2.1	Transport channel parameters for HS-DSCH	594
6.11.4f.2.2.2	Downlink Transport channel parameters for DCH	595
6.11.4f.2.2.3	Downlink physical channel parameters	595

6.11.4g	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH ...	596
6.11.4g.1	Uplink	596
6.11.4g.1.1	Transport channel parameters	596
6.11.4g.1.1.1	Transport channel parameters for E-DCH	596
6.11.4g.1.2	Physical channel parameters	596
6.11.4g.1.2.1	Physical channel parameters on E-PUCH	596
6.11.4g.1.2.2	Physical channel parameters for DPCH	596
6.11.4g.2	Downlink	596
6.11.4g.2.1	Transport channel parameters	596
6.11.4g.2.1.1	Transport channel parameters for HS-DSCH	596
6.11.4g.2.2	Physical channel parameters	597
6.11.4g.2.2.1	Physical channel parameters on DPCH	597
6.11.4g.2.2.2	Physical channel parameters on HS-PDSCH	597
6.11.4h	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] + DL: 3.4 kbps SRBs for DCCH on E-DCH and DCH for 3.84Mcps TDD	597
6.11.4h.1	Uplink	597
6.11.4h.1.1	Transport channel parameters	597
6.11.4h.1.1.1	Transport channel parameters for E-DCH	597
6.11.4h.1.2	Physical channel parameters	597
6.11.4h.1.2.1	Physical channel parameters on E-PUCH	597
6.11.4h.2	Downlink	598
6.11.4h.2.1	Transport channel parameters	598
6.11.4h.2.1.1	Transport channel parameters for HS-DSCH	598
6.11.4h.2.1.2	Transport channel parameters for DCH	598
6.11.4h.2.2	Physical channel parameters	598
6.11.4h.2.2.1	Physical channel parameters on DPCH	598
6.11.4h.2.2.2	Physical channel parameters on HS-PDSCH	598
6.11.4i	Reference Radio Bearer configurations used in CPC testing	598
6.11.4i.1	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / UM PS RAB + UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] SRBs for DCCH on E-DCH and HS-DSCH	598
6.11.4i.1.1	Uplink	598
6.11.4i.1.1.1	Transport channel parameters	598
6.11.4i.1.1.1.1	Transport channel parameters for E-DCH	598
6.11.4i.1.1.2	Physical channel parameters	599
6.11.4i.1.1.2.1	Physical channel parameters on E-DPDCH	599
6.11.4i.1.2	Downlink	599
6.11.4i.1.2.1	Transport channel parameters	599
6.11.4i.1.2.1.1	Transport channel parameters for HS-DSCH	599
6.11.4i.1.2.2	Physical channel parameters	599
6.11.4i.1.2.2.2	Physical channel parameters on HS-PDSCH	599
6.11.4j	Reference Radio Bearer configurations used in Improved L2 testing	599
6.11.4j.1	Interactive or background / UL:64 DL: [max bit rate depending on UE category] / UM PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	599
6.11.4j.1.2.1	Transport channel parameters	600
6.11.4j.1.2.1.1	Transport channel parameters for HS-DSCH	600
6.11.4j.1.2.2	Physical channel parameters	600
6.11.4j.1.2.2.1	Physical channel parameters on DPCH	600
6.11.4j.1.2.2.2	Physical channel parameters on HS-PDSCH	600
6.11.4j.2	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] with Flexible RLC and MAC-ehs SRBs for DCCH on E-DCH and HS-DSCH	600
6.11.4k	Reference Radio Bearer configurations used in Improved L2 UL testing	602
6.11.4k.1	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH	602

6.11.4k.2	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] SRBs for DCCH on E-DCH and HS-DSCH.....	603
6.11.4k.2.1.1.1	Transport channel parameters for E-DCH	603
6.11.4k.2.2.2.2	Physical channel parameters on HS-PDSCH.....	604
6.11.4k.3	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] with Flexible RLC and MAC- ehs SRBs for DCCH on E-DCH and HS-DSCH.....	604
6.11.4k.4	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + 3.4 kbps SRBs for DCCH on E-DCH and DL DCH	605
6.11.4k.4.1.2.1	Physical channel parameters on E-DPDCH.....	605
6.11.4k.5	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] SRBs for DCCH on E-DCH and HS-DSCH	606
6.11.4k.5.1	Uplink	606
6.11.4k.5.1.2.1	Physical channel parameters on E-DPDCH.....	606
6.11.4l	Reference Radio Bearer configurations used in UL packet filtering testing.....	607
6.11.4l.1	Interactive or background / UL:64 DL:64 kbps / PS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	607
6.11.5	Reference Radio Bearer configurations used in Radio Bearer testing for 1.28 Mcps TDD	608
6.11.5.1	RABs and signalling RBs	608
6.11.5.2	Combinations of RABs and Signalling RBs	608
6.11.5.3	Example of linkage between RABs and services	617
6.11.5.4	Typical radio parameter sets	617
6.11.5.4.1	Combinations on DPCH	617
6.11.5.4.1.1	Stand-alone UL:1.7 DL:1.7 kbps SRBs for DCCH	617
6.11.5.4.1.1a	Stand-alone UL:1.7 DL:1.7 kbps SRBs for DCCH (multiframe)	618
6.11.5.4.1.2	Stand-alone UL:3.4 DL:3.4 kbps SRBs for DCCH	618
6.11.5.4.1.2a	Stand-alone UL:3.4 DL:3.4 kbps SRBs for DCCH (multiframe)	619
6.11.5.4.1.3	Stand-alone UL:13.6 DL:13.6 kbps SRBs for DCCH	621
6.11.5.4.1.4	Conversational/ speech / UL:12.2 DL:12.2 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	621
6.11.5.4.1.4a	Conversational/ speech / UL: 12.2 7.95 5.9 4.75 DL:12.2 7.95 5.9 4.75 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	622
6.11.5.4.1.5	Conversational/ speech / UL:10.2 DL:10.2 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	623
6.11.5.4.1.5a	Conversational/ speech / UL:10.2 6.7 5.9 4.75 DL:10.2 6.7 5.9 4.75 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	624
6.11.5.4.1.6	Conversational/ speech / UL:7.95 DL:7.95 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	625
6.11.5.4.1.7	Conversational/ speech / UL:7.4 DL:7.4 kbps / CS RAB+ UL:3.4 DL:3.4 kbps SRBs for DCCH.....	626
6.11.5.4.1.7a	Conversational/ speech / UL:7.4 6.7 5.9 4.75 DL:7.4 6.7 5.9 4.75 / CS RAB+ UL:3.4 DL:3.4 kbps SRBs for DCCH	626
6.11.5.4.1.8	Conversational/ speech / UL:6.7 DL:6.7 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	627
6.11.5.4.1.9	Conversational/ speech / UL:5.9 DL:5.9 kbps / CS RAB + UL: 3.4 DL:3.4 kbps SRBs for DCCH	628
6.11.5.4.1.10	Conversational/ speech / UL:5.15 DL:5.15 kbps / CS RAB + UL:1.7 DL:1.7 kbps SRBs for DCCH.....	629
6.11.5.4.1.11	Conversational/ speech / UL:4.75 DL:4.75 kbps / CS RAB + UL:1.7 DL:1.7 kbps SRBs for DCCH.....	630

6.11.5.4.1.12	Conversational / unknown / UL:28.8/DL:28.8 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	631
6.11.5.4.1.13	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	631
6.11.5.4.1.14	Conversational / unknown / UL:32 DL:32 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	632
6.11.5.4.1.15	Streaming / unknown / UL:14.4/DL:14.4 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	633
6.11.5.4.1.16	Streaming / unknown / UL:28.8/DL:28.8 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	634
6.11.5.4.1.17	Streaming / unknown / UL:57.6/DL:57.6 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	635
6.11.5.4.1.18	Void	636
6.11.5.4.1.19	Void	636
6.11.5.4.1.20	Void	636
6.11.5.4.1.21	Void	636
6.11.5.4.1.22	Void	636
6.11.5.4.1.23	Interactive or background / UL:32 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	636
6.11.5.4.1.23a	Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	637
6.11.5.4.1.23b	Interactive or background / UL:16 DL:16 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	637
6.11.5.4.1.23c	Interactive or background / UL:32 DL:32 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	638
6.11.5.4.1.23d	Interactive or background / UL:32 DL:32 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	639
6.11.5.4.1.24	Void	640
6.11.5.4.1.25	Interactive or background / UL:32 DL: 64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	640
6.11.5.4.1.26	Interactive or background / UL:64 DL: 64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	640
6.11.5.4.1.27	Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	641
6.11.5.4.1.28	Interactive or background / UL:128 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	641
6.11.5.4.1.29	Interactive or background / UL:64 DL:144 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH.....	642
6.11.5.4.1.30	Interactive or background / UL:144 DL:144 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH.....	642
6.11.5.4.1.31	Interactive or background / UL:64 DL:256 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH.....	643
6.11.5.4.1.32	Interactive or background / UL:64 DL:384 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH.....	643
6.11.5.4.1.33	Interactive or background / UL:128 DL:384 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	644
6.11.5.4.1.34	Interactive or background / UL:384 DL:384 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	644
6.11.5.4.1.35	Interactive or background / UL:64 DL:2 048 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	644
6.11.5.4.1.36	Void	645
6.11.5.4.1.37	Void	645
6.11.5.4.1.38	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:32 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	645
6.11.5.4.1.38a	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:0 DL:0 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	646
6.11.2.5.1.38b	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	647
6.11.5.4.1.38c	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:32 DL:32 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	648

6.11.5.4.1.38d	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	649
6.11.5.4.1.38e	Conversational / speech / UL: 12.2 7.95 5.9 4.75 DL:12.2 7.95 5.9 4.75 kbps / CS RAB + Interactive or background / UL:0 DL:0 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	650
6.11.5.4.1.38f	Conversational / speech / UL: 12.2 7.95 5.9 4.75 DL:12.2 7.95 5.9 4.75 kbps / CS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	651
6.11.5.4.1.38g	Conversational / speech / UL: 12.2 7.95 5.9 4.75 DL:12.2 7.95 5.9 4.75 kbps / CS RAB + Interactive or background / UL:16 DL:16 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	652
6.11.5.4.1.38h	Conversational / speech / UL: 12.2 7.95 5.9 4.75 DL:12.2 7.95 5.9 4.75 kbps / CS RAB + Interactive or background / UL:32 DL:32 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	653
6.11.5.4.1.38i	Conversational / speech / UL: 12.2 7.95 5.9 4.75 DL:12.2 7.95 5.9 4.75 kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	654
6.11.5.4.1.38j	Conversational / speech / UL: 12.2 7.95 5.9 4.75 DL:12.2 7.95 5.9 4.75 kbps / CS RAB + Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	655
6.11.5.4.1.39	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:32 DL:64 kbps / PS RAB+ UL:3.4 DL: 3.4 kbps SRBs for DCCH	656
6.11.5.4.1.40	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB+ UL:3.4 DL: 3.4 kbps SRBs for DCCH	656
6.11.5.4.1.41	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	657
6.11.5.4.1.42	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:256 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	658
6.11.5.4.1.43	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:384 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	659
6.11.5.4.1.44	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:128 DL:2 048 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	659
6.11.5.4.1.45	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming / unknown / UL:57.6 DL:57.6 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	661
6.11.5.4.1.46	Void	662
6.11.5.4.1.47	Void	662
6.11.5.4.1.48	Void	662
6.11.5.4.1.49	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	662
6.11.5.4.1.49a	Conversational / speech / UL: 12.2 7.95 5.9 4.75 DL: 12.2 7.95 5.9 4.75 kbps / CS RAB + Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	663
6.11.5.4.1.50	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	664
6.11.5.4.1.51	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	665
6.11.5.4.1.51a	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	666
6.11.5.4.1.51b	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:16 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	666
6.11.5.4.1.52	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	667
6.11.5.4.1.53	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:128 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	668
6.11.5.4.1.54	Void	668
6.11.5.4.1.55	Void	668
6.11.5.4.1.56	Interactive or background / UL:8 DL:8 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	668
6.11.5.4.1.57	Interactive or background / UL:64 DL:64 kbps / PS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	669

6.11.5.4.1.58	Streaming / unknown / UL:16 DL:64 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	670
6.11.5.4.1.59	Reserved for future use.....	671
6.11.5.4.1.60	Reserved for future use.....	671
6.11.5.4.1.61	Conversational / unknown / UL:8 DL:8 kbps / PS RAB + Interactive or Background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	671
6.11.5.4.1.62	Interactive or background / UL:256 DL: 64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	672
6.11.5.4.1.63	Streaming / unknown / UL:16 DL:32 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	673
6.11.5.4.1.64	Streaming / unknown / UL:16 DL:128 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	674
6.11.5.4.1.65	Streaming / unknown / UL:32 DL:256 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	674
6.11.5.4.1.66	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:128 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	676
6.11.5.4.1.67	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming / unknown / UL:16 DL:64 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	676
6.11.5.4.1.68	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming / unknown / UL:16 DL:128 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	677
6.11.5.4.1.69	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming / unknown / UL:128 DL:64 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	678
6.11.5.4.1.70	Interactive or background / UL:64 DL:64 kbps / PS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	679
6.11.5.4.2	Combinations on PDSCH, SCCPCH, PUSCH and PRACH	681
6.11.5.4.2.1	Interactive or background / UL: 64 DL: 256 kbps / PS RAB + UL: 3.4/16.8 DL: 3.4/33.6 kbps SRBs for DCCH, CCCH and BCCH + UL: 16.8 DL: 16 kbps SRBs for SHCCH.....	681
6.11.5.4.2.2	Interactive or background / UL: 64 DL: 384 kbps / PS RAB + UL: 3.4/16.8 DL: 3.4/33.6 kbps SRBs for DCCH, CCCH and BCCH+ UL: 16.8 DL: 16 kbps SRBs for SHCCH	683
6.11.5.4.2.3	Interactive or background / UL: 64 DL: 2 048 kbps / PS RAB + UL: 3.4/16.8 DL: 3.4/33.6 kbps SRBs for DCCH, CCCH and BCCH + UL: 16.8 DL: 16 kbps SRBs for SHCCH.....	684
6.11.5.4.3	Combinations on PDSCH, SCCPCH, DPCH, PUSCH and PRACH	686
6.11.5.4.3.1	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB+ UL:3.4 DL:3.4 kbps SRBs for DCCH + Interactive or background / UL: 64 DL: 256 kbps / PS RAB + UL: 16.8 kbps SRBs for CCCH and SHCCH+ DL: 33.6 kbps SRBs for CCCH, SHCCH and BCCH	686
6.11.5.4.3.2	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB+ UL:3.4 DL:3.4 kbps SRBs for DCCH + Interactive or background / UL: 64 DL: 384 kbps / PS RAB + UL: 16.8 kbps SRBs for CCCH and SHCCH+ DL: 33.6 kbps SRBs for CCCH, SHCCH and BCCH	687
6.11.5.4.3.3	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB+ UL:3.4 DL:3.4 kbps SRBs for DCCH + Interactive or background / UL: 64 DL: 2 048 kbps / PS RAB + UL: 16.8 kbps SRBs for CCCH and SHCCH + DL: 33.6 kbps SRBs for CCCH, SHCCH and BCCH	688
6.11.5.4.4	Combinations on SCCPCH	689
6.11.5.4.4.1	Stand-alone signalling RB for PCCH	689
6.11.5.4.4.2	Interactive/Background 32 kbps PS RAB + SRBs for CCCH + SRB for DCCH + SRB for BCCH	689
6.11.5.4.4.2a	Interactive/Background 32 kbps PS RAB + Interactive/Background 32 kbps PS RAB + SRBs for CCCH + SRB for DCCH + SRB for BCCH	690
6.11.5.4.4.2b	SRBs for CCCH + SRB for DCCH + SRB for BCCH	691
6.11.5.4.4.3	Interactive/Background 32 kbps RAB + SRB for PCCH + SRB for CCCH + SRB for DCCH + SRB for BCCH	691
6.11.5.4.4.3a	SRB for PCCH + SRB for CCCH + SRB for DCCH + SRB for BCCH.....	692
6.11.5.4.4.4	RB for CTCH + SRB for CCCH + SRB for BCCH.....	692
6.11.5.4.4.5	64.8kbps RB for MTCH with 40 ms TTI.....	693
6.11.5.4.4.6	129.6 kbps RB for MTCH with 40 ms TTI.....	694

6.11.5.4.4.7	259.2 kbps RB for MTCH with 40 ms TTI.....	695
6.11.5.4.4.8	7.6 kbps signalling RB for MCCH	696
6.11.5.4.4.9	128kbps RB for MBSFN MTCH with 40 ms TTI	696
6.11.5.4.4.10	192 kbps RB for MBSFN MTCH with 40 ms TTI.....	697
6.11.5.4.4.11	384 kbps RB for MBSFN MTCH with 40 ms TTI.....	698
6.11.5.4.4.12	7.2 kbps signalling RB for MBSFN MCCH.....	699
6.11.5.4.4.13	8kbps RB for MBSFN MTCH with 40 ms TTI	700
6.11.5.4.4.14	64kbps RB for MBSFN MTCH with 40 ms TTI.....	701
6.11.5.4.5	Combinations on PRA CH	701
6.11.5.4.5.1	SRB for CCCH + SRBs for DCCH.....	701
6.11.5.4.5.2	Interactive/Background 12.8 kbps PS RAB + SRB for CCCH + SRBs for DCCH	702
6.11.5.4.5.3	Interactive/Background 12.8 kbps PS RAB + Interactive/Background 12.8 kbps PS RAB + SRB for CCCH + SRB for DCCH	702
6.11.5.4.6	Combinations on DPCH and HS-PDSCH.....	703
6.11.5.4.6.1	Interactive or background / UL:8 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	703
6.11.5.4.6.1a	Interactive or background / UL:8 (multiframe) DL: [max bit rate depending on UE category] / PS RAB+ UL:3.4 DL:3.4 kbps SRBs for DCCH (multiframe) (REL-5)	707
6.11.5.4.6.1b	Interactive or background / UL:8 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH (64QAM).....	708
6.11.5.4.6.2	Interactive or background / UL:16 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH (REL-5).....	712
6.11.5.4.6.2a	Interactive or background / UL:16(multiframe) DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH(multiframe) (REL-5)	712
6.11.5.4.6.3	Interactive or background / UL:32 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH (REL-5).....	713
6.11.5.4.6.3a	Interactive or background / UL:32(multiframe) DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH(multiframe) (REL-5)	713
6.11.5.4.6.4	Interactive or background / UL:64 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH (REL-5).....	714
6.11.5.4.6.5	Interactive or background / UL:128 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH (REL-5).....	714
6.11.5.4.6.6	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:32 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH (REL-5)	714
6.11.5.4.6.7	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH (REL-5)	715
6.11.5.4.6.8	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:64 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH (REL-5)	715
6.11.5.4.6.9	Interactive or background / UL:64 DL: [bit rate depending on UE category] / PS RAB + Interactive or background / UL:64 DL: [bit rate depending on UE category] / PS RAB+UL:3.4 DL:3.4 kbps SRBs for DCCH.....	716
6.11.5.4.6.10	Conversational/Speech/UL:12.2 DL:12.2kbps/CS RAB + interactive or Background / UL:64 kbps DL: [bit rate depending on UE category]/PS RAB + interactive or Background / UL:64 kbps DL: [bit rate depending on UE category]/PS RAB + UL:3.4 DL 3.4 kbps SRB for DCCH.....	716
6.11.5.4.6.11	Streaming/ UL:32 DL:[Rate depending on UE category] / PS RAB + interactive or Background/ UL:8 kbps DL:[Rate depending on UE category] / PS RAB + UL:3.4 DL 3.4 kbps SRB for DCCH.....	717
6.11.5.4.6.12	Streaming/ UL:16 DL:[Rate depending on UE category] / PS RAB + interactive or Background/ UL:8 kbps DL:[Rate depending on UE category] / PS RAB + UL:3.4 DL 3.4 kbps SRB for DCCH.....	718
6.11.5.4.6.13	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + interactive or Background/ UL:384 kbps DL:[Rate depending on UE category] / PS RAB + UL:3.4 DL 3.4 kbps SRB for DCCH.....	718
6.11.5.4.6.14	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming/ UL:16 kbps DL:[Rate depending on UE category] / PS RAB + interactive or Background/ UL:8 kbps DL:[Rate depending on UE category] / PS RAB + UL:3.4 DL 3.4 kbps SRB for DCCH	719

6.11.5.4.6.15	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming/ UL:32 kbps DL:[Rate depending on UE category]/ PS RAB + interactive or Background/ UL:8 kbps DL:[Rate depending on UE category]/ PS RAB + UL:3.4 DL 3.4 kbps SRB for DCCH	719
6.11.5.4.6.16	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming/ UL:64 kbps DL:[Rate depending on UE category]/ PS RAB + interactive or Background/ UL:8 kbps DL:[Rate depending on UE category]/ PS RAB + UL:3.4 DL 3.4 kbps SRB for DCCH	720
6.11.5.4.6.17	Streaming/ UL:64 kbps DL:[Rate depending on UE category]/ PS RAB + interactive or Background/ UL:8 kbps DL:[Rate depending on UE category]/ PS RAB + UL:3.4 DL 3.4 kbps SRB for DCCH.....	721
6.11.5.4.7	Combinations on HS-PDSCH and E-PUCH	721
6.11.5.4.7.1	Stand-alone UL: [max bit rate depending on UE category and TTI] DL:[max bit rate depending on UE category] SRBs for DCCH on E-DCH and HS-DSCH	721
6.11.5.4.7.2	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH	723
6.11.5.4.7.3	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:[max bit rate depending on UE category and TTI] DL:3.4 kbps SRBs for DCCH on E-DCH and DL DCH.....	724
6.11.5.4.7.4	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] SRBs for DCCH on E-DCH and HS-DSCH.....	725
6.11.5.4.7.5	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	725
6.11.5.4.7.6	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH	726
6.11.5.4.7.7	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] + UL:[max bit rate depending on UE category and TTI] DL:3.4 kbps SRBs for DCCH on E-DCH and DL DCH.....	727
6.11.5.4.7.8	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL:384 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH	728
6.11.5.4.7.9	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH	728
6.11.5.4.7.10	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH	729
6.11.5.4.7.11	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL:32 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH	729
6.11.5.4.7.12	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL:64 kbps / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH.....	729
6.11.5.4.7.13	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: 384 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	729
6.11.5.4.7.14	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: 64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	730
6.11.5.4.7.15	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: 64 kbps / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: 64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	730
6.11.5.4.7.16	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: 64 kbps / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: 8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	731

6.11.5.4.7.17	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: 32 kbps / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: 8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	731
6.11.5.4.7.18	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: 16 kbps / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: 8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	732
6.11.5.4.7.19	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL:64 kbps / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH.....	732
6.11.5.4.7.20	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL:32 kbps / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH.....	733
6.11.5.4.7.21	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL:16 kbps / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH.....	733
6.11.5.4.7.22	Conversational / unknown or speech / UL:[max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] kbps / PS RAB + Streaming or Interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] SRBs for DCCH on E-DCH and HS-DSCH	734
6.11.5.4.8	Reference Radio Bearer configurations used in MAC-ehs testing.....	736
6.11.5.4.8.1	3 x Interactive or background / UL: 8 kbps DL: [max bit rate depending on UE category] / UM PS RAB	736
6.11.5.4.8.1.1	Uplink	736
6.11.5.4.8.1.1.1	Uplink Transport channel parameters for DCH	736
6.11.5.4.8.1.1.2	Uplink physical channel parameters	736
6.11.5.4.8.1.2	Downlink.....	736
6.11.5.4.8.1.2.1	Transport channel parameters for HS-DSCH	736
6.11.5.4.8.1.2.2	Downlink Transport channel parameters for DCH.....	737
6.11.5.4.8.1.2.3	Downlink physical channel parameters	737
6.11.5.4.8.2	1 x Interactive or background / UL: 8 kbps DL: [max bit rate depending on UE category] / UM PS RAB	737
6.11.5.4.8.2.1	Uplink	737
6.11.5.4.8.2.1.1	Uplink Transport channel parameters for DCH	737
6.11.5.4.8.2.1.2	Uplink physical channel parameters	738
6.11.5.4.8.2.2	Downlink.....	738
6.11.5.4.8.2.2.1	Transport channel parameters for HS-DSCH	738
6.11.5.4.8.2.2.2	Downlink Transport channel parameters for DCH.....	739
6.11.5.4.8.2.2.3	Downlink physical channel parameters	739
6.11.5.4.9	Reference Radio Bearer configurations used in Improved L2 UL testing.....	740
6.11.5.4.9.1	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH.....	740
6.11.5.4.9.2	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] SRBs for DCCH on E-DCH and HS-DSCH	741
6.11.5.4.9.2.1.1.1	Transport channel parameters for E-DCH	741
6.11.5.4.9.2.2.2.2	Physical channel parameters on HS-PDSCH.....	742
6.11.5.4.9.3	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] with Flexible RLC and MAC-ehs SRBs for DCCH on E-DCH and HS-DSCH.....	742

6.11.5.4.9.4	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + 3.4 kbps SRBs for DCCH on E-DCH and DL DCH	743
6.11.5.4.9.4.1.2.1	Physical channel parameters on E-PUCH	743
6.11.6	Reference Radio Bearer configurations used in Radio Bearer testing for 7.68 Mcps TDD	744
6.11.6.1	RABs and signalling RBs	744
6.11.6.2	Combinations of RABs and Signalling RBs	745
6.11.6.3	Example of linkage between RABs and services	751
6.11.6.4	Typical radio parameter sets	751
6.11.6.4.1	Combinations on DPCH	751
6.11.6.4.1.1	Stand-alone UL:1.7 DL:1.7 kbps SRBs for DCCH	751
6.11.6.4.1.1a	Stand-alone UL:1.7 DL:1.7 kbps SRBs for DCCH (multiframe)	753
6.11.6.4.1.2	Stand-alone UL:3.4 DL:3.4 kbps SRBs for DCCH	754
6.11.6.4.1.3	Stand-alone UL:13.6 DL:13.6 kbps SRBs for DCCH	756
6.11.6.4.1.4	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	758
6.11.6.4.1.4a	Conversational / speech / UL:(12.2, 7.95, 5.9, 4.75) DL:(12.2, 7.95, 5.9, 4.75) kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	759
6.11.6.4.1.5	Conversational / speech / UL:10.2 DL:10.2 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	761
6.11.6.4.1.5a	Conversational / speech / UL:(10.2, 6.7, 5.9, 4.75) DL:(10.2, 6.7, 5.9, 4.75) kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	763
6.11.6.4.1.6	Conversational / speech / UL:7.95 DL:7.95 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	765
6.11.6.4.1.7	Conversational / speech / UL:7.4 DL:7.4 kbps / CS RAB+ UL:3.4 DL:3.4 kbps SRBs for DCCH	766
6.11.6.4.1.7a	Conversational / speech / UL:(7.4, 6.7, 5.9, 4.75) DL:(7.4, 6.7, 5.9, 4.75) kbps / CS RAB+ UL:3.4 DL:3.4 kbps SRBs for DCCH	768
6.11.6.4.1.8	Conversational / speech / UL:6.7 DL:6.7 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	770
6.11.6.4.1.9	Conversational / speech / UL:5.9 DL:5.9 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	771
6.11.6.4.1.10	Conversational / speech / UL:5.15 DL:5.15 kbps / CS RAB + UL:1.7 DL:1.7 kbps SRBs for DCCH	773
6.11.6.4.1.11	Conversational / speech / UL:4.75 DL:4.75 kbps / CS RAB + UL:1.7 DL:1.7 kbps SRBs for DCCH	775
6.11.6.4.1.12	Conversational / unknown / UL:28.8/DL:28.8 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	776
6.11.6.4.1.13	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	778
6.11.6.4.1.14	Conversational / unknown / UL:32 DL:32 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	779
6.11.6.4.1.15	Streaming / unknown / UL:14.4/DL:14.4 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	781
6.11.6.4.1.16	Streaming / unknown / UL:28.8/DL:28.8 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	782
6.11.6.4.1.17	Streaming / unknown / UL:57.6/DL:57.6 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	784
6.11.6.4.1.18	Void	785
6.11.6.4.1.19	Void	785
6.11.6.4.1.20	Void	785
6.11.6.4.1.21	Void	785
6.11.6.4.1.22	Void	785
6.11.6.4.1.23	Interactive or background / UL:32 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	785
6.11.6.4.1.23a	Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	787

6.11.6.4.1.23b	Interactive or background / UL:16 DL:16 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	788
6.11.6.4.1.23c	Interactive or background / UL:32 DL:32 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	789
6.11.6.4.1.23d	Interactive or background / UL:32 DL:32 kbps / PS RAB (20 ms TTI)+ UL:3.4 DL:3.4 kbps SRBs for DCCH	791
6.11.6.4.1.24	Void	792
6.11.6.4.1.25	Interactive or background / UL:32 DL: 64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	792
6.11.6.4.1.26	Interactive or background / UL:64 DL: 64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	793
6.11.6.4.1.27	Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	794
6.11.6.4.1.28	Interactive or background / UL:128 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	795
6.11.6.4.1.29	Interactive or background / UL:64 DL:144 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH	796
6.11.6.4.1.30	Interactive or background / UL:144 DL:144 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH	797
6.11.6.4.1.31	Interactive or background / UL:64 DL:256 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH	798
6.11.6.4.1.32	Interactive or background / UL:64 DL:384 kbps / PS RAB + UL:3.4 DL: 3.4 kbps SRBs for DCCH	799
6.11.6.4.1.33	Interactive or background / UL:128 DL:384 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	800
6.11.6.4.1.34	Interactive or background / UL:384 DL:384 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	800
6.11.6.4.1.35	Interactive or background / UL:64 DL:2 048 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	801
6.11.6.4.1.36	Void	802
6.11.6.4.1.37	Void	802
6.11.6.4.1.38	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:32 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	802
6.11.6.4.1.38a	Conversational / speech / 12.2 kbps / CS RAB + Interactive or background / UL:0 DL:0 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	804
6.11.6.4.1.38b	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	805
6.11.6.4.1.38c	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:32 DL:32 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	806
6.11.6.4.1.38d	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	808
6.11.6.4.1.38e	Conversational / speech / UL:(12.2, 7.95, 5.9, 4.75) DL:(12.2, 7.95, 5.9, 4.75) kbps / CS RAB + Interactive or background / UL:0 DL:0 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	810
6.11.6.4.1.38f	Conversational / speech / (12.2, 7.95, 5.9, 4.75) kbps / CS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	811
6.11.6.4.1.38g	Conversational / speech / (12.2, 7.95, 5.9, 4.75) kbps / CS RAB + Interactive or background / UL:16 DL:16 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	812
6.11.6.4.1.38h	Conversational / speech / (12.2, 7.95, 5.9, 4.75) kbps / CS RAB + Interactive or background / UL:32 DL:32 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	814
6.11.6.4.1.38i	Conversational / speech / (12.2, 7.95, 5.9, 4.75) kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	815
6.11.6.4.1.38j	Conversational / speech / (12.2, 7.95, 5.9, 4.75) kbps / CS RAB + Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	817
6.11.6.4.1.39	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:32 DL:64 kbps / PS RAB+ UL:3.4 DL: 3.4 kbps SRBs for DCCH	818
6.11.6.4.1.40	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB+ UL:3.4 DL: 3.4 kbps SRBs for DCCH	819
6.11.6.4.1.41	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	821

6.11.6.4.1.42	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:256 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	822
6.11.6.4.1.43	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:384 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	824
6.11.6.4.1.44	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:128 DL:2 048 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	825
6.11.6.4.1.45	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming / unknown / UL:57.6 DL:57.6 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	828
6.11.6.4.1.46	Void	829
6.11.6.4.1.47	Void	829
6.11.6.4.1.48	Void	829
6.11.6.4.1.49	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	829
6.11.6.4.1.49a	Conversational / speech / UL:(12.2 7.95 5.9 4.75) DL:(12.2 7.95 5.9 4.75) kbps / CS RAB + Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	830
6.11.6.4.1.50	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Conversational / unknown / UL:64 DL:64 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	831
6.11.6.4.1.51	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	832
6.11.6.4.1.51a	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or Background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	834
6.11.6.4.1.51b	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or Background / UL:16 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	835
6.11.6.4.1.52	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:64 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	835
6.11.6.4.1.53	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:128 DL:128 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH.....	836
6.11.6.4.1.54	Void	837
6.11.6.4.1.55	Void	837
6.11.6.4.1.56	Interactive or background / UL:8 DL:8 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	837
6.11.6.4.1.57	Interactive or background / UL:64 DL:64 kbps / PS RAB + Interactive or background / UL:64 DL:64 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	838
6.11.6.4.1.58	Streaming / unknown / UL:16 DL:64 kbps / PS RAB + Interactive or background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	840
6.11.6.4.1.59	Reserved for future use.....	841
6.11.6.4.1.60	Reserved for future use.....	841
6.11.6.4.1.61	Conversational / unknown / UL:8 DL:8 kbps / PS RAB + Interactive or Background / UL:8 DL:8 kbps / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	841
6.11.6.4.2	Combinations on PDSCH, SCCPCH, PUSCH and PRACH	843
6.11.6.4.2.1	Interactive or background / UL: 64 DL: 256 kbps / PS RAB + UL: 3.4/16.8 DL: 3.4/33.6 kbps SRBs for DCCH, CCCH and BCCH + UL: 16.8 DL: 16 kbps SRBs for SHCCH	843
6.11.6.4.2.2	Interactive or background / UL: 64 DL: 384 kbps / PS RAB + UL: 3.4/16.8 DL: 3.4/33.6 kbps SRBs for DCCH, CCCH and BCCH+ UL: 16.8 DL: 16 kbps SRBs for SHCCH	849
6.11.6.4.2.3	Interactive or background / UL: 64 DL: 2 048 kbps / PS RAB + UL: 3.4/16.8 DL: 3.4/33.6 kbps SRBs for DCCH, CCCH and BCCH + UL: 16.8 DL: 16 kbps SRBs for SHCCH.....	851
6.11.6.4.2.4	Interactive or background / UL: 384 DL: 2 048 kbps / PS RAB + UL: 3.4/16.8 DL: 3.4/33.6 kbps SRBs for DCCH, CCCH and BCCH + UL: 16.8 DL: 16 kbps SRBs for SHCCH.....	852
6.11.6.4.3	Combinations on PDSCH, SCCPCH, DPCH, PUSCH and PRACH	854
6.11.6.4.3.1	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH + Interactive or background / UL: 64 DL: 256 kbps / PS RAB + UL: 16.8 kbps SRBs for CCCH and SHCCH+ DL: 33.6 kbps SRBs for CCCH SHCCH and BCCH.....	854
6.11.6.4.3.2	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH + Interactive or background / UL: 64 DL: 384 kbps / PS RAB + UL: 16.8 kbps SRBs for CCCH and SHCCH+ DL: 33.6 kbps SRBs for CCCH, SHCCH and BCCH	856
6.11.6.4.3.3	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH + Interactive or background / UL: 64 DL: 2 048 kbps / PS RAB + UL: 16.8 kbps SRBs for CCCH and SHCCH+ DL: 33.6 kbps SRBs for CCCH, SHCCH and BCCH ...	857

6.11.6.4.4	Combinations on SCCPCH	858
6.11.6.4.4.1	Stand-alone signalling RB for PCCH	858
6.11.6.4.4.2	Interactive/Background 32 kbps PS RAB + SRBs for CCCH + SRB for DCCH + SRB for BCCH	859
6.11.6.4.4.2a	Interactive/Background 32 kbps PS RAB + Interactive/Background 32 kbps PS RAB + SRBs for CCCH + SRB for DCCH + SRB for BCCH	860
6.11.6.4.4.2b	SRBs for CCCH + SRB for DCCH + SRB for BCCH	861
6.11.6.4.4.3	Interactive/Background 32 kbps RAB + SRB for PCCH + SRB for CCCH + SRB for DCCH + SRB for BCCH	862
6.11.6.4.4.3a	SRB for PCCH + SRB for CCCH + SRB for DCCH + SRB for BCCH	862
6.11.6.4.4.4	RB for CTCH + SRB for CCCH + SRB for BCCH	863
6.11.6.4.4.5	64.8kbps RB for MTCH with 80 ms TTI	864
6.11.6.4.4.6	129.6kbps RB for MTCH with 80 ms TTI	865
6.11.6.4.4.7	259.2 kbps RB for MTCH with 40 ms TTI	866
6.11.6.4.4.8	7.6 kbps signalling RB for MCCH	867
6.11.6.4.4.9	124.4kbps RB for MBSFN MTCH with 80 ms TTI	868
6.11.6.4.4.10	320.4kbps RB for MBSFN MTCH with 80 ms TTI	869
6.11.6.4.4.11	497.6 kbps RB for MBSFN MTCH with 80 ms TTI	870
6.11.6.4.4.12	7.2 kbps signalling RB for MBSFN MCCH	871
6.11.6.4.5	Combinations on PRA CH	871
6.11.6.4.5.1	SRB for CCCH + SRB for DCCH	871
6.11.6.4.5.2	Interactive/Background 12.8 kbps PS RAB + SRB for CCCH + SRB for DCCH	872
6.11.6.4.5.3	Interactive/Background 12.8 kbps PS RAB + Interactive/Background 12.8 kbps PS RAB + SRB for CCCH + SRB for DCCH	872
6.11.6.4.6	Combinations on DPCH and HS-PDSCH	873
6.11.6.4.6.1	Interactive or background / UL:64 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	873
6.11.6.4.6.1.1	Uplink	873
6.11.6.4.6.1.2	Downlink	873
6.11.6.4.6.2	Interactive or background / UL:128 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	875
6.11.6.4.6.3	Interactive or background / UL:384 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	876
6.11.6.4.6.4	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:384 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	876
6.11.6.4.6.5	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Interactive or background / UL:64 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	878
6.11.6.4.6.6	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:384 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	878
6.11.6.4.6.7	Conversational / unknown / UL:64 DL:64 kbps / CS RAB + Interactive or background / UL:64 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	880
6.11.6.4.6.8	Interactive or background / UL:384 DL:[Bit rate depending on the UE category] / PS RAB + Interactive or background / UL:384 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	880
6.11.6.4.6.9	Interactive or background / UL:64 DL:[Bit rate depending on the UE category] / PS RAB + Interactive or background / UL:64 DL:[Bit rate depending on the UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	882
6.11.6.4.6.10	Streaming / unknown / UL:128 DL: [guaranteed 128, max bit rate depending on UE category] kbps / PS RAB + Interactive or background / UL:128 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	883
6.11.6.4.6.11	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming / unknown / UL:128 DL: [guaranteed 128, max bit rate depending on UE category] kbps / PS RAB + Interactive or background / UL:128 DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	884
6.11.6.4.7	Combinations on HS-PDSCH and E-PUCH	886

6.11.6.4.7.1	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH on DCH	886
6.11.6.4.7.3	Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] SRBs for DCCH on E-DCH and HS-DSCH.....	888
6.11.6.4.7.4	Conversational / speech / UL:12.2 DL:12.2 kbps / CS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:3.4 DL:3.4 kbps SRBs for DCCH	889
6.11.6.4.7.5	Streaming or interactive or background / UL:[max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] kbps / PS RAB + Streaming or interactive or background / UL: [max bit rate depending on UE category and TTI] DL: [max bit rate depending on UE category] / PS RAB + UL:[max bit rate depending on UE category and TTI] DL:3.4 kbps SRBs for DCCH on E-DCH and DL DCH	889
6.11.7	Reference Radio Bearer configurations used in Radio Bearer testing for 3.84 Mcps TDD IMB	890
6.11.7.1	Combinations of RABs and Signalling RBs	890
6.11.7.2	Typical radio parameter sets	890
6.11.7.2.1	Combination on SCCPCH.....	890
6.11.7.2.1.1	7.6 kbps signalling RB for MBSFN MCCH with 40ms TTI	890
6.11.7.2.2	Combinations on SCCPCH Type 2	891
6.11.7.2.2.1	124.4kbps RB for MBSFN MTCH with 80 ms TTI.....	891
6.11.7.2.2.2	320.4kbps RB for MBSFN MTCH with 80 ms TTI.....	892
6.11.7.2.2.3	497.6kbps RB for MBSFN MTCH with 80 ms TTI.....	893
7	Generic setup procedures.....	894
7.1	Basic Generic Procedures	894
7.1.1	UE Test States for Basic Generic Procedures	894
7.1.2	Mobile terminated establishment of Radio Resource Connection	895
7.1.2.1	Initial conditions	895
7.1.2.2	Definition of system information messages.....	895
7.1.2.3	Procedure.....	895
7.1.2.4	Specific message contents	895
7.1.2.4.1	PAGING TYPE 1	895
7.1.2.4.2	RRC CONNECTION REQUEST	896
7.1.2.4.3	RRC CONNECTION SETUP	896
7.1.2.4.4	RRC CONNECTION SETUP COMPLETE	896
7.1.3	Radio Bearer Setup Procedure	898
7.1.3.1	Initial conditions	898
7.1.3.2	Definition of system information messages.....	898
7.1.3.3	Procedure.....	898
7.1.3.4	Specific message contents	898
7.1.3.4.1	RADIO BEARER SETUP	898
7.1.3.4.2	RADIO BEARER SETUP COMPLETE.....	899
7.2	Generic setup procedures	899
7.2.1	UE Test States for Generic setup procedures	899
7.2.2	Registration of UE	900
7.2.2.1	Registration on CS.....	900
7.2.2.1.1	Initial condition	900
7.2.2.1.2	Definition of system information messages.....	900
7.2.2.1.3	Procedure.....	900
7.2.2.1.4	Specific message contents.....	901
7.2.2.2	Registration on PS	901
7.2.2.2.1	Initial condition	901
7.2.2.2.2	Definition of system information messages.....	901
7.2.2.2.3	Procedure.....	901
7.2.2.2.4	Specific message contents.....	901
7.2.2.3	Registration on CS / PS combined environment	902
7.2.2.3.1	Initial condition	902
7.2.2.3.2	Definition of system information messages.....	902
7.2.2.3.3	Procedure UE establish PS registration immediately after the UE has been switched on	902

7.2.2.3.3a	Procedure UE establish PS registration later the user decides to use the PS services	902
7.2.2.3.4	Specific message contents	903
7.2.2.4	Registration on CS / PS non-combined environment	903
7.2.2.4.1	Initial condition	903
7.2.2.4.2	Definition of system information messages	903
7.2.2.4.3	Procedure.....	903
7.2.2.4.4	Specific message contents	903
7.2.3	Call setup.....	903
7.2.3.1	Generic call set up procedure for mobile terminating circuit switched calls	903
7.2.3.1.1	Initial conditions	903
7.2.3.1.2	Definition of system information messages	903
7.2.3.1.3	Procedure.....	903
7.2.3.1.4	Specific message contents	904
7.2.3.2	Generic call set-up procedure for mobile originating circuit switched calls	904
7.2.3.2.1	Initial conditions	904
7.2.3.2.2	Definition of system information messages	904
7.2.3.2.3	Procedure.....	904
7.2.3.2.4	Specific message contents	905
7.2.4	Session setup.....	905
7.2.4.1	Generic session set up procedure for mobile terminating packet switched sessions	905
7.2.4.1.1	Initial conditions	905
7.2.4.1.2	Definition of system information messages	905
7.2.4.1.3	Procedure.....	905
7.2.4.1.4	Specific message contents	905
7.2.4.2	Generic session set up procedure for mobile originating packet switched sessions	906
7.2.4.2.1	Initial conditions	906
7.2.4.2.2	Definition of system information messages	906
7.2.4.2.3	Procedure.....	906
7.2.4.2.4	Specific message contents	906
7.2.5	IMS Emergency Call setup.....	906
7.2.5.1	Generic IMS Emergency call set up procedure for mobile originating packet switched sessions – Normal Service	906
7.2.5.1.1	Initial conditions	906
7.2.5.1.2	Definition of system information messages	907
7.2.5.1.3	Procedure.....	907
7.2.5.1.4	Specific message contents	908
7.2.5.2	Generic IMS Emergency call set up procedure for mobile originating packet switched sessions – Limited Service	912
7.2.5.2.1	Initial conditions	912
7.2.5.2.2	Definition of system information messages	913
7.2.5.2.3	Procedure.....	913
7.2.5.2.4	Specific message contents	914
7.2.6	IP address allocation	914
7.3	Test procedures for RF test.....	914
7.3.1	UE Test States for RF testing.....	915
7.3.2	Test procedure for TX, RX and Performance Requirement (without handover)	915
7.3.2.1	Initial conditions	915
7.3.2.2	Definition of system information messages	915
7.3.2.3	Procedure.....	916
7.3.2.3.1	For UE supporting CS	916
7.3.2.3.2	For UE supporting PS only	916
7.3.2.3.3	For CS+PS multi RA B combination	917
7.3.2.4	Specific message contents	917
7.3.2.4.1	ATTACH ACCEPT	917
7.3.2.4.2	Reference measurement channels	917
7.3.2.4.3	Void	918
7.3.2.4.4	Compressed mode.....	918
7.3.2.4.5	Transmit diversity mode	918
7.3.3	Test procedure for test cases using Cell_PCH or URA_PCH state.....	918
7.3.3.1	Initial conditions	918
7.3.3.2	Definition of system information messages.....	918

7.3.3.3	Procedure.....	919
7.3.3.3.1	For UE supporting PS	919
7.3.3.4	Specific message contents	919
7.3.4	Test procedure for Handover.....	919
7.3.4.1	Initial conditions	920
7.3.4.2	Definition of system information messages	920
7.3.4.3	Procedure.....	921
7.3.4.3.1	For UE supporting CS	921
7.3.4.3.2	For UE supporting PS only	921
7.3.4.4	Specific message contents	922
7.3.5	Test procedure for test cases using CELL_FACH state	922
7.3.5.1	Initial conditions	922
7.3.5.2	Definition of system information messages	922
7.3.5.3	Procedure.....	923
7.3.5.3.1	For UE supporting CS	923
7.3.5.3.2	For UE supporting PS only	923
7.3.5.4	Specific message contents	923
7.3.6	Test procedure for HSDPA RF Performance Requirement	924
7.3.6.1	Initial conditions	924
7.3.6.2	Definition of system information messages	924
	Contents of System information block type 1: RRC	924
	Contents of System information block type 3 and 4: RRC	924
	Contents of System Information Block type 5 (FDD)	924
7.3.6.3	Procedure.....	925
7.3.6.4	Specific message contents	925
7.3.6.4.1	ATTACH ACCEPT	926
7.3.6.4.2	RADIO BEARER SETUP	926
7.3.6.4.3	RRC CONNECTION SETUP	926
7.3.7	Test procedure for inter-RAT handover used in RRM testing	926
7.3.7.1	Initial conditions	926
7.3.7.2	Definition of system information messages	926
	Contents of System information block type 1: RRC	926
	Contents of System information block type 3 and 4: RRC	927
	Contents of System Information Block type 5 (FDD)	927
7.3.7.3	Procedure.....	927
7.3.7.4	Specific message contents	927
	Contents of Attach Accept message: GMM	927
7.3.8	Test procedure for inter-RAT cell FACH reselection used in RRM testing	928
7.3.8.1	Initial conditions	928
7.3.8.2	Definition of system information messages	928
	Contents of System information block type 1: RRC	928
	Contents of System information block type 3 and 4: RRC	928
	Contents of System Information Block type 5 (FDD)	928
7.3.8.3	Procedure.....	929
7.3.8.4	Specific message contents	929
	Contents of Attach Accept message: GMM	929
7.3.9	Test procedure for E-DCH RF test cases	929
7.3.9.1	Initial conditions	929
7.3.9.2	Definition of system information messages	929
	Contents of System information block type 3 and 4: RRC	930
7.3.9.3	Procedure.....	930
7.3.9.3.1	For UE transmitting on E-DCH with DCH	930
7.3.9.3.2	For UE transmitting on E-DCH without DCH	931
7.3.9.4	Specific message contents	931
7.3.9.4.1	ATTACH ACCEPT	931
7.3.9.4.2	RADIO BEARER SETUP	932
7.3.9.4.3	RRC CONNECTION SETUP	932
	Contents of RRC CONNECTION SETUP message: UM	932
7.3.10	Test procedure for MBMS RF/RRM test cases	932
7.3.10.1	Initial conditions	932
7.3.10.2	Definition of system information messages	932

Contents of System information block type 1: RRC	932
Contents of System information block type 3 and 4: RRC	932
Contents of System Information Block type 5 (FDD)	933
7.3.10.3 Procedure.....	933
7.3.10.4 Specific message contents	934
Contents of MBMS GENERAL INFORMATION message: UM (Step 4)	934
Contents of MBMS COMMON P-T-M RB INFORMATION message: UM (Step 5)	934
Contents of MBMS CURRENT P-T-M RB INFORMATION message: UM (Step 6)	934
Contents of ATTACH ACCEPT message: GMM.....	934
7.3.11 Test procedure for HSDPA with F-DPCH RF Performance Requirement	935
7.3.11.1 Initial conditions	935
7.3.11.2 Definition of system information messages	935
Contents of System information block type 1: RRC	935
Contents of System information block type 3 and 4: RRC	935
Contents of System Information Block type 5 (FDD)	935
7.3.11.3 Procedure.....	936
7.3.11.4 Specific message contents	936
7.3.11.4.1 ATTACH ACCEPT	936
7.3.11.4.2 RADIO BEARER SETUP	936
7.3.11.4.3 RRC CONNECTION SETUP	936
7.3.12 Test procedure for HSDPA in CELL_FACH RF Performance Requirement	936
7.3.12.1 Initial conditions	936
7.3.12.2 Definition of system information messages	937
7.3.12.3 Procedure.....	938
7.3.12.4 Specific message contents	938
7.3.13 Test procedure for DC-HSDPA and DB-DC-HSDPA RF tests.....	939
7.3.13.1 Initial conditions	939
7.3.13.2 Definition of system information messages	939
7.3.13.3 Procedure.....	940
7.3.13.4 Specific message contents	940
7.3.13.4.1 ATTACH ACCEPT	940
7.3.13.4.2 RADIO BEARER SETUP	941
7.3.13.4.3 RRC CONNECTION SETUP	941
7.3.14 Test procedure for DC-HSUPA RF tests	941
7.3.14.1 Initial conditions	941
7.3.14.2 Definition of system information messages	941
7.3.14.3 Procedure.....	942
7.3.14.4 Specific message contents	942
7.3.14.4.1 ATTACH ACCEPT	942
7.3.14.4.2 RADIO BEARER SETUP	943
7.3.14.4.3 RRC CONNECTION SETUP	943
7.3.15 Test procedure for Multiple-cell Performance Requirement for 1,28 Mcps TDD	943
7.3.15.1 Initial conditions	943
7.3.15.2 Definition of system information messages	943
7.3.15.3 Procedure.....	945
7.3.15.3.1 For UE supporting CS	945
7.3.15.3.2 For UE supporting PS only	945
7.3.15.4 Specific message contents	945
7.3.15.4.1 ATTACH ACCEPT	945
7.3.15.4.2 Reference measurement channels	946
7.3.16 Test procedure for 4C-HSDPA RF tests	946
7.3.16.1 Initial conditions	946
7.3.16.2 Definition of system information messages	946
7.3.16.3 Procedure.....	947
7.3.16.4 Specific message contents	947
7.3.16.4.1 ATTACH ACCEPT	947
7.3.16.4.2 RADIO BEARER SETUP	947
7.3.16.4.3 RRC CONNECTION SETUP	948
7.3.17 Test procedure for TX, RX and Performance Requirement for UL CLTD	948
7.3.17.1 Initial conditions	948
7.3.17.2 Definition of system information messages	948

Contents of System information block type 1: RRC	948
Contents of System information block type 3 and 4: RRC	948
Contents of System Information Block type 5 (FDD)	948
7.3.17.3 Procedure.....	949
7.3.17.4 Specific message contents	949
7.3.17.4.1 ATTACH ACCEPT	950
7.3.17.4.2 RADIO BEARER SETUP	950
7.3.17.4.3 RRC CONNECTION SETUP	950
7.3.17.4.4 RADIO BEARER SETUP	950
7.4 Common generic procedures for AS testing.....	951
7.4.1 UE RRC Test States for common procedures	951
7.4.2 Generic Setup Procedure for RRC test cases	953
7.4.2.1 RRC connection establishment procedure for circuit-switched calls (procedure P3 and P4)	953
7.4.2.1.1 Mobile terminating call.....	953
7.4.2.1.1.1 Initial conditions	953
7.4.2.1.1.2 Definition of system information messages.....	953
7.4.2.1.1.3 Procedure	953
7.4.2.1.1.4 Specific message contents.....	953
7.4.2.1.2 Mobile originating calls	953
7.4.2.1.2.1 Initial conditions	953
7.4.2.1.2.2 Definition of system information messages.....	953
7.4.2.1.2.3 Procedure	953
7.4.2.1.2.4 Specific message contents.....	954
7.4.2.2 RRC connection establishment procedure for packet switched sessions (procedure P5 and P6)	954
7.4.2.2.1 Mobile terminating session	954
7.4.2.2.1.1 Initial conditions	954
7.4.2.2.1.2 Definition of system information messages.....	954
7.4.2.2.1.3 Procedure	954
7.4.2.2.1.4 Specific message contents.....	954
7.4.2.2.2 Mobile originating sessions.....	954
7.4.2.2.2.1 Initial conditions	954
7.4.2.2.2.2 Definition of system information messages.....	955
7.4.2.2.2.3 Procedure	955
7.4.2.2.2.4 Specific message contents.....	955
7.4.2.3 NAS call set up procedure for circuit switched calls (procedure P7 and P8).....	955
7.4.2.3.1 Mobile terminating call.....	955
7.4.2.3.1.1 Initial conditions	955
7.4.2.3.1.2 Definition of system information messages.....	955
7.4.2.3.1.3 Procedure	955
7.4.2.3.1.4 Specific message contents.....	955
7.4.2.3.2 Mobile originating calls	956
7.4.2.3.2.1 Initial conditions	956
7.4.2.3.2.2 Definition of system information messages.....	956
7.4.2.3.2.3 Procedure	956
7.4.2.3.2.4 Specific message contents.....	956
7.4.2.4 NAS session activation procedure for packet switched sessions (procedure P9 and P10)	956
7.4.2.4.1 Mobile terminating session	956
7.4.2.4.1.1 Initial conditions	956
7.4.2.4.1.2 Definition of system information messages.....	956
7.4.2.4.1.3 Procedure	956
7.4.2.4.1.4 Specific message contents.....	957
7.4.2.4.2 Mobile originating sessions.....	957
7.4.2.4.2.1 Initial conditions	957
7.4.2.4.2.2 Definition of system information messages.....	957
7.4.2.4.2.3 Procedure	957
7.4.2.4.2.4 Specific message contents.....	957
7.4.2.5 Radio access bearer establishment procedure for circuit switched calls (procedure P11 and P12)	957
7.4.2.5.1 Mobile terminating call.....	957
7.4.2.5.1.1 Initial conditions	957
7.4.2.5.1.2 Definition of system information messages.....	957
7.4.2.5.1.3 Procedure	957

7.4.2.5.1.4	Specific message contents.....	958
7.4.2.5.2	Mobile originating calls	958
7.4.2.5.2.1	Initial conditions	958
7.4.2.5.2.2	Definition of system information messages.....	958
7.4.2.5.2.3	Procedure.....	958
7.4.2.5.2.4	Specific message contents.....	958
7.4.2.5a	Test loop activation and radio access bearer establishment procedure for circuit switched calls (procedure P7a)	958
7.4.2.5a.1	Initial conditions	958
7.4.2.5a.2	Definition of system information messages.....	958
7.4.2.5a.3	Procedure.....	959
7.4.2.5a.4	Specific message contents.....	959
7.4.2.6	Radio access bearer establishment procedure for packet switched sessions (procedure P13, P14, P25 and P26).....	959
7.4.2.6.1	Mobile terminating session	959
7.4.2.6.1.1	Initial conditions	959
7.4.2.6.1.2	Definition of system information messages.....	959
7.4.2.6.1.3	Procedure	959
7.4.2.6.1.4	Specific message contents.....	959
7.4.2.6.2	Mobile originating sessions.....	960
7.4.2.6.2.1	Initial conditions	960
7.4.2.6.2.2	Definition of system information messages.....	960
7.4.2.6.2.3	Procedure	960
7.4.2.6.2.4	Specific message contents.....	960
7.4.2.6a	Test loop activation and radio access bearer establishment procedure for packet switched sessions (procedure P4a and P9a)	960
7.4.2.6a.1	Initial conditions	960
7.4.2.6a.2	Definition of system information messages.....	960
7.4.2.6a.3	Procedure.....	960
7.4.2.6a.4	Specific message contents.....	961
7.4.2.7	Procedure for transitions to CELL_PCH or URA_PCH state (procedure P15, P16, P17 and P18)	961
7.4.2.7.1	Transition to CELL_PCH (procedure P15 and P16)	961
7.4.2.7.1.1	Initial conditions	961
7.4.2.7.1.2	Definition of system information messages.....	961
7.4.2.7.1.3	Procedure	961
7.4.2.7.1.4	Specific message contents.....	961
	Contents of PHYSICAL CHANNEL RECONFIGURATION message: DCCH-AM (Step 1)	961
7.4.2.7.2	Transition to URA_PCH (procedure P17 and P18)	961
7.4.2.7.2.1	Initial conditions	961
7.4.2.7.2.2	Definition of system information messages.....	962
7.4.2.7.2.3	Procedure	962
7.4.2.7.2.4	Specific message contents.....	962
	Contents of PHYSICAL CHANNEL RECONFIGURATION message: DCCH-AM (Step 1)	962
7.4.2.8	Radio access bearer establishment procedure with packet switched sessions for transitions to Multi Call state (procedure P19, 20 and 21)	962
7.4.2.8.1	Transition to PS+CS-DCCH+DTCH DCH (procedure P19)	962
7.4.2.8.1.1	Mobile terminating session.....	962
7.4.2.8.1.2	Mobile originating sessions	963
7.4.2.8.2	Transition to PS+PS-DCCH+DTCH DCH (procedure P20 and P21)	963
7.4.2.8.2.1	Mobile terminating session.....	963
7.4.2.8.2.2	Mobile originating sessions	964
7.4.2.9	Radio access bearer establishment procedure with circuit switched calls for transitions to Multi Call state (procedure P22, P23 and P24)	964
7.4.2.9.1	Transition to CS+CS-DCCH+DTCH DCH (procedure P22)	964
7.4.2.9.1.1	Mobile terminating call	964
7.4.2.9.1.2	Mobile originating calls	965
7.4.2.9.2	Transition to PS+CS-DCCH+DTCH DCH (procedure P23 and 24)	966
7.4.2.9.2.1	Mobile terminating call	966
7.4.2.9.2.2	Mobile originating calls	966
7.5	Test procedures for A-GPS Performance requirements testing.....	967
7.5.1	Normal UE based A-GPS procedure	967

7.5.1.1	Initial conditions	967
7.5.1.2	Procedure.....	967
7.5.1.3	Specific message contents	968
	Contents of RESET UE POSITIONING STORED INFORMATION message: TC	968
	Contents of MEASUREMENT CONTROL messages: RRC	968
7.5.2	UE based A-GPS procedure for moving scenario and periodic update test case	970
7.5.2.1	Initial conditions	970
7.5.2.2	Procedure.....	970
7.5.2.3	Specific message contents	971
	Contents of RESET UE POSITIONING STORED INFORMATION message: TC	971
	Contents of MEASUREMENT CONTROL message: RRC	971
7.5.3	Void	971
7.5.4	Normal UE assisted GPS procedure	971
7.5.4.1	Initial conditions	971
7.5.4.2	Procedure.....	971
7.5.4.3	Specific message contents	972
	Contents of RESET UE POSITIONING STORED INFORMATION message: TC	972
	Contents of MEASUREMENT CONTROL messages: RRC	972
7.5.5	UE assisted A-GPS procedure for moving scenario and periodic update test case	974
7.5.5.1	Initial conditions	974
7.5.5.2	Procedure.....	975
7.5.5.3	Specific message contents	975
	Contents of RESET UE POSITIONING STORED INFORMATION message: TC	975
	Contents of MEASUREMENT CONTROL message: RRC	975
7.6	Test procedures for MBMS testing	975
7.6.1	GMM-REGISTERED with 1 MBMS Service Activated.....	975
7.6.1.1	Initial conditions	975
7.6.1.2	Procedure.....	976
7.6.1.3	Specific message contents	976
7.6.2	IDLE with 1 MBMS Service Activated	978
7.6.2.1	Initial conditions	978
7.6.2.2	Procedure.....	979
7.6.2.3	Specific message contents	979
7.6.3	MBSFN IDLE.....	981
7.6.3.1	Initial conditions	981
7.6.3.2	Procedure.....	981
7.6.3.3	Specific message contents	982
7.6.4	MBSFN IDLE with 1 MBMS Service Activated	982
7.6.4.1	Initial conditions	982
7.6.4.2	Procedure.....	982
7.6.4.3	Specific message contents	983
8	Test USIM Parameters.....	983
8.1	Introduction	983
8.1.1	Definitions	983
8.1.2	Definition of the test algorithm for authentication	983
8.1.2.1	Authentication and key derivation in the test USIM and SS	984
8.1.2.2	Generation of re-synchronization parameters in the USIM	985
8.1.2.3	Using the authentication test algorithm for UE conformance testing.....	986
8.1.2.3.1	Authentication accept case.....	986
8.1.2.3.2	MAC failure case	986
8.1.2.3.3	SQN failure case	987
8.1.3	Definition of the test algorithm for VGCS/VBS VSTK generation	987
8.1.3.1	VSTK generation in the test USIM and SS	988
8.2	Default Parameters for the test USIM	988
8.3	Default settings for the Elementary Files (EFs)	989
8.3.1	Contents of the EFs at the MF level.....	989
8.3.1.1	EF _{DIR}	989
8.3.1.2	EF _{ICCID} (ICC Identity).....	989
8.3.1.3	EF _{PL} (Preferred Languages).....	989

8.3.1.4	EFARR (Access rule reference)	989
8.3.2	Contents of files at the USIM ADF (Application DF) level	989
8.3.2.1	EFLI (Language Indication).....	989
8.3.2.2	EFIMSI (IMSI).....	989
8.3.2.3	EFKeys (Ciphering and Integrity Keys)	989
8.3.2.4	EFKeysPS (Ciphering and Integrity Keys for Packet Switched domain)	989
8.3.2.5	EFPLMNwACT (User controlled PLMN selector with Access Technology)	990
8.3.2.6	EFHPLMN (Higher Priority PLMN search period)	990
8.3.2.7	EFACMmax (ACM maximum value).....	990
8.3.2.8	EFUST (USIM Service Table)	990
8.3.2.9	EFACM (Accumulated Call Meter)	992
8.3.2.10	EFGID1 (Group Identifier Level 1).....	992
8.3.2.11	EFGID2 (Group Identifier Level 2).....	992
8.3.2.12	EFSPN (Service Provider Name).....	992
8.3.2.13	EFPUCT (Price per Unit and Currency Table).....	992
8.3.2.14	EFCBMI (Cell Broadcast Message identifier selection).....	992
8.3.2.15	EFACC (Access Control Class).....	992
8.3.2.16	EFPLMN (Forbidden PLMNs)	993
8.3.2.17	EFLOCI (Location Information).....	993
8.3.2.18	EFAD (Administrative Data).....	993
8.3.2.19	Void	993
8.3.2.20	EFCBMID (Cell Broadcast Message Identifier for Data Download).....	994
8.3.2.21	EFECC (Emergency Call Codes).....	994
8.3.2.22	EFCBMIR (Cell Broadcast Message Identifier Range selection)	994
8.3.2.23	EFPSLOCI (Packet Switched location information)	994
8.3.2.24	EFFDN (Fixed Dialling Numbers)	994
8.3.2.25	EFSMS (Short messages).....	994
8.3.2.26	EFMSISDN (MSISDN).....	994
8.3.2.27	EFMSMSP (Short message service parameters)	994
8.3.2.28	EFMSMSS (SMS status).....	994
8.3.2.29	EFSDN (Service Dialling Numbers)	994
8.3.2.30	EFEXT2 (Extension2).....	994
8.3.2.31	EFEXT3 (Extension3).....	994
8.3.2.32	EFSMSR (Short message status reports).....	994
8.3.2.33	EFICI (Incoming Call Information).....	995
8.3.2.34	EFOCI (Outgoing Call Information)	995
8.3.2.35	EFICT (Incoming Call Timer).....	995
8.3.2.36	EFOCT (Outgoing Call Timer)	995
8.3.2.37	EFEXT5 (Extension5).....	995
8.3.2.38	EFCCP2 (Capability Configuration Parameters 2)	995
8.3.2.39	EFeMLPP (enhanced Multi Level Precedence and Pre-emption).....	995
8.3.2.40	EFAAeM (Automatic Answer for eMLPP Service)	995
8.3.2.41	Void	995
8.3.2.42	EFHiddenkey (Key for hidden phone book entries).....	995
8.3.2.43	Void	995
8.3.2.44	EFBDN (Barred dialling numbers).....	995
8.3.2.45	EFEXT4 (Extension 4)	995
8.3.2.46	EFcMI (Comparison method information)	995
8.3.2.47	EFEST (Enabled service table)	995
8.3.2.48	EFACL (Access point name control list).....	995
8.3.2.49	EFDCK (Depersonalization control keys).....	995
8.3.2.50	EFcNL (Co-operative network list)	996

8.3.2.51	EF _{START-HFN} (Initialisation values for Hyperframe number)	996
8.3.2.52	EF _{THRESHOLD} (Maximum value of START)	996
8.3.2.53	EF _{OPLMNwACT} (Operator controlled PLMN selector with Access Technology)	996
8.3.2.54	EF _{HPLMNwACT} (HPLMN selector with Access Technology)	996
8.3.2.55	EF _{ARR} (Access rule reference)	996
8.3.2.56	Void	996
8.3.2.57	EF _{NETPAR} (Network Parameters)	996
8.3.2.58	EF _{PNN} (PLMN Network Name)	996
8.3.2.59	EF _{OPL} (Operator PLMN List)	996
8.3.2.60	EF _{MBDN} (Mailbox Dialling Numbers)	996
8.3.2.61	EF _{EXT6} (Extension6)	996
8.3.2.62	EF _{MBI} (Mailbox Identifier)	997
8.3.2.63	EF _{MWIS} (Message Waiting Indication Status)	997
8.3.2.64	EF _{CFIS} (Call Forwarding Indication Status)	997
8.3.2.65	EF _{EXT7} (Extension7)	997
8.3.2.66	EF _{SPDI} (Service Provider Display Information)	997
8.3.2.67	EF _{MMSN} (MMS Notification)	997
8.3.2.68	EF _{EXT8} (Extension 8)	997
8.3.2.69	EF _{MMSICP} (MMS Issuer Connectivity Parameters)	997
8.3.2.70	EF _{MMSUP} (MMS User Preferences)	997
8.3.2.71	EF _{MMSUCP} (MMS User Connectivity Parameters)	997
8.3.2.72	EF _{NIA} (Network's Indication of Alerting)	997
8.3.2.74	EF _{VGCS} (Voice Group Call Service Status)	999
8.3.2.75	EF _{VBS} (Voice Broadcast Service)	999
8.3.2.76	EF _{VBS} (Voice Broadcast Service Status)	1000
8.3.2.77	EF _{VGCSA} (Voice Group Call Service Ciphering Algorithm)	1001
8.3.2.78	EF _{VBSA} (Voice Broadcast Service Ciphering Algorithm)	1002
8.3.2.79	EF _{GBABP} (GBA Bootstrapping parameters)	1002
8.3.2.80	EF _{MSK} (MBMS Service Keys List)	1002
8.3.2.81	EF _{MUK} (MBMS User Key)	1002
8.3.2.82	Void	1002
8.3.2.83	EF _{GBANL} (GBA NAF List)	1002
8.3.2.84	EF _{EHPLMN} (Equivalent HPLMN)	1002
8.3.2.85	EF _{EHPLMNP} (Equivalent HPLMN Presentation Indication)	1002
8.3.2.86	EF _{LRPLMNSI} (Last RPLMN Selection Indication)	1002
8.3.2.87	EF _{NAFKCA} (NAF Key Centre Address)	1002
8.3.2.88	EF _{SPNI} (Service Provider Name Icon)	1002
8.3.2.89	EF _{PNNI} (PLMN Network Name Icon)	1002
8.3.2.90	EF _{NCP-IP} (Network Connectivity Parameters for USIM IP connections)	1002
8.3.2.91	EF _{EPSLOC} (EPS location information)	1002
8.3.2.92	EF _{EPSNSC} (EPS NAS Security Context)	1002
8.3.3	Contents of DFs at the USIM ADF (Application DF) level	1003
8.3.3.1	Contents of files at the USIM SoLSA level	1003
8.3.3.1.1	EF _{SAI} (SoLSA Access Indicator)	1003
8.3.3.1.2	EF _{SLL} (SoLSA LSA List)	1003
8.3.3.1.3	LSA Descriptor files	1003
8.3.3.1.4	Contents of files at the MExE level	1003
8.3.3.1.4.1	EF _{MExE-ST} (MExE Service table)	1003
8.3.3.1.4.2	EF _{ORPK} (Operator Root Public Key)	1003
8.3.3.1.4.3	EF _{ARPK} (Administrator Root Public Key)	1003
8.3.3.1.4.4	EF _{TPRPK} (Third Party Root Public Key)	1003
8.3.3.1.4.5	EF _{TKCDF} (Trusted Key/Certificates Data Files)	1003
8.3.3.2	Contents of files at the DF PHONEBOOK level	1003
8.3.3.2.1	EF _{PBR} (Phone Book Reference file)	1003
8.3.3.2.2	EF _{IAP} (Index Administration Phone book)	1003
8.3.3.2.3	EF _{ADN} (Abbreviated dialling numbers)	1003
8.3.3.2.4	EF _{EXT1} (Extension1)	1003
8.3.3.2.5	EF _{PBC} (Phone Book Control)	1003

8.3.3.2.6	EFGRP (Grouping file).....	1003
8.3.3.2.7	EF_AAS (Additional number Alpha String).....	1004
8.3.3.2.8	EF_GAS (Grouping information Alpha String)	1004
8.3.3.2.9	EF_ANR (Additional Number)	1004
8.3.3.2.10	EF_SNE (Second Name Entry)	1004
8.3.3.2.11	EF_CCP1 (Capability Configuration Parameters 1)	1004
8.3.3.2.12	Phone Book Synchronization.....	1004
8.3.3.2.12.1	EF_UID (Unique Identifier)	1004
8.3.3.2.12.2	EF_PSC (Phone book Synchronization Counter)	1004
8.3.3.2.12.3	EF_CC (Change Counter)	1004
8.3.3.2.12.4	EF_PUID (Previous Unique Identifier)	1004
8.3.3.2.13	EF_EMAIL (e-mail address).....	1004
8.3.3.3	Contents of files at the DF GSM-ACCESS level (Files required for GSM Access)	1004
8.3.3.3.1	EF_Kc (GSM Ciphering key Kc)	1004
8.3.3.3.2	EF_KcGPRS (GPRS Ciphering key KcGPRS)	1004
8.3.3.3.3	Void	1004
8.3.3.3.4	EF_CPBCCH (CPBCCH Information)	1004
8.3.3.3.5	EF_InvScan (Investigation Scan).....	1005
8.3.3.4	Contents of files at the DF HNB level	1005
8.3.3.4.1	EF_ACSGL (Allowed CSG Lists).....	1005
8.3.3.4.2	EF_CSGT (CSG Type)	1005
8.3.3.4.3	EF_HNBN (Home NodeB Name)	1005
8.3.3.4.4	EF_OCSGL (Operator CSG Lists).....	1005
8.3.3.4.5	EF_OCSGT (Operator CSG Type)	1005
8.3.3.4.6	EF_OHNBN (Operator Home NodeB Name)	1005
8.3.4	Contents of EFs at the TELECOM level.....	1005
8.3.4.1	EF_ADN (Abbreviated dialling numbers).....	1005
8.3.4.2	EF_EXT1 (Extension1).....	1005
8.3.4.3	EF_ECCP (Extended Capability Configuration Parameter).....	1005
8.3.4.4	EF_SUME (SetUpMenu Elements).....	1005
8.3.4.5	EF_ARR (Access rule reference).....	1005
8.3.5	Contents of DFs at the TELECOM level	1005
8.3.5.1	Contents of files at the DF GRAPHICS level	1005
8.3.5.1.1	EF_IMG (Image).....	1005
8.3.5.1.2	Image Instance Data Files	1005
8.3.5.2	Contents of files at the DF PHONEBOOK under the DF TELECOM	1006
9	Default Message Contents	1007
9.1	Default Message Contents for Signalling	1007
9.1.1	Default RRC Message Contents (FDD)	1007
	Default SYSTEM INFORMATION:	1007
	Contents of ACTIVE SET UPDATE message: AM	1007
	Contents of ACTIVE SET UPDATE COMPLETE message: AM	1008
	Contents of ACTIVE SET UPDATE FAILURE message: AM	1008
	Contents of CELL UPDATE message: TM.....	1008
	Contents of CELL UPDATE CONFIRM message: UM	1009
	Contents of DOWNLINK DIRECT TRANSFER message: AM	1010
	Contents of HANDOVER FROM UTRAN COMMAND-GSM message: AM.....	1010
	Contents of HANDOVER FROM UTRAN FAILURE message: AM.....	1010
	Contents of INITIAL DIRECT TRANSFER message: AM.....	1011
	Contents of MBMS GENERAL INFORMATION message: UM	1012
	Contents of MBMS COMMON P-T-M RB INFORMATION message: UM	1012
	Contents of MBMS CURRENT CELL P-T-M RB INFORMATION message: UM	1015
	Contents of MBMS MODIFIED SERVICES INFORMATION message: UM	1016
	Contents of MBMS NEIGHBOURING CELL P-T-M RB INFORMATION message: UM.....	1016
	Contents of MBMS UNMODIFIED SERVICES INFORMATION message: UM	1017
	Contents of MEASUREMENT CONTROL message: AM.....	1018

Contents of MEASUREMENT CONTROL FAILURE message: AM	1019
Contents of MEASUREMENT REPORT message: AM.....	1019
Contents of PAGING TYPE 1 message: TM (Speech in CS)	1020
Contents of PAGING TYPE 1 message: TM (The others of speech in CS)	1020
Contents of PAGING TYPE 1 message: TM (Packet in PS)	1020
Contents of PAGING TYPE 1 message: TM (SMS in CS)	1020
Contents of PAGING TYPE 1 message: TM (SMS in PS)	1021
Contents of PAGING TYPE 2 message: AM (Speech in CS).....	1021
Contents of PHYSICAL CHANNEL RECONFIGURATION message: AM or UM	1021
Contents of PHYSICAL CHANNEL RECONFIGURATION COMPLETE message: AM.....	1025
Contents of PHYSICAL CHANNEL RECONFIGURATION FAILURE message: AM.....	1025
Contents of RADIO BEARER SETUP message: AM or UM	1025
Contents of RADIO BEARER SETUP message: AM or UM, for MBMS PtP Radio Bearer Setup	1117
Contents of RADIO BEARER SETUP COMPLETE message: AM.....	1119
Contents of RADIO BEARER SETUP FAILURE message: AM.....	1119
Contents of RADIO BEARER RECONFIGURATION message: AM or UM	1120
Contents of RADIO BEARER RECONFIGURATION FAILURE message: AM.....	1129
Contents of RADIO BEARER RECONFIGURATION COMPLETE message: AM	1129
Contents of RADIO BEARER RELEASE message: AM or UM	1129
Contents of RADIO BEARER RELEASE COMPLETE message: AM.....	1135
Contents of RADIO BEARER RELEASE FAILURE message: AM.....	1135
Contents of RRC CONNECTION REQUEST message: TM	1135
Contents of RRC CONNECTION REJECT message: UM	1136
Contents of RRC CONNECTION RELEASE message: UM	1136
Contents of RRC CONNECTION RELEASE COMPLETE message: AM or UM	1137
Contents of RRC CONNECTION SETUP message: UM (Transition to CELL_DCH in CELL_FACH).....	1137
Contents of RRC CONNECTION SETUP message: UM (Transition to CELL_FACH)	1158
Contents of RRC CONNECTION SETUP COMPLETE message: AM.....	1163
Contents of RRC STATUS message: AM	1165
Contents of SECURITY MODE COMMAND message: AM.....	1165
Contents of SECURITY MODE COMPLETE message: AM	1166
Contents of SECURITY MODE FAILURE message: AM.....	1166
Contents of TRANSPORT CHANNEL RECONFIGURATION message: AM or UM	1167
Contents of TRANSPORT CHANNEL RECONFIGURATION COMPLETE message: AM	1173
Contents of TRANSPORT CHANNEL RECONFIGURATION FAILURE message: AM	1173
Contents of TRANSPORT FORMAT COMBINATION CONTROL message: AM or UM (in CELL_DCH)	1173
Contents of TRANSPORT FORMAT COMBINATION CONTROL FAILURE message: AM.....	1174
Contents of UE CAPABILITY ENQUIRY message: AM or UM	1174
Contents of UE CAPABILITY INFORMATION message: AM.....	1174
Contents of UE CAPABILITY INFORMATION CONFIRM message: AM or UM	1175
Contents of UE INFORMATION REQUEST: AM	1175
Contents of UE INFORMATION RESPONSE: AM.....	1175
Contents of UTRAN MOBILITY INFORMATION message: AM or UM	1176
9.1.2 Default Message Contents for Signalling (TDD)	1179
Contents of RRC STATUS message: AM	1179
Contents of SECURITY MODE FAILURE message: AM	1179
Contents of URA UPDATE message: TM	1179
Contents of URA UPDATE CONFIRM message: UM	1179
Contents of UPLINK DIRECT TRANSFER message: AM.....	1180
Contents of UTRAN MOBILITY INFORMATION message: AM or UM	1180
Contents of UTRAN MOBILITY INFORMATION CONFIRM message: AM	1181
Contents of UTRAN MOBILITY INFORMATION FAILURE message: AM.....	1181
Contents of UE CAPABILITY ENQUIRY message.....	1181
Contents of UE CAPABILITY INFORMATION message (1.28 Mcps TDD).....	1181
Contents of UE CAPABILITY INFORMATION CONFIRM message	1183
Contents of TRANSPORT CHANNEL RECONFIGURATION message: AM or UM (3.84 Mcps TDD).....	1183
Contents of TRANSPORT CHANNEL RECONFIGURATION message: AM or UM (1.28 Mcps TDD).....	1193
Contents of TRANSPORT CHANNEL RECONFIGURATION message: AM or UM (3.84 Mcps TDD).....	1201
Contents of TRANSPORT CHANNEL RECONFIGURATION COMPLETE message: AM (3.84 Mcps TDD)	1210
Contents of TRANSPORT CHANNEL RECONFIGURATION COMPLETE message: AM (1.28 Mcps TDD).....	1210
Contents of TRANSPORT CHANNEL RECONFIGURATION COMPLETE message: AM (7.68 Mcps TDD)	1211

Contents of TRANSPORT CHANNEL RECONFIGURATION FAILURE message: AM	1211
Contents of TRANSPORT FORMAT COMBINATION CONTROL message: AM or UM (in CELL_DCH)	1211
Contents of TRANSPORT FORMAT COMBINATION CONTROL FAILURE message: AM.....	1211
Contents of RRC CONNECTION REJECT message: UM	1212
Contents of CELL UPDATE message: TM.....	1212
Contents of CELL UPDATE CONFIRM message: UM	1212
Contents of HANDOVER FROM UTRAN COMMAND-GSM message: AM.....	1213
Contents of HANDOVER FROM UTRAN FAILURE message: AM.....	1214
Contents of MEASUREMENT CONTROL Message: AM (Intra-frequency measurement) (1.28 Mcps TDD).....	1214
Contents of MEASUREMENT CONTROL Message: AM (Inter-frequency measurement) (1.28 Mcps TDD).....	1215
Contents of MEASUREMENT CONTROL FAILURE Message: AM.....	1217
Contents of MEASUREMENT REPORT message: AM Intra-frequency measurement (3.84 Mcps TDD)	1218
Contents of MEASUREMENT REPORT message: AM (intra-frequency measurement) (1.28 Mcps TDD).....	1218
Contents of MEASUREMENT REPORT message: AM Intra-frequency measurement (7.68 Mcps TDD)	1219
Contents of MEASUREMENT REPORT message: AM (inter-frequency measurement) (3.84 Mcps TDD).....	1220
Contents of MEASUREMENT REPORT message: AM (inter-frequency measurement) (1.28 Mcps TDD).....	1220
Contents of MEASUREMENT REPORT message: AM (inter-frequency measurement) (7.68 Mcps TDD).....	1221
Contents of PHYSICAL CHANNEL RECONFIGURATION message: AM or UM (3.84 Mcps TDD)	1221
Contents of PHYSICAL CHANNEL RECONFIGURATION message: AM or UM (1.28 Mcps TDD)	1225
Contents of PHYSICAL CHANNEL RECONFIGURATION message: AM or UM (7.68 Mcps TDD)	1229
Contents of PHYSICAL CHANNEL RECONFIGURATION COMPLETE message: AM (3.84 Mcps TDD)	1233
Contents of PHYSICAL CHANNEL RECONFIGURATION COMPLETE message: AM (1.28 Mcps TDD).....	1233
Contents of PHYSICAL CHANNEL RECONFIGURATION COMPLETE message: AM (7.68 Mcps TDD)	1234
Contents of PHYSICAL CHANNEL RECONFIGURATION FAILURE message: AM.....	1234
Contents of RADIO BEARER RECONFIGURATION message: AM or UM (3.84 Mcps TDD).....	1234
Contents of RADIO BEARER RECONFIGURATION message: AM or UM (1.28 Mcps TDD).....	1243
Contents of RADIO BEARER RECONFIGURATION message: AM or UM (7.68 Mcps TDD).....	1252
Contents of RADIO BEARER RECONFIGURATION COMPLETE message: AM (3.84 Mcps TDD)	1261
Contents of RADIO BEARER RECONFIGURATION COMPLETE message: AM (1.28 Mcps TDD)	1262
Contents of RADIO BEARER RECONFIGURATION COMPLETE message: AM (7.68 Mcps TDD).....	1262
Contents of RADIO BEARER RECONFIGURATION FAILURE message: AM.....	1263
Contents of RADIO BEARER RELEASE message: AM or UM (3.84 Mcps TDD)	1263
Contents of RADIO BEARER RELEASE message: AM or UM (1.28 Mcps TDD)	1268
Contents of RADIO BEARER RELEASE message: AM or UM (7.68 Mcps TDD)	1274
Contents of DOWNLINK DIRECT TRANSFER message: AM	1280
Contents of INITIAL DIRECT TRANSFER message: AM.....	1280
Contents of MBMS GENERAL INFORMATION message: UM (3.84 Mcps TDD)	1280
Contents of MBMS GENERAL INFORMATION message: UM (1.28 Mcps TDD)	1281
Contents of MBMS GENERAL INFORMATION message: UM (7.68 Mcps TDD)	1281
Contents of MBMS COMMON P-T-M RB INFORMATION message: UM (3.84 Mcps).....	1282
Contents of MBMS COMMON P-T-M RB INFORMATION message: UM (1.28 Mcps TDD)	1285
Contents of MBMS COMMON P-T-M RB INFORMATION message: UM (7.68 Mcps).....	1289
Contents of MBMS CURRENT CELL P-T-M RB INFORMATION message: UM	1293
Contents of MBMS MODIFIED SERVICES INFORMATION message: UM	1294
Contents of MBMS UNMODIFIED SERVICES INFORMATION message: UM	1295
Contents of PAGING TYPE 1 message: TM (Speech in CS)	1296
Contents of PAGING TYPE 1 message: TM (The others of speech in CS)	1296
Contents of PAGING TYPE 1 message: TM (Packet in PS)	1297
Contents of RADIO BEARER SETUP message: AM or UM (3.84 Mcps TDD)	1297
Contents of RADIO BEARER SETUP message: AM or UM (1.28 Mcps TDD)	1332
Contents of RADIO BEARER SETUP message: AM or UM (7.68 Mcps TDD)	1389
Contents of RADIO BEARER SETUP COMPLETE message: AM.....	1408
Contents of RADIO BEARER SETUP FAILURE message: AM.....	1408
Contents of RADIO BEARER RELEASE COMPLETE message: AM (1.28 Mcps TDD)	1409
Contents of RADIO BEARER RELEASE COMPLETE message: AM (1.28 Mcps TDD)	1409
Contents of RADIO BEARER RELEASE FAILURE message: AM.....	1410
Contents of RRC CONNECTION REQUEST message: TM	1410
Contents of RRC CONNECTION REJECT message: UM	1410
Contents of RRC CONNECTION RELEASE message: UM	1411
Contents of RRC CONNECTION RELEASE COMPLETE message: AM or UM	1411
Contents of RRC CONNECTION SETUP message: UM (Transition to CELL_DCH) (3.84 Mcps TDD option)	1411

Contents of RRC CONNECTION SETUP message: UM (Transition to CELL_DCH) (1.28 Mcps TDD option).....	1418
Contents of RRC CONNECTION SETUP message: UM (Transition to CELL_DCH) (7.68 Mcps TDD option)	1438
Contents of RRC CONNECTION SETUP message: UM (Transition to CELL_FACH) (3.84 Mcps TDD)	1444
Contents of RRC CONNECTION SETUP message: UM (Transition to CELL_FACH) (1.28 Mcps TDD)	1449
Contents of RRC CONNECTION SETUP message: UM (Transition to CELL_FACH) (7.68 Mcps TDD)	1454
Contents of RRC CONNECTION SETUP COMPLETE message: AM	1458
Contents of SECURITY MODE COMMAND message: AM	1459
Contents of SECURITY MODE COMPLETE message: AM	1460
Contents of UPLINK DIRECT TRANSFER message: AM	1460
9.1.3 Default RRC Message Contents for MBSFN (TDD)	1461
Contents of MBMS GENERAL INFORMATION message: UM (3.84 Mcps TDD)	1461
Contents of MBMS GENERAL INFORMATION message: UM (1.28 Mcps TDD)	1461
Contents of MBMS GENERAL INFORMATION message: UM (7.68 Mcps TDD)	1462
Contents of MBMS GENERAL INFORMATION message: UM (3.84 Mcps TDD IMB)	1463
Contents of MBMS MODIFIED SERVICES INFORMATION message: UM	1464
Contents of MBMS UNMODIFIED SERVICES INFORMATION message: UM (Mixed Local/National carrier)	1465
Contents of MBMS UNMODIFIED SERVICES INFORMATION message: UM (Dedicated National carrier)	1467
Contents of MBMS UNMODIFIED SERVICES INFORMATION message: UM (3.84 Mcps TDD IMB)	1468
Contents of MBMS COMMON P-T-M RB INFORMATION message: UM (3.84 Mcps).....	1470
Contents of MBMS COMMON P-T-M RB INFORMATION message: UM (1.28 Mcps).....	1473
Contents of MBMS COMMON P-T-M RB INFORMATION message: UM (7.68 Mcps).....	1476
Contents of MBMS GENERAL INFORMATION message: UM (3.84 Mcps TDD IMB)	1478
Contents of MBMS CURRENT CELL P-T-M RB INFORMATION message: UM	1480
9.1.4 Default Message Contents for WLAN interworking	1480
Contents of Router Advertisement message:.....	1480
9.2 Default Message Contents for RF	1484
9.2.1 Default Message Contents for RF (FDD)	1484
Contents of Activate RB Test Mode message.....	1484
Contents of Close UE Test Loop message (UE test loop mode 1 without Dummy DCCH transmission).....	1484
Contents of Close UE Test Loop message (UE test loop mode 2 without Dummy DCCH transmission).....	1484
Contents of Open UE Test Loop message	1484
Contents of MBMS COMMON P-T-M RB INFORMATION message: UM	1485
Contents of PAGING TYPE 1 message: TM (CS).....	1486
Contents of PAGING TYPE 1 message: TM (PS)	1486
Contents of PAGING TYPE 2 message: TM (PS)	1486
Contents of RADIO BEARER SETUP message: AM or UM (Test Loop Mode1)	1487
Contents of RADIO BEARER SETUP message: AM or UM (UE supports PS RAB only)	1496
Contents of RADIO BEARER SETUP message: AM or UM (UE supports CS RAB for Test Loop Mode 2)	1501
Contents of RADIO BEARER SETUP message: AM or UM (HSDPA).....	1510
Contents of RADIO BEARER SETUP message: BTFD RMC for Test Loop Mode 2.....	1513
Contents of RADIO BEARER SETUP message: AM or UM (E-DCH and HSDPA)	1519
Contents of RADIO BEARER SETUP message: AM or UM (HSDPA with F-DPCH).....	1527
Contents of RADIO BEARER SETUP message: AM or UM (DC-HSDPA).....	1531
Contents of RADIO BEARER SETUP message: AM or UM (DC-HSUPA).....	1534
Contents of RRC CONNECTION RELEASE message: UM	1542
Contents of RRC CONNECTION SETUP message: UM	1542
Contents of SECURITY MODE COMMAND message: AM	1548
9.2.2 Default Message Contents for RF (TDD)	1549
Contents of Activate RB Test Mode message.....	1549
Contents of Close UE Test Loop message.....	1549
Contents of Open UE Test Loop message.....	1550
Contents of PAGING TYPE 1 message: TM (CS).....	1550
Contents of PAGING TYPE 1 message: TM (PS)	1550
Contents of RADIO BEARER SETUP message: AM or UM (3.84 Mcps TDD)	1550
Contents of RADIO BEARER SETUP message: AM or UM (1.28 Mcps TDD)	1555
Contents of RADIO BEARER SETUP message: AM or UM (7.68 Mcps TDD)	1561
Contents of RADIO BEARER SETUP message: AM or UM (HSDPA).....	1566
Contents of RADIO BEARER SETUP message: AM or UM (HSDPA) (1.28 Mcps TDD).....	1570
Contents of RADIO BEARER SETUP message: AM or UM (HSDPA) (7.68 Mcps TDD).....	1575
Contents of RADIO BEARER SETUP message: AM or UM (E-DCH and HSDPA) (3.84Mcps TDD).....	1579
Contents of RADIO BEARER SETUP message: AM or UM (E-DCH and HSDPA) (7.68Mcps TDD).....	1583

Contents of RRC CONNECTION RELEASE message: UM	1587
Contents of RRC CONNECTION SETUP message: UM (3.84 Mcps TDD)	1587
Contents of RRC CONNECTION SETUP message: UM (1.28 Mcps TDD)	1593
Contents of RRC CONNECTION SETUP message: UM (7.68 Mcps TDD)	1599
Contents of SECURITY MODE COMMAND message: AM	1605
10 Void.....	1607
11 MBMS configurations for signalling test	1607
11.1 MCCH configurations	1607
11.1.1 MCCH configuration parameters	1607
11.1.1.1 Default 1 MCCH information scheduling (mp 5.12s)	1607
11.1.1.2 Default 2 MCCH information scheduling (mp 2.56s)	1607
11.1.1.3 Longest MCCH information scheduling (mp 10.24s)	1607
11.1.1.4 Shortest MCCH information scheduling (mp 1.28s)	1608
11.1.2 MCCH messages transmission in test.....	1608
11.1.3 Combinations and transmission order of critical MCCH messages	1609
11.2 MCCH configurations for MBSFN (TDD).....	1610
11.2.1 MCCH configuration parameters	1610
11.2.1.1 Non-IMB	1610
11.2.1.1.1 Default 1 MCCH information scheduling (mp 5.12s)	1610
11.2.1.1.2 Default 2 MCCH information scheduling (mp 2.56s)	1610
11.2.1.1.3 Longest MCCH information scheduling (mp 10.24s)	1610
11.2.1.1.4 Shortest MCCH information scheduling (mp 1.28s)	1610
11.2.1.2 IMB	1610
11.2.1.2.1 Default 1 MCCH information scheduling (mp 5.12s)	1611
11.2.1.2.2 Default 2 MCCH information scheduling (mp 2.56s)	1611
11.2.1.2.3 Longest MCCH information scheduling (mp 10.24s)	1611
11.2.1.2.4 Shortest MCCH information scheduling (mp 1.28s)	1611
11.2.2 MCCH messages transmission in test.....	1611
11.2.3 Combinations and transmission order of critical MCCH messages	1612
11.2.4 MBSFN service availability	1612
11.2.4.1 Non-IMB	1612
11.2.4.2 IMB	1613
Annex A to C (informative): Void	1614
Annex D (informative): Change history	1615

