

**3rd Generation Partnership Project;
Technical Specification Group Radio Access Network;
Evolved Universal Terrestrial Radio Access (E-UTRA)
and Evolved Packet Core (EPC);
User Equipment (UE) conformance specification;
Part 1: Protocol conformance specification
(Release 11)**



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPP™ system should be obtained via the 3GPP Organizational Partners' Publications Offices.

Keywords
LTE, testing

3GPP

Postal address

3GPP support office address
650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2013, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).
All rights reserved.

UMTSTM is a Trade Mark of ETSI registered for the benefit of its members
3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners
LTE™ is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the 3GPP Organizational Partners
GSM® and the GSM logo are registered and owned by the GSM Association

Contents

Foreword	24
Introduction	24
1 Scope	25
2 References.....	25
3 Definitions, symbols and abbreviations	27
3.1 Definitions	27
3.2 Abbreviations.....	28
4 Overview.....	28
4.1 Test methodology.....	28
4.1.1 Testing of optional functions and procedures	28
4.1.2 Test interfaces and facilities	28
4.2 Implicit testing	28
4.3 Repetition of tests.....	28
4.4 Handling of differences between conformance requirements in different releases of cores specifications	28
5 Reference conditions	29
5.1 Generic setup procedures.....	29
6 Idle mode operations	29
6.0 Introduction	29
6.0.1 PLMN and TAC	29
6.0.2 Other.....	30
6.0.2.1 Values of parameters calculated by the UE.....	30
6.1 In a pure E-UTRAN environment	30
6.1.1 PLMN selection	30
6.1.1.1 PLMN selection of RPLMN, HPLMN/EHPLMN, UPLMN and OPLMN / Automatic mode	30
6.1.1.1a PLMN selection / Automatic mode/between FDD and TDD	34
6.1.1.1b PLMN selection of RPLMN, HPLMN/EHPLMN, UPLMN and OPLMN / Automatic mode / Single Frequency operation.....	38
6.1.1.2 PLMN selection of "Other PLMN/access technology combinations" / Automatic mode	41
6.1.1.2a PLMN selection of "Other PLMN/access technology combinations" / Automatic mode / Single Frequency operation.....	45
6.1.1.3 Cell reselection of ePLMN in manual mode	47
6.1.1.3a Cell reselection of ePLMN in manual mode / between FDD and TDD	49
6.1.1.3b Cell reselection of ePLMN in manual mode / Single Frequency operation	52
6.1.1.4 PLMN selection in shared network environment / Automatic mode	53
6.1.1.4a PLMN selection in shared network environment / Automatic mode / Between FDD and TDD	56
6.1.1.5 Void	60
6.1.1.6 PLMN selection of RPLMN, HPLMN/EHPLMN, UPLMN and OPLMN / Automatic mode / User reselection	60
6.1.1.6a PLMN selection of RPLMN, HPLMN/EHPLMN, UPLMN and OPLMN / Automatic mode / User reselection / Single Frequency operation	64
6.1.1.7 PLMN selection / Periodic reselection / MinimunPeriodicSearchTimer	67
6.1.2 Cell selection and reselection.....	70
6.1.2.1 Void	70
6.1.2.2 Cell selection / Qrxlev min	70
6.1.2.2a Cell selection / Qqualmin	73
6.1.2.3 Cell selection / Intra E-UTRAN / Serving cell becomes non-suitable ($S < 0$ or barred).....	77
6.1.2.3a Cell selection / Intra E-UTRAN / Serving cell becomes non-suitable ($S_{rxlev} > 0$ and $S_{qual} < 0$)	81
6.1.2.4 Cell reselection	85
6.1.2.5 Cell reselection for interband operation.....	87
6.1.2.6 Cell reselection using Q_{hyst} , Q_{offset} and $T_{reselection}$	90
6.1.2.7 Cell reselection / Equivalent PLMN	95
6.1.2.7a Cell reselection / Equivalent PLMN / Single Frequency operation	99
6.1.2.8 Cell reselection using cell status and cell reservations / Access control class 0 to 9	102

6.1.2.8a	Cell reselection using cell status and cell reservations / Access control class 0 to 9 / Single Frequency operation.....	106
6.1.2.9	Cell reselection using cell status and cell reservations / Access control class 11 to 15.....	110
6.1.2.9a	Cell reselection using cell status and cell reservations / Access control class 11 to 15 / Single Frequency operation.....	115
6.1.2.10	Cell reselection in shared network environment	119
6.1.2.11	Inter-frequency cell reselection	122
6.1.2.12	Cell reselection / Cell-specific reselection parameters provided by the network in a neighbouring cell list.....	124
6.1.2.13	Cell reselection, $S_{\text{intraSearch}}$, $S_{\text{nonIntraSearch}}$	127
6.1.2.14	Speed-dependent cell reselection	132
6.1.2.15	Inter-frequency cell reselection according to cell reselection priority provided by SIBs	136
6.1.2.15a	Inter-frequency cell reselection according to cell reselection priority provided by SIBs / Between FDD and TDD	141
6.1.2.15b	Inter-band cell reselection according to cell reselection priority provided by SIBs	146
6.1.2.16	Cell reselection / interband operation / Between FDD and TDD.....	148
6.1.2.17	Cell reselection for Squal to check against $S_{\text{IntraSearchQ}}$ and $S_{\text{nonIntraSearchQ}}$	153
6.1.2.18	Inter-frequency cell reselection based on common priority information with parameters $\text{Thresh}_{x,\text{HighQ}}$, $\text{Thresh}_{x,\text{LowQ}}$ and $\text{Thresh}_{\text{Serving},\text{LowQ}}$	160
6.1.2.19	Intra-frequency cell reselection / MFBI.....	164
6.1.2.20	Inter-frequency cell reselection / MFBI.....	168
6.1.2.21	Inter-band cell reselection / MFBI	170
6.2	Multi-mode environment (E-UTRAN, UTRAN, GERAN, CDMA2000)	174
6.2.1	Inter-RAT PLMN selection	174
6.2.1.1	Inter-RAT PLMN Selection / Selection of correct RAT for OPLMN / Automatic mode	174
6.2.1.2	Inter-RAT PLMN Selection / Selection of correct RAT for UPLMN / Automatic mode	179
6.2.1.3	Inter-RAT PLMN Selection / Selection of correct PLMN and RAT in shared network environment / Automatic mode	181
6.2.1.4	Inter-RAT PLMN Selection / Selection of correct RAT from the OPLMN list / Manual mode	185
6.2.1.5	187	
6.2.1.6	Inter-RAT Background HPLMN Search / Search for correct RAT for HPLMN / Automatic Mode.....	187
6.2.2	Inter-RAT cell selection	189
6.2.2.1	Inter-RAT cell selection / From E-UTRA RRC_IDLE to UTRA_Idle / Serving cell becomes non-suitable.....	189
6.2.2.2	Inter-RAT cell selection / From E-UTRA RRC_IDLE to GSM_Idle/GPRS Packet_idle / Serving cell becomes non-suitable	194
6.2.2.3	Inter-RAT Cell selection / From E-UTRA RRC_IDLE to HRPD Idle / Serving cell becomes non-suitable.....	200
6.2.2.4	Inter-RAT Cell selection / From E-UTRAN RRC_IDLE to 1xRTT idle / Serving cell becomes non-suitable.....	203
6.2.2.5	Cell selection / No USIM	206
6.2.2.6	Inter-RAT Cell selection / From GSM_Idle/GPRS Packet_idle to E-UTRA_RRC_IDLE / Serving cell becomes non-suitable.....	208
6.2.2.7	Inter-RAT Cell selection / From GSM_Idle/GPRS Packet_idle to E-UTRA_RRC_IDLE ,when the serving cell is barred.....	209
6.2.2.8	Inter-RAT cell selection / From UTRA_Idle to E-UTRA RRC_IDLE/ Serving cell becomes non-suitable.....	211
6.2.3	Inter-RAT cell reselection	217
6.2.3.1	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to GSM_Idle/GPRS Packet_Idle	217
6.2.3.1a	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to GSM_Idle/GPRS Packet_Idle (Squal < $\text{Thresh}_{\text{Serving},\text{LowQ}}$, $\text{Srxlev} > \text{Thresh}_{x,\text{LowP}}$ and $\text{Srxlev} > \text{Thresh}_{x,\text{HighP}}$).....	222
6.2.3.2	Void	227
6.2.3.3	Inter-RAT cell reselection / From UTRA_Idle to E-UTRA RRC_IDLE	227
6.2.3.3a	Inter-RAT cell reselection / From UTRA_Idle to E-UTRA RRC_IDLE (QqualminEUTRA, $\text{Squal}_{\text{ServingCell}} < \text{Thresh}_{\text{ServingCell},\text{low2}}$, $\text{Squal}_{\text{nonServingCell},\text{x}} > \text{Thresh}_{x,\text{low2}}$ and $\text{Squal}_{\text{nonServingCell},\text{x}} > \text{Thresh}_{x,\text{high2}}$).....	232
6.2.3.4	Inter-RAT cell reselection / From UTRA_CELL_PCH state to E-UTRA RRC_IDLE.....	239
6.2.3.4a	Inter-RAT cell reselection / From UTRA_CELL_PCH state to E-UTRA RRC_IDLE based on RSRQ+RSRP evaluation	243
6.2.3.5	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to UTRA_Idle	250

6.2.3.5a	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to UTRA_Idle (Squal > Thresh _{X,HighQ} , Squal < Thresh _{Serving,LowQ} , Squal > Thresh _{X,LowQ} and S _{nonIntraSearchQ}).....	253
6.2.3.6	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to UTRA_Idle according to RAT priority provided by dedicated signalling	261
6.2.3.7	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to HRPD Idle / HRPD cell is higher reselection priority than E-UTRA	270
6.2.3.7a	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to HRPD Idle / HRPD cell is higher reselection priority than E-UTRA (Srxlev > Thresh _{HRPD,HighP})	275
6.2.3.8	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to HRPD Idle / HRPD is lower reselection priority than E-UTRA	280
6.2.3.8a	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to HRPD Idle / HRPD cell is lower reselection priority than E-UTRA (Squal < Thresh _{Serving,LowQ} and Srxlev > Thresh _{HRPD,LowP})	285
6.2.3.9	Inter-RAT Cell Reselection: from E-UTRA RRC_IDLE to CDMA2000 1xRTT Dormant – When CDMA2000 1xRTT cell is higher reselection priority than E-UTRA	290
6.2.3.9a	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to 1xRTT Dormant / 1xRTT cell is higher reselection priority than E-UTRA (Srxlev > Thresh _{1xRTT,HighP})	295
6.2.3.10	Inter-RAT Cell Reselection: from E-UTRA RRC_IDLE to CDMA2000 1xRTT Idle – When CDMA2000 1xRTT is lower reselection priority than E-UTRA	300
6.2.3.10a	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to 1xRTT Dormant / 1xRTT cell is lower reselection priority than E-UTRA (Squal < Thresh _{Serving,LowQ} and Srxlev > Thresh _{1xRTT,LowP})	305
6.2.3.11	Void	311
6.2.3.12	Void	311
6.2.3.13	Inter-RAT cell reselection / From UTRA_Idle to E-UTRA RRC_IDLE according to RAT priority provided by dedicated signalling	311
6.2.3.14	Inter-RAT Cell Reselection / from GSM_Idle/GPRS Packet_Idle to E-UTRA (priority of E-UTRA cells are higher than the serving cell)	318
6.2.3.15	Inter-RAT Cell Reselection / from GSM_Idle/GPRS Packet_Idle to E-UTRA (priority of E-UTRA cells are lower than the serving cell)	321
6.2.3.16	Inter-RAT Cell Reselection / from GSM_Idle to E-UTRAN/based on H_PRIO criteria	323
6.2.3.17	Inter-RAT Cell Reselection / from GSM_Idle/GPRS Packet_Idle to E-UTRA (priority E-UTRA cells)	326
6.2.3.18	Inter-RAT Cell Reselection / from GSM_Idle/GPRS Packet_Idle to E-UTRA (blacklisted E-UTRA cells)	328
6.2.3.19	Redirection to E-UTRA upon the release of the CS connection	330
6.2.3.20	Void	333
6.2.3.21	Inter-RAT cell reselection / From GPRS Packet_Transfer (NC0 mode) to E-UTRA	333
6.2.3.22	Void	335
6.2.3.23	Inter-RAT Cell Reselection from GPRS Packet transfer to E-UTRA in CCN Mode(PACKET CELL CHANGE CONTINUE)	335
6.2.3.24	Inter-RAT Cell Reselection from GPRS Packet transfer to E-UTRA in CCN Mode (PACKET CELL CHANGE ORDER)	338
6.2.3.25	Void	341
6.2.3.26	Inter-RAT Autonomous Cell Reselection GPRS Packet_transfer to E-UTRA (NC1 mode)	341
6.2.3.27	Inter-RAT Cell selection from GPRS Packet_transfer to E-UTRA (NC2 Mode)	344
6.2.3.28	Inter-RAT Cell Reselection from GPRS Packet_transfer to E-UTRA (Network Assisted Cell Change)	348
6.2.3.29	Inter-RAT cell Reselection from GPRS packet_transfer to E-UTRA in CCN mode (PACKET MEASUREMENT ORDER)	352
6.2.3.30	Inter-RAT Cell Reselection failure from GPRS Packet transfer to E-UTRA (Network Assisted Cell Change)	356
6.2.3.31	Inter-RAT cell reselection / From UTRA_Idle (low priority) to E-UTRA RRC_IDLE (high priority) according to RAT priority provided by dedicated signalling	361
6.2.3.32	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to UTRA_Idle, S _{nonintrasearch}	367
6.2.3.33	Inter-RAT cell reselection / From E-UTRA RRC_IDLE to UTRA_Idle / Squal based cell reselection parameters are broadcasted in E-UTRAN / UE does not support Squal based cell reselection in UTRAN	371
6.3	Closed Subscriber Group cells	374
6.3.1	Inter-frequency cell reselection / From E-UTRA RRC_IDLE non-CSG cell to E-UTRA RRC_IDLE CSG cell	374
6.3.2	Inter-RAT cell reselection / From GSM_Idle/GPRS Packet_Idle to E-UTRA idle CSG cell	378
6.3.3	Inter-RAT cell reselection / From UTRA_Idle to E-UTRA RRC_IDLE CSG cell	383

6.3.4	Inter-RAT cell reselection / From UTRA CELL_PCH state to E-UTRA RRC_IDLE CSG cell	390
6.3.5	Manual support for CSG ID selection	396
6.3.6	Ignoring CSG cells in cell selection/reselection when allowed CSG list is empty or not supported	401
6.3.7	Inter-RAT Cell reselection from E-UTRA idle non-CSG cell to a UTRA CSG cell	405
6.3.8	Inter-RAT CSG Cell Reselection from E-UTRA CSG cell to UTRA CSG cell	411
6.3.9	Manual CSG ID selection across PLMNs	418
6.3.10	Intra-Frequency cell selection / From E-UTRA_Idle to E-UTRA RRC_IDLE / CSG cell on same PLMN as previously visited CSG cell	421
6.3.11	Inter-RAT cell reselection / From UTRA_Idle to E-UTRA RRC_IDLE / CSG cell on same PLMN as previously visited CSG cell	426
6.3.12	Inter-RAT cell selection / From E-UTRA RRC_IDLE to UTRA_Idle / CSG cell on same PLMN as previously visited CSG cell	432
6.4	Hybrid cells	436
6.4.1	Manual CSG ID selection / Hybrid cell whose CSG ID is not in the Allowed CSG list nor Operator's list	436
6.4.2	Inter-frequency cell reselection / From E-UTRA RRC_IDLE non-CSG cell to E-UTRA RRC_IDLE member hybrid cell	440
6.4.3	Inter-RAT cell reselection / From E-UTRA RRC_IDLE non-CSG cell to UTRA_Idle member hybrid cell	445
6.4.4	Inter-RAT cell reselection / From E-UTRA RRC_IDLE non-member hybrid cell to UTRA_Idle member hybrid cell	450
6.4.5	Inter-RAT cell reselection / From UTRA_Idle to E-UTRA RRC_IDLE member hybrid cell	457
6.4.6	Inter-RAT cell reselection / From UTRA CELL_PCH to E-UTRA RRC_IDLE member hybrid cell	463
6.4.7	Inter-RAT cell reselection / From GSM_Idle/GPRS Packet_Idle to E-UTRA RRC_IDLE member hybrid cell	469
7	Layer 2	475
7.1	MAC	475
7.1.1	Mapping between logical channels and transport channels	475
7.1.1.1	CCCH mapped to UL SCH/ DL-SCH / Reserved Logical Channel ID	475
7.1.1.2	DTCH or DCCH mapped to UL SCH/ DL-SCH / Reserved Logical Channel ID	478
7.1.2	RACH	482
7.1.2.1	Correct selection of RA CH parameters / Random access preamble and PRACH resource explicitly signalled to the UE by RRC / Non-contention based random access procedure	482
7.1.2.2	Correct selection of RA CH parameters / Random access preamble and PRACH resource explicitly signalled to the UE in PDCCH Order / Non-contention based random access procedure	485
7.1.2.3	Correct selection of RA CH parameters / Preamble selected by MAC itself / Contention based random access procedure	487
7.1.2.4	Random access procedure / Successful	492
7.1.2.5	Random access procedure / MAC PDU containing multiple RARs	498
7.1.2.6	Maintenance of uplink time alignment	501
7.1.2.7	MAC contention resolution / Temporary C-RNTI	505
7.1.2.8	MAC contention resolution / C-RNTI	508
7.1.2.9	MAC back off indicator	511
7.1.3	DL-SCH data transfer	515
7.1.3.1	Correct handling of DL assignment / Dynamic case	515
7.1.3.2	Correct handling of DL assignment / Semi-persistent case	516
7.1.3.3	MAC PDU header handling	525
7.1.3.4	Correct HARQ process handling / DCCH and DTCH	530
7.1.3.5	Correct HARQ process handling / CCCH	534
7.1.3.6	Correct HARQ process handling / BCCH	538
7.1.3.7	MAC padding	543
7.1.3.8	Void	545
7.1.3.9	MAC reset / DL	545
7.1.3.10	548	
7.1.3.11	CA / Correct HARQ process handling / DCCH and DTCH / Pcell and Scell	548
7.1.3.11.1	CA / Correct HARQ process handling / DCCH and DTCH / Pcell and Scell / Intra-band Contiguous CA	548
7.1.3.11.2	CA / Correct HARQ process handling / DCCH and DTCH / Pcell and Scell / Inter-band CA	553
7.1.3.12	TDD additional special subframe configuration / Special subframe pattern 9/7 / CRS based transmission scheme	553

7.1.3.13	TDD additional special subframe configuration / Special subframe pattern 9/7 / UE-specific reference signals based transmission scheme	559
7.1.3.14	Correct handling of DL assignment / Dynamic case / EPDCCH	570
7.1.3.15	Correct handling of DL assignment / Semi-persistent case / EPDCCH	574
7.1.4	UL-SCH data transfer.....	585
7.1.4.1	Correct handling of UL assignment / Dynamic case	585
7.1.4.2	Correct handling of UL assignment / Semi-persistent case.....	588
7.1.4.3	Logical channel prioritization handling	596
7.1.4.4	Correct handling of MAC control information / Scheduling requests and PUCCH	599
7.1.4.5	Correct handling of MAC control information / Scheduling requests and random access procedure.....	601
7.1.4.6	Correct handling of MAC control information / Buffer status / UL data arrive in the UE Tx buffer and retransmission of BSR / Regular BSR	606
7.1.4.7	Correct handling of MAC control information / Buffer Status / UL resources are allocated / Padding BSR	613
7.1.4.7a	Correct handling of MAC control information / Buffer Status / UL resources are allocated / Cancellation of Padding BSR	618
7.1.4.8	Correct handling of MAC control information / Buffer status / Periodic BSR timer expires	624
7.1.4.9	Void	629
7.1.4.10	MAC padding	629
7.1.4.11	Correct HARQ process handling.....	632
7.1.4.12	MAC reset / UL.....	639
7.1.4.13	MAC PDU header handling	643
7.1.4.14	Correct HARQ process handling / TTI bundling	648
7.1.4.15	UE power headroom reporting / Periodic reporting.....	655
7.1.4.16	UE power headroom reporting / DL pathloss change reporting.....	658
7.1.4.17	662	
7.1.4.18	CA / Correct handling of MAC control information / Buffer Status / UL data arrive in the UE Tx buffer / Extended buffer size	662
7.1.4.18.1	Test Purpose (TP)	662
7.1.4.18.3	Test description	664
7.1.4.18.3.1	Pre-test conditions	664
7.1.4.18.3.2	Definition of system information messages.....	665
7.1.4.18.3.3	Specific message contents.....	665
7.1.4.19	CA / UE power headroom reporting / SCell activation and DL pathloss change reporting / Extended PHR	665
7.1.4.19.1	CA / UE power headroom reporting / SCell activation and DL pathloss change reporting / Extended PHR / Intra-band Contiguous CA	665
7.1.4.19.2	CA / UE power headroom reporting / SCell activation and DL pathloss change reporting / Extended PHR / Inter-band CA	670
7.1.4.20	CA / Correct handling of MAC control information / Buffer status	671
7.1.4.20.1	CA / Correct handling of MAC control information / Buffer status / Intra-band Contiguous CA	671
7.1.4.20.2	CA / Correct handling of MAC control information / Buffer status / Inter-band CA.....	676
7.1.4.21	CA / UE power headroom reporting / Extended PHR	676
7.1.4.22	Correct HARQ process handling / UL MIMO	680
7.1.5	PUSCH Hopping	687
7.1.5.1	Inter-TTI PUSCH hopping by uplink grant	687
7.1.5.2	Predefined intra-TTI PUSCH hopping (N_sb=1)	690
7.1.5.3	Predefined intra-TTI PUSCH hopping (N_sb=2/3/4).....	694
7.1.5.4	Predefined inter-TTI PUSCH hopping (N_sb=1)	696
7.1.5.5	Predefined inter-TTI PUSCH hopping (N_sb=2/3/4).....	697
7.1.6	DRX operation.....	698
7.1.6.1	DRX operation / Short cycle not configured / Parameters configured by RRC	698
7.1.6.2	DRX Operation / Short cycle not configured / DRX command MAC control element reception	705
7.1.7	Transport block size selection	710
7.1.7.0	Specific configurations	710
7.1.7.1	DL-SCH transport block size selection	711
7.1.7.1.1	DL-SCH transport block size selection / DCI format 1 / RA type 0.....	711
7.1.7.1.2	DL-SCH transport block size selection / DCI format 1 / RA type 1.....	724
7.1.7.1.3	DL-SCH transport block size selection / DCI format 1A / RA type 2 / Localised VRB	738
7.1.7.1.4	DL-SCH transport block size selection / DCI format 1A / RA type 2 / Distributed VRB	752

7.1.7.1.5	DL-SCH transport block size selection / DCI format 2A / RA type 0 / Two transport blocks enabled / Transport block to codeword swap flag value set to '0'	766
7.1.7.1.6	DL-SCH Transport Block Size selection / DCI format 2A / RA type 1 / Two transport blocks enabled / Transport block to codeword swap flag value set to '1'	782
7.1.7.2	UL-SCH transport block size support	797
7.1.7.2.1	UL-SCH transport block size selection / DCI format 0	797
7.1.8	Reporting of Rank Indicator (RI)	810
7.1.8.1	Periodic RI reporting using PUCCH / Category 1 UE / Transmission mode 3/4	810
7.1.9	Activation/Deactivation of SCells	814
7.1.9.1	CA / Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer	814
7.1.9.1.1	CA / Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer / Intra-band Contiguous CA	814
7.1.9.1.2	CA / Activation/Deactivation of SCells / Activation/Deactivation MAC control element reception / sCellDeactivationTimer / Inter-band CA	818
7.2	RLC	819
7.2.1	General	819
7.2.2	Unacknowledged mode	819
7.2.2.1	UM RLC / Segmentation and reassembly / 5-bit SN / Framing info field	819
7.2.2.2	UM RLC / Segmentation and reassembly / 10-bit SN / Framing info field	821
7.2.2.3	UM RLC / Reassembly / 5-bit SN / LI value > PDU size	823
7.2.2.4	UM RLC / Reassembly / 10-bit SN / LI value > PDU size	824
7.2.2.5	UM RLC / Correct use of sequence numbering	825
7.2.2.5.1	UM RLC / 5-bit SN / Correct use of sequence numbering	825
7.2.2.5.2	UM RLC / 10-bit SN / Correct use of Sequence numbering	829
7.2.2.6	UM RLC / Concatenation, segmentation and reassembly	832
7.2.2.7	UM RLC / In sequence delivery of upper layer PDUs without residual loss of RLC PDUs / Maximum re-ordering delay below <i>t-Reordering</i>	837
7.2.2.8	UM RLC / In sequence delivery of upper layer PDUs without residual loss of RLC PDUs / Maximum re-ordering delay exceeds <i>t-Reordering</i>	840
7.2.2.9	UM RLC / In sequence delivery of upper layer PDUs with residual loss of RLC PDUs / Maximum re-ordering delay exceeds <i>t-Reordering</i>	842
7.2.2.10	UM RLC / Duplicate detection of RLC PDUs	844
7.2.2.11	UM RLC / RLC re-establishment procedure	846
7.2.3	Acknowledged mode	849
7.2.3.1	AM RLC / Concatenation and reassembly	849
7.2.3.2	AM RLC / Segmentation and reassembly / No PDU segmentation	852
7.2.3.3	AM RLC / Segmentation and reassembly / Framing info field	854
7.2.3.4	AM RLC / Segmentation and reassembly / Different numbers of length indicators	856
7.2.3.5	AM RLC / Reassembly / LI value > PDU size	859
7.2.3.6	AM RLC / Correct use of sequence numbering	860
7.2.3.7	AM RLC / Control of transmit window	864
7.2.3.8	AM RLC / Control of receive window	867
7.2.3.9	AM RLC / Polling for status	868
7.2.3.10	AM RLC / Receiver status triggers	873
7.2.3.11	Void	878
7.2.3.12	Void	878
7.2.3.13	AM RLC / Reconfiguration of RLC parameters by upper layers	878
7.2.3.14	AM RLC / In sequence delivery of upper layers PDUs	884
7.2.3.15	AM RLC / Re-ordering of RLC PDU segments	887
7.2.3.16	AM RLC / Re-transmission of RLC PDU without re-segmentation	892
7.2.3.17	AM RLC / Re-segmentation RLC PDU / SO, FI, LSF	895
7.2.3.18	AM RLC / Reassembly / AMD PDU reassembly from AMD PDU segments, Segmentation Offset and Last Segment Flag fields	899
7.2.3.19	Void	904
7.2.3.20	AM RLC / Duplicate detection of RLC PDUs	904
7.2.3.21	AM RLC / RLC re-establishment at RRC connection reconfiguration including <i>mobilityControlInfo</i> IE	906
7.3	PDCP	908
7.3.1	Maintenance of PDCP sequence numbers for radio bearers	908
7.3.1.1	Maintenance of PDCP sequence numbers / User plane / RLC AM	908
7.3.1.2	Maintenance of PDCP sequence numbers / User plane / RLC UM / Short PDCP SN (7 bits)	911

7.3.1.3	Maintenance of PDCP sequence numbers / User plane / RLC UM / Long PDCP SN (12 bits).....	913
7.3.2	Void	915
7.3.3	PDCP ciphering and deciphering	915
7.3.3.1	Ciphering and deciphering / Correct functionality of EPS AS encryption algorithms / SNOW 3G....	915
7.3.3.2	Ciphering and deciphering / Correct functionality of EPS UP encryption algorithms / SNOW 3G....	918
7.3.3.3	Ciphering and deciphering / Correct functionality of EPS AS encryption algorithms / AES	920
7.3.3.4	Ciphering and deciphering / Correct functionality of EPS UP encryption algorithms / AES	922
7.3.3.5	Ciphering and deciphering / Correct functionality of EPS AS encryption algorithms / ZUC.....	923
7.3.3.6	Ciphering and deciphering / Correct functionality of EPS UP encryption algorithms / ZUC.....	925
7.3.4	PDCP integrity protection.....	927
7.3.4.1	Integrity protection / Correct functionality of EPS AS integrity algorithms / SNOW 3G	927
7.3.4.2	Integrity protection / Correct functionality of EPS AS integrity algorithms / AES	932
7.3.4.3	Integrity protection / Correct functionality of EPS AS integrity algorithms / ZUC.....	935
7.3.5	PDCP handover.....	938
7.3.5.1	Void	938
7.3.5.2	PDCP handover / Lossless handover / PDCP sequence number maintenance	938
7.3.5.3	PDCP handover / Non-lossless handover PDCP sequence number maintenance.....	941
7.3.5.4	PDCP handover / Lossless handover / PDCP status report to convey the information on missing or acknowledged PDCP SDUs at handover	944
7.3.5.5	PDCP handover / In-order delivery and duplicate elimination in the downlink	948
7.3.6	PDCP Others	952
7.3.6.1	PDCP Discard.....	952
8	RRC.....	954
8.1	RRC connection management procedures	954
8.1.1	Paging.....	954
8.1.1.1	RRC / Paging for connection in idle mode	954
8.1.1.2	RRC / Paging for notification of BCCH modification in idle mode	957
8.1.1.3	RRC / Paging for connection in idle mode / Multiple paging records.....	961
8.1.1.4	RRC / Paging for connection in idle mode / Shared network environment	965
8.1.1.5	Void	969
8.1.1.6	RRC / BCCH modification in connected mode.....	969
8.1.2	RRC connection establishment	971
8.1.2.1	RRC connection establishment / Ks=1.25/ Success	971
8.1.2.2	RRC connection establishment / Reject with wait time	975
8.1.2.3	RRC connection establishment / Return to idle state after T300 timeout	979
8.1.2.4	Void	980
8.1.2.5	RRC connection establishment / 0% access probability for MO calls, no restriction for MO signalling	980
8.1.2.6	RRC connection establishment / Non-zero percent access probability for MO calls, no restriction for MO signalling.....	985
8.1.2.7	RRC connection establishment / 0% access probability for AC 0 to 9, AC 10 is barred, AC 11 to 15 are not barred, access for UE with access class in the range 11 to 15 is allowed	990
8.1.2.8	RRC connection establishment / Range of access barring time	994
8.1.2.9	RRC Connection Establishment / 0% access probability for MO calls, non-zero percent access probability for MO signalling	999
8.1.2.10	Void	1005
8.1.2.11	RRC connection establishment of emergency call	1005
8.1.2.12	RRC connection establishment of emergency call / Limited Service	1007
8.1.2.13	RRC connection establishment / 0% access probability for MO calls, 0% access probability for MO signalling	1010
8.1.2.14	RRC connection establishment / High speed flag	1015
8.1.3	RRC connection release	1016
8.1.3.1	RRC connection release / Success	1016
8.1.3.2	Void	1018
8.1.3.3	Void	1018
8.1.3.4	RRC connection release / Redirection to another E-UTRAN frequency	1018
8.1.3.5	RRC connection release / Success / With priority information	1020
8.1.3.6	RRC connection release / Redirection from E-UTRAN to UTRAN	1025
8.1.3.6a	RRC connection release / Redirection from E-UTRAN to UTRAN / Pre-redirection info	1028
8.1.3.7	RRC connection release / Redirection from UTRAN to E-UTRAN	1031
8.1.3.8	RRC connection release / Redirection from E-UTRAN to GERAN	1038

8.1.3.9	RRC connection release / Redirection from E-UTRAN to CDMA2000-HRPD	1041
8.1.3.10	RRC connection release / Redirection from E-UTRAN to CDMA2000-1xRTT	1043
8.1.3.11	RRC connection release / Redirection to another E-UTRAN band	1045
8.1.3.11a	RRC connection release / Redirection to another E-UTRAN band / Between FDD and TDD	1048
8.1.3.12	RRC connection release / Success / With priority information / Inter-band	1051
8.1.3.12a	RRC connection release / Success / With priority information / Inter-band / Between FDD and TDD	1056
8.2	RRC connection reconfiguration	1062
8.2.1	Radio bearer establishment.....	1062
8.2.1.1	RRC connection reconfiguration / Radio bearer establishment for transition from RRC_IDLE to RRC_CONNECTED / Success / Default bearer / Early bearer establishment	1062
8.2.1.2	Void	1064
8.2.1.3	RRC connection reconfiguration / Radio bearer establishment / Success / Dedicated bearer	1064
8.2.1.4	Void	1066
8.2.1.5	RRC connection reconfiguration / Radio bearer establishment for transition from RRC_Idle to RRC_CONNECTED / Success / Latency check	1066
8.2.1.6	RRC connection reconfiguration / Radio bearer establishment for transition from RRC_Idle to RRC_CONNECTED / Success / Latency check / SecurityModeCommand and RRCConnectionReconfiguration transmitted in the same TTI	1072
8.2.1.7	RRC connection reconfiguration / Radio bearer establishment / Success / SRB2	1076
8.2.1.8	RRC connection reconfiguration / Radio bearer establishment / Success / Dedicated bearer / ROHC configured	1078
8.2.2	Radio resource reconfiguration.....	1082
8.2.2.1	RRC connection reconfiguration / Radio resource reconfiguration / Success	1082
8.2.2.2	RRC connection reconfiguration / SRB/DRB reconfiguration / Success	1085
8.2.2.3	CA / RRC connection reconfiguration / S Cell addition/modification/release / Success	1088
8.2.2.3.1	CA / RRC connection reconfiguration / S Cell addition/modification/release / Success / Intra-band Contiguous CA	1088
8.2.2.3.2	CA / RRC connection reconfiguration / S Cell addition/modification/release / Success / Inter-Band CA	1098
8.2.2.4	CA / RRC connection reconfiguration / S Cell SI change / Success	1099
8.2.2.4.1	CA / RRC connection reconfiguration / SCell SI change / Success / Intra-band Contiguous CA	1099
8.2.2.4.2	CA / RRC connection reconfiguration / S Cell SI change / Success / Inter-Band CA	1104
8.2.2.5	CA / RRC connection reconfiguration / S Cell addition without UL / Success.....	1105
8.2.2.5.1	CA / RRC connection reconfiguration / SCell addition without UL / Success / Intra-band Contiguous CA.....	1105
8.2.2.5.2	CA / RRC connection reconfiguration / SCell addition without UL / Success / Inter-band CA ..	1107
8.2.2.6	RRC connection reconfiguration/ UE Assistance Information	1108
8.2.2.6.1	RRC connection reconfiguration/ UE Assistance Information/power preference indication setup and release	1108
8.2.2.6.2	RRC connection reconfiguration/ UE Assistance Information/power preference indication release on connection re-establishment	1111
8.2.2.6.3	RRC connection reconfiguration/ UE Assistance Information/T340 running	1118
8.2.3	Radio bearer release.....	1121
8.2.3.1	RRC connection reconfiguration / Radio bearer release / Success	1121
8.2.4	Handover	1124
8.2.4.1	RRC connection reconfiguration / Handover / Success / Dedicated preamble	1124
8.2.4.2	RRC connection reconfiguration / Handover / Success / Common preamble	1133
8.2.4.3	RRC connection reconfiguration / Handover / Success / Intra-cell / Security reconfiguration.....	1137
8.2.4.4	RRC connection reconfiguration / Handover / Failure / Intra-cell / Security reconfiguration	1141
8.2.4.5	RRC connection reconfiguration / Handover / All parameters included	1146
8.2.4.6	RRC connection reconfiguration / Handover / Success / Inter-frequency.....	1152
8.2.4.7	RRC connection reconfiguration / Handover / Failure / Re-establishment successful.....	1156
8.2.4.8	RRC connection reconfiguration / Handover / Failure / Re-establishment failure	1170
8.2.4.9	RRC connection reconfiguration / Handover / Inter-band blind handover / Success	1177
8.2.4.10	RRC connection reconfiguration / Handover (between FDD and TDD)	1180
8.2.4.11	Void	1185
8.2.4.12	RRC connection reconfiguration / Handover / Setup and release of MIMO	1185
8.2.4.13	RRC connection reconfiguration / Handover / Success (with measurement) / Inter-band	1189
8.2.4.13a	RRC connection reconfiguration / Handover / Success (with measurement) / Inter-band / Between FDD and TDD	1194

8.2.4.14	RRC connection reconfiguration / Handover / Failure / Re-establishment successful / Inter-band..	1202
8.2.4.14a	RRC connection reconfiguration / Handover / Failure / Re-establishment successful / Inter-band / Between FDD and TDD	1212
8.2.4.15	RRC connection reconfiguration / Handover / Failure / Re-establishment failure / Inter-band.....	1225
8.2.4.15a	RRC connection reconfiguration / Handover / Failure / Re-establishment failure / Inter-band / Between FDD and TDD	1232
8.2.4.16	CA / RRC connection reconfiguration / Setup and Change of MIMO	1244
8.2.4.16.1	CA / RRC connection reconfiguration / Setup and Change of MIMO / Intra-band Contiguous CA	1244
8.2.4.16.2	CA / RRC connection reconfiguration / Setup and Change of MIMO / Inter-band CA	1248
8.2.4.17	CA / RRC connection reconfiguration / Handover / Success / PCell Change and SCell addition	1248
8.2.4.17.1	CA / RRC connection reconfiguration / Handover / Success / PCell Change and SCell addition / Intra-band Contiguous CA	1248
8.2.4.17.2	CA / RRC connection reconfiguration / Handover / Success / PCell Change and SCell addition / Inter-band CA	1256
8.2.4.18	CA / RRC connection reconfiguration / Handover / Success / SCell release	1256
8.2.4.18.1	CA / RRC connection reconfiguration / Handover / Success / SCell release / Intra-band Contiguous CA.....	1256
8.2.4.18.2	CA / RRC connection reconfiguration / Handover / Success / SCell release / Inter-band CA	1263
8.2.4.19	CA / RRC connection reconfiguration / Handover / Success / PCell Change / SCell no Change....	1263
8.2.4.19.1	CA / RRC connection reconfiguration / Handover / Success / PCell Change / SCell no Change / Intra-band Contiguous CA	1263
8.2.4.19.2	CA / RRC connection reconfiguration / Handover / Success / PCell Change / SCell no Change / Inter-band CA	1269
8.2.4.20	CA / RRC connection reconfiguration / Handover / Success / SCell Change	1270
8.2.4.20.1	CA / RRC connection reconfiguration / Handover / Success / SCell Change / Intra-band Contiguous CA.....	1270
8.2.4.20.2	CA / RRC connection reconfiguration / Handover / Success / SCell Change / Inter-band CA ...	1275
8.2.4.21	CA / RRC connection reconfiguration / Handover / Success / SCell release	1275
8.2.4.21.1	CA / RRC connection reconfiguration / Handover / Success / SCell release / Intra-band Contiguous CA.....	1275
8.2.4.21.2	CA / RRC connection reconfiguration / Handover / Success / SCell release / Inter-band CA	1282
8.2.4.22	RRC connection reconfiguration / Handover / MFBI / Target cell broadcasting information disregarded by the UE.....	1283
8.3	Measurement configuration control and reporting	1288
8.3.1	Intra E-UTRAN measurements	1288
8.3.1.1	Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A1	1288
8.3.1.2	Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A2	1293
8.3.1.3	Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous events A3 (intra and inter-frequency measurements)	1298
8.3.1.3a	Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous events A3 (intra and inter-frequency measurements) / RSRQ based measurements...	1306
8.3.1.4	Measurement configuration control and reporting / Intra E-UTRAN measurements / Periodic reporting (intra and inter-frequency measurements).....	1315
8.3.1.5	Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous event A3 (intra-frequency measurements).....	1325
8.3.1.6	Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous events A2 and A3 (inter-frequency measurements).....	1334
8.3.1.7	Measurement configuration control and reporting / Intra E-UTRAN measurements / Blacklisting.	1341
8.3.1.8	Measurement configuration control and reporting / Intra E-UTRAN measurements / Handover / IE measurement configuration present.....	1350
8.3.1.9	Measurement configuration control and reporting / Intra E-UTRAN measurements / Intra-frequency handover / IE measurement configuration not present	1356
8.3.1.9a	Measurement configuration control and reporting / Intra Frequency measurements / Intra-frequency handover / IE measurement configuration not present / Single Frequency operation	1363
8.3.1.10	Measurement configuration control and reporting / Intra E-UTRAN measurements / Inter-frequency handover / IE measurement configuration not present.....	1367
8.3.1.11	Measurement configuration control and reporting / Intra E-UTRAN measurements / Continuation of the measurements after RRC connection re-establishment	1374
8.3.1.11a	Measurement configuration control and reporting / Intra Frequency measurements / Continuation of the measurements after RRC connection re-establishment / Single Frequency operation.....	1385

8.3.1.12	Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous events A3 (inter-band measurements)	1393
8.3.1.12a	Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous events A3 (inter-band measurements) / Between FDD and TDD	1401
8.3.1.13	Measurement configuration control and reporting / Intra E-UTRAN measurements / Periodic reporting (intra-frequency and inter-band measurements)	1415
8.3.1.13a	Measurement configuration control and reporting / Intra E-UTRAN measurements / Periodic reporting (intra-frequency and inter-band measurements) / Between FDD and TDD	1423
8.3.1.14	Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous events A2 and A3 (inter-band measurements)	1438
8.3.1.14a	Measurement configuration control and reporting / Intra E-UTRAN measurements / Two simultaneous events A2 and A3 (inter-band measurements) / Between FDD and TDD	1446
8.3.1.15	Measurement configuration control and reporting / Intra E-UTRAN measurements / Inter-band handover / IE measurement configuration not present.....	1458
8.3.1.15a	Measurement configuration control and reporting / Intra E-UTRAN measurements / Inter-band handover / IE measurement configuration not present / Between FDD and TDD	1465
8.3.1.16	Measurement configuration control and reporting / Intra E-UTRAN measurements / Continuation of the measurements after RRC connection re-establishment / Inter-band	1474
8.3.1.16a	Measurement configuration control and reporting / Intra E-UTRAN measurements / Continuation of the measurements after RRC connection re-establishment / Inter-band / Between FDD and TDD	1484
8.3.1.17	CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A6	1498
8.3.1.17.1	CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A6 / Intra-band Contiguous CA.....	1498
8.3.1.17.2	CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A6 / Inter-band CA	1509
8.3.1.18	CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Additional measurement reporting	1510
8.3.1.18.1	CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Additional measurement reporting / Intra-band Contiguous CA.....	1510
8.3.1.18.2	CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Additional measurement reporting / Inter-band CA	1520
8.3.1.19	eICIC/ Measurement configuration control and reporting / CSI change	1521
8.3.1.20	eICIC / Measurement configuration control and reporting / Event A3 / RSRP and RSRQ measurement / Neighbour ABS	1527
8.3.1.21	eICIC / Measurement configuration control and reporting / Event A3 Handover / Neighbour RSRP measurement configuration change	1532
8.3.1.22	CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A1 / Event A2	1539
8.3.1.22.1	CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A1 / Event A2 / Intra-band Contiguous CA	1539
8.3.1.22.2	CA / Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A1 / Event A2 / Inter-band CA	1547
8.3.1.23	Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A4	1549
8.3.1.24	Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A5	1555
8.3.1.25	Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A5 / RSRQ based measurements	1562
8.3.1.26	Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A5 (Inter-frequency measurements).....	1569
8.3.1.27	Measurement configuration control and reporting / Intra E-UTRAN measurements / Event A5 (Inter-frequency measurements) / RSRQ based measurements	1576
8.3.1.28	eICIC / Measurement configuration control and reporting / Event A3 / RSRP and RSRQ measurement / Serving ABS	1583
8.3.2	Inter-RAT measurements	1587
8.3.2.1	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of GERAN cells	1587
8.3.2.2	Measurement configuration control and reporting / Inter-RAT measurements / Periodic reporting / Measurement of GERAN cells	1593
8.3.2.3	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of UTRAN cells	1600

8.3.2.3a	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of UTRAN cells / RSRQ based measurements	1609
8.3.2.4	Measurement configuration control and reporting / Inter-RAT measurements / Periodic reporting / Measurement of UTRAN cells	1618
8.3.2.5	Measurement configuration control and reporting / Inter-RAT measurements / Periodic reporting / Measurements of E-UTRAN, UTRAN and GERAN cells	1628
8.3.2.6	Measurement configuration control and reporting / Inter-RAT measurements / Simultaneous A2 and two B2 / Measurements of E-UTRAN, UTRAN and GERAN cells	1638
8.3.2.7	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 (measurement HRPD cells).....	1646
8.3.2.8	Measurement configuration control and reporting / Inter-RAT measurements / Periodic reporting / Measurement of HRPD cells).....	1653
8.3.2.9	Measurement configuration control and reporting / Inter-RAT measurements / Event B2 / Measurement of 1xRTT cells).....	1663
8.3.2.10	Measurement configuration control and reporting / Inter-RAT measurements / Periodic reporting / Measurement of 1xRTT cells	1671
8.3.2.11	Measurement configuration control and reporting / Inter-RAT Measurements / Event B1 / Measurement of UTRAN cells	1683
8.3.3	Measurements for self optimized networks	1690
8.3.3.1	Measurement configuration control and reporting / SON / ANR / CGI reporting of E-UTRAN cell	1690
8.3.3.2	Measurement configuration control and reporting / SON / ANR / CGI reporting of UTRAN cell ..	1702
8.3.3.3	Measurement configuration control and reporting / SON / ANR / CGI reporting of GERAN cell ..	1714
8.3.3.4	Measurement configuration control and reporting / SON / ANR / CGI reporting of HRPD cell.....	1724
8.3.3.5	Void	1736
8.3.4	Measurement for CSG, Hybrid and Open cells	1736
8.3.4.1	Intra-frequency SI acquisition / CSG cell and non-CSG cell.....	1736
8.3.4.2	Inter-frequency SI acquisition / Non-member hybrid cell	1749
8.3.4.3	Inter-frequency SI acquisition / Member hybrid cell	1757
8.3.4.4	Inter-RAT SI acquisition / RRC_CONNECTED / UMTS member CSG cell	1765
8.3.4.5	Inter-frequency E-UTRAN FDD – FDD / CSG Proximity Indication	1772
8.4	Inter-RAT handover.....	1783
8.4.1	Inter-RAT handover E-UTRA to UTRA	1783
8.4.1.1	Void	1783
8.4.1.2	Inter-RAT handover / From E-UTRA to UTRA PS / Data	1783
8.4.1.3	Void	1785
8.4.1.4	Inter-RAT handover / From E-UTRA to UTRA HSDPA / Data	1785
8.4.1.5	Inter-RAT Handover / from E-UTRA to UTRA(HSUPA/HSDPA) / Data	1788
8.4.2	Inter-RAT handover UTRA to E-UTRA	1791
8.4.2.1	Void	1791
8.4.2.2	Inter-RAT handover / From UTRA PS to E-UTRA / Data	1791
8.4.2.3	Void	1798
8.4.2.4	Inter-RAT handover / From UTRA HSPA to E-UTRA / Data	1798
8.4.2.5	Void	1804
8.4.2.6	Void	1804
8.4.2.7	CA / RRC connection reconfiguration / Handover UTRAN to E-UTRAN/ Success / SCell addition	1804
8.4.2.7.1	CA / RRC connection reconfiguration / Handover UTRAN to E-UTRAN/ Success / SCell addition / Intra-band Contiguous CA	1804
8.4.2.7.2	CA / RRC connection reconfiguration / Handover UTRAN to E-UTRAN/ Success / SCell addition / Inter-band CA	1812
8.4.3	Inter-RAT mobility E-UTRA to GERAN	1812
8.4.3.1	Inter-RAT handover / From E-UTRA to GPRS / PS HO	1812
8.4.3.2	Inter-RAT cell change order / From E-UTRA data RRC_CONNECTED to GPRS / Without NACC	1814
8.4.3.3	Inter-RAT cell change order / From E-UTRA data to GPRS / With NACC	1819
8.4.4	Void	1824
8.4.5	Inter-RAT handover E-UTRA to HRPD	1824
8.4.5.1	Void	1824
8.4.5.2	Void	1824
8.4.5.3	Void	1824
8.4.5.4	Pre-registration at HRPD and inter-RAT handover / From E-UTRA to HRPD Active / Data	1824

8.4.6	Inter-RAT handover HRPD to E-UTRA.....	1837
8.4.7	Inter-RAT mobility E-UTRA to 1xRTT	1837
8.4.7.1	Inter-RAT handover / SRVCC from E-UTRA to 1xRTT(CS) / Speech.....	1837
8.4.7.2	Void.....	1850
8.4.7.3	Pre-registration at 1xRTT and inter-RAT Redirection / CS fallback from E-UTRA RRC_IDLE to 1xRTT / MT call.....	1850
8.4.7.4	Pre-registration at 1xRTT and inter-RAT Redirection / CS fallback from E-UTRA RRC_CONNECTED to 1xRTT / MO call.....	1858
8.4.7.5	Pre-registration at 1xRTT and inter-RAT Handover / Enhanced CS fallback from E-UTRA RRC_IDLE to 1xRTT/MT call	1865
8.4.7.6	Pre-registration at 1xRTT and inter-RAT handover / Enhanced CS fallback from E-UTRA RRC_CONNECTED to 1xRTT/MO call	1877
8.4.7.7	Pre-registration at 1xRTT and inter-RAT handover / Enhanced CS fallback from E-UTRA RRC_CONNECTED to e1XCSFB ECAM-based 1xRTT / MO call	1888
8.4.7.8	Pre-registration at 1xRTT and inter-RAT Handover / Enhanced CS fallback from E-UTRA RRC_CONNECTED to 1xRTT / ECAM-based MT call	1901
8.4.7.9	Pre-registration at 1xRTT and inter-RAT Handover / Enhanced CS fallback from E-UTRA RRC_CONNECTED to 1xRTT / Extended Service Reject / MO call.....	1913
8.4.7.10	Pre-registration at 1xRTT and inter-RAT Handover / Enhanced CS fallback from E-UTRA call failure – GCSNA with Release Order	1920
8.5	RRC others	1929
8.5.1	Radio link failure	1929
8.5.1.1	Radio link failure / RRC connection re-establishment success	1929
8.5.1.2	Radio link failure / T301 expiry	1933
8.5.1.3	Radio link failure / T311 expiry	1936
8.5.1.4	Radio link failure / RRC connection re-establishment reject	1937
8.5.1.5	Radio link failure / Radio link recovery while T310 is running	1939
8.5.1.6	Radio link failure / T311 expiry / Dedicated RLF timer	1941
8.5.1.7	CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell	1946
8.5.1.7.1	CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell / Intra-band Contiguous CA.....	1946
	CA / No Radio Link Failure on SCell / RRC Connection Continues on PCell / Inter-band CA ..	1950
8.5.1.7.2	Redirection to E-UTRAN	1950
8.5.2	Redirection to E-UTRAN / From UTRAN upon reception of RRC CONNECTION REJECT	1950
8.5.2.1	Redirection to E-UTRAN / Logging and reporting / Limiting area scope	1993
8.5.3	Void	1953
8.5.4	UE capability transfer.....	1953
8.5.4.1	UE capability transfer / Success	1953
8.6	Minimization of Drive Test Specific Procedures	1969
8.6.1	Immediate MDT	1969
8.6.1.1	Immediate MDT / Reporting / Location information	1969
8.6.1.2	Immediate MDT / Reporting / Location information / Request from eNB / Event A2.....	1974
8.6.2	Logged MDT	1979
8.6.2.1	Logged MDT / Intra-frequency measurement, logging and reporting	1979
8.6.2.2	Logged MDT / Inter-frequency measurement, logging and reporting	1988
8.6.2.3	Logged MDT / Logging and reporting / Limiting area scope	1993
8.6.2.3a	Logged MDT / Logging and reporting / Limiting area scope / TAC list with PLMN identity	2005
8.6.2.4	Logged MDT / logging and reporting / Indication of logged measurements at E-UTRA handover	2012
8.6.2.5	Logged MDT / Logging and reporting / Indication of logged measurements at E-UTRA re-establishment	2017
8.6.2.6	Logged MDT / Release of logged MDT measurement configuration / Expire of duration timer	2022
8.6.2.7	Logged MDT / Release of logged MDT measurement configuration / Reception of new logged measurement configuration, Detach or UE power off	2028
8.6.2.8	Logged MDT / Maintaining logged measurement configuration / UE state transitions and mobility	2035
8.6.2.9	Logged MDT / Location information	2044
8.6.2.10	Logged MDT / Logging and reporting / Reporting at RRC connection establishment / PLMN list	2050
8.6.2.11	Logged MDT / Logging and reporting / Reporting at intra LTE handover / PLMN list	2056
8.6.2.12	Logged MDT / Logging and reporting / Reporting at RRC connection re-establishment / PLMN list	2063
8.6.2.13	Logged MDT / Logging and reporting / PLMN list / PLMN change	2070
8.6.3	Inter-RAT Logged MDT.....	2074
8.6.3.1	Logged MDT / UTRAN Inter-RAT measurement, logging and reporting	2074

8.6.3.2	Logged MDT / GERAN Inter-RAT measurement, logging and reporting	2083
8.6.3.3	Logged MDT / CDMA2000 Inter-RAT measurement, logging and reporting	2091
8.6.3.4	Logged MDT / Logging and reporting / Reporting at UTRAN Inter-RAT handover / PLMN list... 8.6.4	2097 2107
8.6.4.1	Logged Radio Link Failure	2107
8.6.4.2	Radio Link Failure logging / Reporting of Intra-frequency measurements	2107
8.6.4.3	Radio Link Failure logging / Reporting of Inter-frequency measurements	2115
8.6.4.4	Radio Link Failure logging / Reporting at RRC connection establishment and reestablishment.....	2123
8.6.4.5	Radio Link Failure logging / Reporting at E-UTRA handover	2132
8.6.4.6	Radio Link Failure logging / Reporting of ECGI of the PCell	2147
8.6.4.7	Radio Link Failure logging / Reporting of RLF report availability / PLMN change	2156
8.6.4.8	Radio Link Failure logging / Location information	2160
8.6.4.9	Radio Link Failure logging / Logging and reporting / Reporting at RRC connection establish- ment / PLMN list.....	2164
8.6.4.10	Radio Link Failure logging / Logging and reporting / Reporting at intra LTE handover / PLMN list	2170
8.6.5	Radio Link Failure logging / Logging and reporting / Reporting at RRC connection re- establishment / PLMN list.....	2178
8.6.5.1	Inter-RAT Logged Radio Link Failure	2184
8.6.5.2	Radio Link Failure logging / Reporting at UTRAN Inter-RAT handover.....	2184
8.6.5.3	Radio Link Failure logging / Reporting at GERAN Inter-RAT handover.....	2195
8.6.6	Radio Link Failure logging / Reporting CDMA2000 neighbour cell information	2206
8.6.6.1	Logged Handover Failure	2215
8.6.6.2	Handover Failure logging / Reporting of Intra-frequency measurements	2215
8.6.6.3	Handover Failure logging / Reporting of Inter-frequency measurements	2223
8.6.6.4	Handover Failure logging / Reporting of HOF report availability / PLMN change	2231
8.6.6.5	Handover Failure logging / Location information	2238
8.6.6.6	Handover Failure logging / Logging and reporting / Reporting at RRC connection establish- ment / PLMN list	2242
8.6.6.7	Handover Failure logging / Logging and reporting / Reporting at intra LTE handover / PLMN list	2252
8.6.6.8	Handover Failure logging / Logging and reporting / Reporting at RRC connection re- establishment / PLMN list.....	2263
8.6.7	Inter-RAT Logged Handover Failure	2272
8.6.7.1	Handover Failure logging / Reporting of UTRAN Inter-RAT measurements	2272
8.6.7.2	Handover Failure logging / Reporting of GERAN Inter-RAT measurements	2284
8.6.7.3	Handover Failure logging / Reporting of CDMA2000 Inter-RAT measurements	2296
8.6.7.4	Handover Failure logging / Reporting at UTRAN Inter-RAT handover / PLMN list.....	2308
8.6.8	Connection Establishment Failure	2321
8.6.8.1	Connection Establishment Failure logging / Logging and reporting / T300 expiry	2321
8.6.8.2	Connection Establishment Failure logging / Logging and reporting / Reporting at intra-LTE handover	2324
8.6.8.3	Connection Establishment Failure logging / Logging and reporting / Reporting at RRC connection re-establishment.....	2330
8.6.8.4	Connection Establishment Failure logging / Logging and reporting / Location Information	2334
8.6.8.5	Connection Establishment Failure logging / Logging and reporting / Reporting of Intra- frequency measurements	2338
8.6.8.6	Connection Establishment Failure logging / Logging and reporting / Reporting of Inter- frequency measurements	2343
8.6.9	Inter-RAT Connection Establishment Failure	2347
8.6.9.1	Connection Establishment Failure logging / Logging and reporting / Reporting at UTRAN Inter- RAT handover.....	2347
8.6.9.2	Connection Establishment Failure logging / Logging and reporting / Reporting of UTRAN Inter- RAT measurements	2353
8.6.9.3	Connection Establishment Failure logging / Logging and reporting / Reporting of GERAN Inter- RAT measurements	2358
8.6.9.4	Connection Establishment Failure logging / Logging and reporting / Reporting of CDMA2000 Inter-RAT measurements	2362
8.6.10	Inter-RAT Immediate MDT	2367
8.6.10.1	Inter-RAT Immediate MDT / Reporting / Location information / Event B2	2367
8.6.11	RACH Optimisation	2371
8.6.11.1	RACH Optimisation	2371
8.7	Automatic Neighbour Relation (ANR) for UTRAN	2373

8.7.1	Inter-RAT / UTRAN ANR measurement, logging and reporting / E-UTRAN cell	2373
9	EPS mobility management.....	2378
9.1	EMM common procedures	2378
9.1.1	Void	2378
9.1.1.1	Void	2378
9.1.1.2	Void	2378
9.1.2	Authentication procedure.....	2378
9.1.2.1	Authentication accepted.....	2378
9.1.2.2	Void	2381
9.1.2.3	Authentication not accepted by the network / GUTI used / Authentication reject and re-authentication	2381
9.1.2.4	Authentication not accepted by the UE / MAC code failure	2383
9.1.2.5	Authentication not accepted by the UE / SQN failure	2386
9.1.2.6	Abnormal cases / Network failing the authentication check	2389
9.1.3	Security mode control procedure.....	2391
9.1.3.1	NAS security mode command accepted by the UE	2391
9.1.3.2	NAS security mode command not accepted by the UE	2395
9.1.3.3	No emergency bearer service / NAS security mode command with EIA 0 not accepted by the UE	2398
9.1.4	Identification procedure	2402
9.1.4.1	Void	2402
9.1.4.2	Identification procedure / IMEI / IMEISV requested.....	2402
9.1.5	EMM information procedure	2403
9.1.5.1	EMM information procedure	2403
9.1.5.2	EMM information procedure not supported by the UE	2406
9.2	EMM specific procedures	2407
9.2.1	Attach procedure	2407
9.2.1.1	Attach procedure for EPS services	2407
9.2.1.1.0	General.....	2407
9.2.1.1.1	Attach / Success / Valid GUTI	2407
9.2.1.1.1a	Attach Procedure / Success / Last visited TAI, TAI list and equivalent PLMN list handling	2415
9.2.1.1.1b	Attach Procedure / Success / Last visited TAI, TAI list and equivalent PLMN list handling / Single Frequency operation.....	2423
9.2.1.1.2	Attach Procedure / Success / With IMSI / GUTI reallocation	2424
9.2.1.1.2a	Attach Procedure / AttachWithIMSI configured / Selected PLMN is neither the registered PLMN nor in the list of equivalent PLMNs / Success	2427
9.2.1.1.3	Attach Procedure / Success / Request for obtaining the IPv6 address of the home agent.....	2429
9.2.1.1.4	Attach Procedure / Success / Request for obtaining the IPv4 address of the home agent.....	2435
9.2.1.1.5	Void.....	2440
9.2.1.1.6	Void	2440
9.2.1.1.7	Attach Procedure / Success / List of equivalent PLMNs in the ATTACH ACCEPT message	2440
9.2.1.1.7a	Attach Procedure / Success / List of equivalent PLMNs in the ATTACH ACCEPT message / Single Frequency operation.....	2444
9.2.1.1.8	Void.....	2448
9.2.1.1.9	Attach / Rejected / IMSI invalid	2448
9.2.1.1.10	Attach / Rejected / Illegal ME	2451
9.2.1.1.11	Attach / Rejected / EPS services and non-EPS services not allowed	2452
9.2.1.1.12	Attach / Rejected / EPS services not allowed	2458
9.2.1.1.13	Attach / Rejected / PLMN not allowed	2462
9.2.1.1.13a	Attach / Rejected / PLMN not allowed / Single Frequency operation	2466
9.2.1.1.14	Attach / Rejected / Tracking area not allowed	2469
9.2.1.1.15	Attach / Rejected / Roaming not allowed in this tracking area	2474
9.2.1.1.15a	Attach / Rejected / Roaming not allowed in this tracking area / Single Frequency operation	2478
9.2.1.1.16	Attach / Rejected / EPS services not allowed in this PLMN	2481
9.2.1.1.16a	Attach / Rejected / EPS services not allowed in this PLMN / Single Frequency operation	2486
9.2.1.1.17	Attach / Rejected / No suitable cells in tracking area	2488
9.2.1.1.18	Attach / Rejected / Not authorized for this CSG	2493
9.2.1.1.19	Attach / Abnormal case / Failure due to non integrity protection	2496
9.2.1.1.20	Attach / Abnormal case / Access barred because of access class barring or NAS signalling connection establishment rejected by the network.....	2501
9.2.1.1.21	Attach / Abnormal case / Success after several attempts due to no network response.....	2506
9.2.1.1.22	Attach / Abnormal case / Unsuccessful attach after 5 attempts	2508

9.2.1.1.23	Attach / Abnormal case / Repeated rejects for network failures	2511
9.2.1.1.24	Attach / Abnormal case / Change of cell into a new tracking area	2515
9.2.1.1.25	Attach / Abnormal case / Mobile originated detach required	2519
9.2.1.1.26	Attach / Abnormal case / Detach procedure collision	2520
9.2.1.1.27	Attach / Abnormal case / Network reject with Extended Wait Timer	2523
9.2.1.1.28	Attach / Success / IMS	2526
9.2.1.2	Combined attach procedure for EPS services and non-EPS services	2529
9.2.1.2.1	Combined attach procedure / Success / EPS and non-EPS services	2529
9.2.1.2.1b	Combined attach procedure / Success / SMS only	2534
9.2.1.2.1c	Combined attach procedure / Success / EPS and CS Fallback not preferred	2543
9.2.1.2.1d	Combined attach procedure / Success / EPS and CS Fallback not preferred/data centric UE	2549
9.2.1.2.2	Combined attach procedure / Success / EPS services only / IMSI unknown in HSS	2554
9.2.1.2.3	Successful combined attach procedure / EPS service only / MSC temporarily not reachable	2561
9.2.1.2.4	Successful combined attach procedure / EPS service only / CS domain not available	2570
9.2.1.2.5	Combined attach / Rejected / IMSI invalid	2577
9.2.1.2.6	Combined attach / Rejected / Illegal ME	2581
9.2.1.2.7	Combined attach / Rejected / EPS services and non-EPS services not allowed	2582
9.2.1.2.8	Combined attach / Rejected / EPS services not allowed	2583
9.2.1.2.9	Combined attach / Rejected / PLMN not allowed	2586
9.2.1.2.10	Combined attach / Rejected / Tracking area not allowed	2590
9.2.1.2.11	Combined attach / Rejected / Roaming not allowed in this tracking area	2593
9.2.1.2.12	Combined attach / Rejected / EPS services not allowed in this PLMN	2600
9.2.1.2.13	Combined attach / Rejected / No suitable cells in tracking area	2604
9.2.1.2.14	Combined attach / Rejected / Not authorized for this CSG	2611
9.2.1.2.15	Combined attach / Abnormal case / Handling of the EPS attach attempt counter	2614
9.2.2	Detach procedure	2619
9.2.2.1	UE initiated detach procedure	2619
9.2.2.1.1	UE initiated detach / UE switched off	2619
9.2.2.1.2	UE initiated detach / USIM removed from the UE	2621
9.2.2.1.3	UE initiated detach / EPS capability of the UE is disabled	2623
9.2.2.1.4	UE initiated detach / detach for non-EPS services	2627
9.2.2.1.5	Void	2629
9.2.2.1.6	UE initiated detach / Abnormal case / Local detach after 5 attempts due to no network response	2629
9.2.2.1.7	UE initiated detach / Abnormal case / Detach procedure collision	2632
9.2.2.1.8	UE initiated detach / Abnormal case / Detach and EMM common procedure collision	2634
9.2.2.1.9	UE initiated detach / Abnormal case / Change of cell into a new tracking area	2637
9.2.2.1.10	UE initiated detach / Mapped security context	2640
9.2.2.2	Network initiated detach procedure	2643
9.2.2.2.1	NW initiated detach / Re-attach required	2643
9.2.2.2.2	NW initiated detach / IMSI detach	2645
9.2.2.2.3 to 9.2.2.2.13	Void	2648
9.2.2.2.14	NW initiated detach / Abnormal case / EMM cause not included	2648
9.2.3	Tracking area updating procedure (S1 mode only)	2650
9.2.3.1	Normal and periodic tracking area updating	2650
9.2.3.1.1	Normal tracking area update / Accepted	2650
9.2.3.1.2	Void	2653
9.2.3.1.3	Void	2653
9.2.3.1.4	Normal tracking area update / List of equivalent PLMNs in the TRACKING AREA UPDATE ACCEPT message	2653
9.2.3.1.5	Periodic tracking area update / Accepted	2656
9.2.3.1.5a	Periodic tracking area update / Accepted / Per-device timer	2661
9.2.3.1.6	Normal tracking area update / UE with ISR active moves to E-UTRAN	2666
9.2.3.1.7	Void	2673
9.2.3.1.8	UE receives an indication that the RRC connection was released with cause "load balancing TAU required"	2673
9.2.3.1.9	Normal tracking area update / Correct handling of CSG list	2677
9.2.3.1.9a	Normal tracking area update / NAS signalling connection recovery	2681
9.2.3.1.10	Normal tracking area update / Rejected / IMSI invalid	2683
9.2.3.1.11	Normal tracking area update / Rejected / Illegal ME	2686
9.2.3.1.12	Normal tracking area update / Rejected / EPS service not allowed	2687
9.2.3.1.13	Normal tracking area update / Rejected / UE identity cannot be derived by the network	2688

9.2.3.1.14	Normal tracking area update / Rejected / UE implicitly detached	2691
9.2.3.1.15	Normal tracking area update / Rejected / PLMN not allowed	2692
9.2.3.1.15a	Normal tracking area update / Rejected / PLMN not allowed / Single Frequency operation.....	2697
9.2.3.1.16	Normal tracking area update / Rejected / Tracking area not allowed	2701
9.2.3.1.17	Normal tracking area update / Rejected / Roaming not allowed in this tracking area	2705
9.2.3.1.18	Normal tracking area update / Rejected / EPS services not allowed in this PLMN	2709
9.2.3.1.18a	Normal tracking area update / Rejected / EPS services not allowed in this PLMN / Single Frequency operation.....	2714
9.2.3.1.19	Normal tracking area update / Rejected / No suitable cells in tracking Area	2717
9.2.3.1.20	Normal tracking area update / Rejected / Not authorized for this CSG	2719
9.2.3.1.21	Void.....	2722
9.2.3.1.22	Normal tracking area update / Abnormal case / access barred due to access class control or NAS signalling connection establishment rejected by the network	2722
9.2.3.1.23	Normal tracking area update / Abnormal case / Success after several attempts due to no network response / TA belongs to TAI list and status is UPDATED / TA does not belong to TAI list or status is not UPDATED	2727
9.2.3.1.24	Void.....	2733
9.2.3.1.25	Normal tracking area update / Abnormal case / Failure after 5 attempts due to no network response.....	2733
9.2.3.1.26	Normal tracking area update / Abnormal case / TRACKING AREA UPDATE REJECT	2739
9.2.3.1.27	Normal tracking area update / Abnormal case / Change of cell into a new tracking area	2743
9.2.3.1.28	Normal tracking area update / Abnormal case / Tracking area updating and detach procedure collision	2746
9.2.3.2	Combined tracking area updating	2748
9.2.3.2.1	Combined tracking area update / Successful.....	2748
9.2.3.2.1a	Combined tracking area update / Successful/ Check of last visited TAI and handling of TAI list, LAI and TMSI	2753
9.2.3.2.1b	Combined tracking area update / Success / SMS only	2763
9.2.3.2.1c	Combined tracking area update / Success / CS Fallback not preferred	2770
9.2.3.2.2	Combined tracking area update / Successful for EPS services only / IMSI unknown in HSS	2774
9.2.3.2.3	Combined tracking area update / Successful for EPS services only / MSC temporarily not reachable.....	2777
9.2.3.2.4	Combined tracking area update / Successful for EPS services only / CS domain not available ..	2784
9.2.3.2.5	Combined tracking area update / Rejected / IMSI invalid	2786
9.2.3.2.6	Combined tracking area update / Rejected / Illegal ME	2789
9.2.3.2.7	Combined tracking area update / Rejected / EPS services and non-EPS services not allowed....	2790
9.2.3.2.8	Combined tracking area update / Rejected / EPS services not allowed	2790
9.2.3.2.9	Combined tracking area update / Rejected / UE identity cannot be derived by the network	2794
9.2.3.2.10	Combined tracking area update / Rejected / UE implicitly detached	2799
9.2.3.2.11	Combined tracking area update / Rejected / PLMN not allowed	2801
9.2.3.2.12	Combined tracking area update / Rejected / Tracking area not allowed	2806
9.2.3.2.13	Combined tracking area update / Rejected / Roaming not allowed in this tracking area	2810
9.2.3.2.14	Combined tracking area update / Rejected / EPS services not allowed in the PLMN	2814
9.2.3.2.15	Combined tracking area update / Rejected / No suitable cells in tracking area	2818
9.2.3.2.16	Combined tracking area update / Rejected / Not authorized for this CSG	2820
9.2.3.2.17	Combined tracking area update / Abnormal case / handling of the EPS tracking area updating attempt counter.....	2823
9.2.3.3	Iu mode to S1 mode inter-system change in idle mode	2827
9.2.3.3.1	First Iu mode to S1 mode inter-system change after attach.....	2827
9.2.3.3.2	Iu mode to S1 mode intersystem change / ISR is active / Expiry of T3312 in E-UTRAN or T3412 in UTRAN and further intersystem change.....	2838
9.2.3.3.3	Iu mode to S1 mode intersystem change / Periodic TAU and RAU/ ISR activated, T34 23 expired	2847
9.2.3.3.4	First S1 mode to Iu mode inter-system change after attach.....	2853
9.2.3.3.5	Periodic routing area update	2869
9.2.3.3.5a	Periodic Location Update	2877
9.2.3.3.6	E-UTRAN RRC connection failure / Reselection of UTRAN cell / NAS signalling to release old S1 interface connection.....	2881
9.2.3.4	A/Gb mode to S1 mode inter-system change.....	2883
9.2.3.4.1	TAU/RAU procedure for inter-system cell reselection between A/Gb and S1 modes	2883
9.3	EMM connection management procedures (S1 mode only)	2896
9.3.1	Service request procedure.....	2896

9.3.1.1	Service request initiated by UE for user data.....	2896
9.3.1.2	Void.....	2899
9.3.1.3	Service request / Mobile originating CS fallback	2899
9.3.1.4	Service request / Rejected / IMSI invalid	2902
9.3.1.5	Service request / Rejected / Illegal ME.....	2908
9.3.1.6	Service request / Rejected / EPS services not allowed	2910
9.3.1.7	Service request / Rejected / UE identity cannot be derived by the network	2915
9.3.1.7a	Service request / Rejected / UE implicitly detached.....	2917
9.3.1.8 to 9.3.1.12	Void.....	2919
9.3.1.12a	Extended service request / Rejected / CS domain temporarily not available	2919
9.3.1.13	Void.....	2921
9.3.1.14	Void.....	2921
9.3.1.15	Void.....	2921
9.3.1.16	Service request / Abnormal case / Switch off	2921
9.3.1.17	Service request / Abnormal case / Procedure collision	2922
9.3.1.18	Service Request / Rejected / Not authorized for this CSG	2925
9.3.2	Paging procedure.....	2928
9.3.2.1	Paging procedure	2928
9.3.2.2	Paging for CS fallback / Idle mode	2929
9.3.2.2a	Paging for CS fallback / Connected mode.....	2932
9.4	NAS Security.....	2935
9.4.1	Integrity protection / Correct functionality of EPS NAS integrity algorithm / SNOW3G	2935
9.4.2	Integrity protection / Correct functionality of EPS NAS integrity algorithm / AES	2938
9.4.3	Ciphering and deciphering / Correct functionality of EPS NAS encryption algorithm / SNOW3G	2938
9.4.4	Ciphering and deciphering / Correct functionality of EPS NAS encryption algorithm / AES	2942
9.4.5	Integrity protection / Correct functionality of EPS NAS integrity algorithm / ZUC	2942
9.4.6	Ciphering and deciphering / Correct functionality of EPS NAS encryption algorithm / ZUC	2943
10	EPS session management.....	2944
10.1	Void	2944
10.2	Dedicated EPS bearer context activation	2944
10.2.1	Dedicated EPS bearer context activation / Success.....	2944
10.3	EPS bearer context modification	2946
10.3.1	EPS bearer context modification / Success.....	2946
10.4	EPS bearer context deactivation	2950
10.4.1	EPS bearer context deactivation / Success.....	2950
10.4.2	EPS bearer context deactivation / Re-establishment	2963
10.5	UE requested PDN connectivity	2966
10.5.1	UE requested PDN connectivity accepted by the network	2966
10.5.2	Void	2973
10.5.3	UE requested PDN connectivity not accepted	2973
10.5.4	UE requested PDN connectivity not accepted / Network reject with Extended Wait Timer.....	2978
10.6	UE requested PDN disconnect.....	2982
10.6.1	UE requested PDN disconnect procedure accepted by the network	2982
10.6.2	Void	2985
10.7	UE requested bearer resource allocation	2985
10.7.1	UE requested bearer resource allocation accepted by the network / New EPS bearer context	2985
10.7.2	UE requested bearer resource allocation accepted by the network / Existing EPS bearer context	2987
10.7.3	UE requested bearer resource allocation not accepted by the network.....	2989
10.7.4	UE requested bearer resource allocation / Expiry of timer T3480	2992
10.7.5	UE requested bearer resource allocation / BEARER RESOURCE ALLOCATION REJECT message including cause #43 "invalid EPS bearer identity"	2994
10.8	UE requested bearer resource modification	2997
10.8.1	UE requested bearer resource modification accepted by the network / New EPS bearer context	2997
10.8.2	UE requested bearer resource modification accepted by the network / Existing EPS bearer context	2999
10.8.3	UE requested bearer resource modification not accepted by the network	3001
10.8.4	UE requested bearer resource modification / Cause #36 "regular deactivation"	3004
10.8.5	UE requested bearer resource modification / BEARER RESOURCE MODIFICATION REJECT message including cause #43 "invalid EPS bearer identity"	3007
10.8.6	UE requested bearer resource modification / Collision of a UE requested bearer resource modification procedure and EPS bearer context deactivation procedure	3010
10.8.7	UE requested bearer resource modification / Expiry of timer T3481	3012

10.9	UE routing of uplink packets	3015
10.9.1	UE routing of uplinks packets.....	3015
11	General tests.....	2783
11.1	SMS over SGs	2783
11.1.1	MT-SMS over SGs / Idle mode	2783
11.1.2	MT-SMS over SGs / Active mode	2785
11.1.3	MO-SMS over SGs / Idle mode.....	2788
11.1.4	MO-SMS over SGs / Active mode.....	2791
11.1.5	Multiple MO-SMS over SGs / Idle mode	2794
11.1.6	Multiple MO-SMS over SGs / Active mode	2799
11.2	Emergency calls over IMS.....	2803
11.2.0	General	2803
11.2.1	Emergency bearer services / Normal cell / NORMAL-SERVICE / Local Emergency Numbers List sent in the Attach / PDN connect new emergency EPS bearer context / Service request / Emergency PDN disconnect.....	2803
11.2.2	Emergency bearer services / Normal cell / LIMITED-SERVICE/ Attach / PDN connect	2808
11.2.3	Emergency bearer services / CSG cell / LIMITED-SERVICE/ Attach / Security mode control procedure without prior authentication / PDN connect / Service request / PDN disconnect / Detach upon UE switched off / Temporary storage of EMM information	2810
11.2.4	Emergency bearer services / Normal cell / NO-IMSI / Attach / No EPS security context / PDN connect / Service request / Timer T3412 expires	2816
11.2.5	Emergency bearer services / Normal cell / NORMAL-SERVICE / Local Emergency Numbers List NOT sent in the Attach / PDN connect new emergency EPS bearer context / Authentication SQN code failure - MME aborts authentication continues using current security context / Service request...	2821
11.2.6	Handling of Local Emergency Numbers List provided during Attach and Normal tracking area update procedures.....	2825
11.2.7	UE has PDN connection for emergency bearer services / Normal tracking area update / Accepted / Local Emergency Numbers List is not sent by the network / Handling of the lists of forbidden tracking areas	2831
11.2.8	Attach for emergency bearer services / Rejected / No suitable cells in tracking area / Emergency call using the CS domain / UTRA or GERAN	2838
11.2.8a	Attach for emergency bearer services / Rejected / No suitable cells in tracking area / Emergency call using the CS domain / CDMA 2000 1xRTT	2842
11.2.9	Void	2844
11.2.10	LIMITED-SERVICE / EPS does not support IMS Emergency / Emergency call using the CS domain	2844
11.2.11	LIMITED-SERVICE / Inter-system mobility / E-UTRA to UTRA CS / SRVCC Emergency Call Handover to UTRAN	2848
12	E-UTRA radio bearer tests.....	2858
12.1	General	2858
12.1.0	Definition of radio bearer combinations	2858
12.1.1	Generic E-UTRA radio bearer test procedure / MIMO not configured.....	2858
12.1.2	Generic E-UTRA radio bearer test procedure / MIMO configured	2860
12.2	MIMO not configured.....	2861
12.2.1	Data transfer of E-UTRA radio bearer combinations 1, 3, 6 and 9	2861
12.2.2	Data transfer of E-UTRA radio bearer combinations 2,4,7 and 10	2862
12.2.3	Data transfer of E-UTRA radio bearer combinations 5,8,11 and 12.....	2863
12.2.4	Data transfer of E-UTRA radio bearer combination 13	2864
12.3	MIMO configured	2865
12.3.1	Data transfer of E-UTRA radio bearer combinations 1,3,6 and 9 / MIMO	2865
12.3.2	Data transfer of E-UTRA radio bearer combinations 2,4,7 and 10 / MIMO	2866
12.3.3	Data transfer of E-UTRA radio bearer combinations 5,8,11 and 12 / MIMO	2867
12.3.4	Data transfer of E-UTRA radio bearer combination 13 / MIMO	2868
13	Multi layer Procedures.....	2869
13.1	Call setup	2869
13.1.1	Activation and deactivation of additional data radio bearer in E-UTRA	2869
13.1.2	Call setup from E-UTRAN RRC_IDLE/ CS fallback to UTRAN with redirection / MO call	2873
13.1.2a	Call setup from E-UTRAN RRC_IDLE/ CS fallback to UTRAN with redirection including System Information / MO call.....	2876

13.1.3	Call setup from E-UTRAN RRC_CONNECTED / CS fallback to UTRAN with Redirection / MT call.....	2883
13.1.4	Call setup from E-UTRAN RRC_IDLE / CS fallback to UTRAN with Handover / MT call.....	2892
13.1.5	Call setup from E-UTRAN RRC_CONNECTED / CS fallback to UTRAN with handover / MO call	2903
13.1.6	Void	2907
13.1.7	Call setup from E-UTRA RRC_IDLE / CS fallback to GSM with redirection / MT call	2907
13.1.8	Call setup from E-UTRA RRC_CONNECTED/ CS fallback to GSM with Redirection / MO call	2918
13.1.9	Call setup from E-UTRA RRC_IDLE / CS fallback to GSM with CCO without NACC / MO call	2924
13.1.10	Call setup from E-UTRA RRC_CONNECTED / CS fallback to GSM with CCO without NACC / MT call.....	2928
13.1.11	Call setup from E-UTRA RRC_IDLE / CS fallback to GSM with PSHO / EDTM not supported / MT call.....	2936
13.1.12	Call setup from E-UTRA RRC_CONNECTED / CS fallback to GSM with PSHO / EDTM not supported / MO call	2946
13.1.13	Call setup from E-UTRA RRC_IDLE / CS fallback to GSM with PSHO / EDTM supported / MT call.....	2952
13.1.14	2963	
13.1.15	Call setup from E-UTRAN RRC_IDLE / CS fallback to UTRAN with redirection / MT call / UTRAN cell is barred.....	2963
13.1.16	Emergency call setup from E-UTRAN RRC_IDLE / CS fallback to UTRAN with handover.....	2967
13.1.17	Call setup from E-UTRAN RRC_IDLE / mobile originating 1xCS fallback emergency call to 1xRTT	2971
13.1.18	Call setup from E-UTRAN RRC_IDLE / mobile originating enhanced 1xCS fallback emergency call to 1xRTT	2976
13.2	RRC connection reconfiguration	2988
13.2.1	RRC connection reconfiguration / E-UTRA to E-UTRA	2988
13.3	Connection re-establishment	2992
13.3.1	Intra-system connection re-establishment.....	2992
13.3.1.1	Intra-system connection re-establishment / Radio link recovery while T310 is running	2992
13.3.1.2	Intra-system connection re-establishment / Re-establishment of a new connection when further data is to be transferred	2994
13.3.1.3	RRC connection reconfiguration / Full configuration / DRB establishment	2996
13.3.2	Inter-system connection re-establishment.....	3001
13.3.2.1	Inter-system connection re-establishment / E-UTRAN to UTRAN / Further data are to be transferred	3001
13.3.2.2	Inter-system connection re-establishment / E-UTRAN to GPRS / Further data are to be transferred	3004
13.4	Mobility	3006
13.4.1	Intra-system mobility	3006
13.4.1.1	3006	
13.4.1.2	Inter-frequency mobility / E-UTRA to E-UTRA packet	3006
13.4.1.3	Intra-system mobility / E-UTRA FDD to E-UTRA TDD to E-UTRA FDD packet.....	3010
13.4.1.4	Inter-band mobility / E-UTRA to E-UTRA packet.....	3017
13.4.1.5	RRC connection reconfiguration / Handover/ Full configuration / DRB establishment	3021
13.4.2	Inter-system mobility packet	3026
13.4.2.1	Inter-system mobility / E-UTRA to UTRA packet	3026
13.4.2.2	Inter-system mobility / E-UTRAN to GPRS packet	3036
13.4.2.3	3048	
13.4.2.4	Inter-system mobility / Service based redirection from UTRA to E-UTRA	3048
13.4.2.5	Inter-system mobility/Service based redirection from GSM/GPRS to E-UTRA	3052
13.4.2.6	Inter-RAT PS Handover / from GPRS Packet_transfer to E-UTRA cell.....	3055
13.4.2.7	Inter-RAT PS Handover / Synchronised / From GPRS Packet_transfer to E-UTRA cell (CCN mode)	3059
13.4.2.8	Inter-RAT PS Handover / Synchronised / From GPRS Packet_transfer to E-UTRA cell (NC2 mode)	3064
13.4.3	Inter-system mobility voice	3070
13.4.3.0	General.....	3070
13.4.3.1	Inter-system mobility / E-UTRA voice to UTRA CS voice / SRVCC.....	3070
13.4.3.2	Inter-system mobility / E-UTRA PS voice + PS data to UTRA CS voice + PS data / SRVCC	3078
13.4.3.3	Inter-system mobility / E-UTRA voice to GSM CS voice / SRVCC	3089
13.4.3.4	Inter-system mobility / E-UTRA voice to UTRA CS voice / Unsuccessful case / Retry on old cell / SRVCC	3096

13.4.3.5	Inter-system mobility / E-UTRA voice to GSM CS voice / Unsuccessful case / Retry on old cell / SRVCC	3106
13.4.3.6	Inter-system mobility / E-UTRA PS voice + PS Data / HO cancelled / Notification procedure / SRVCC	3117
13.4.3.7	Inter-system mobility / E-UTRA voice to UTRA CS voice / aSRVCC / MO call.....	3122
13.4.3.8	Inter-system mobility / E-UTRA voice to UTRA CS voice / aSRVCC / MO call / Forked responses	3132
13.4.3.9	Inter-system mobility / E-UTRA voice to UTRA CS voice / aSRVCC / MO call / SRVCC HO failure	3144
13.4.3.10	Inter-system mobility / E-UTRA voice to UTRA CS voice / aSRVCC / MT call	3154
13.4.3.11	Inter-system mobility / E-UTRA voice to UTRA CS voice / aSRVCC / MT call / SRVCC HO failure	3165
13.4.3.12	Inter-system mobility / E-UTRA voice to UTRA CS voice / aSRVCC / MT call/ User answers in PS domain	3174
13.4.3.13	Inter-system mobility / E-UTRA voice to UTRA CS voice / aSRVCC / MT call/ User answers in PS domain / SRVCC HO cancelled	3185
13.4.3.14	Inter-system mobility / E-UTRA PS voice + PS data to UTRA CS voice + PS data / aSRVCC / MO call.....	3192
13.4.3.15	Inter-system mobility / E-UTRA PS voice + PS data to UTRA CS voice + PS data / aSRVCC / MO call / SRVCC HO cancelled.....	3198
13.4.3.16	Inter-system mobility / E-UTRA PS voice + PS data to UTRA CS voice + PS data / aSRVCC / MT call	3205
13.4.3.17	Inter-system mobility / E-UTRA PS voice + PS data to UTRA CS voice + PS data / aSRVCC / MT call / SRVCC HO cancelled	3211
13.4.4	Inter-system session management	3219
13.4.4.1	Pre-registration at 1xRTT and Cell reselection / 1x Zone Registration	3219
13.4.4.2	Pre-registration at 1xRTT and Cell reselection / 1x Ordered Registration	3226
13.4.4.3	Inter-system session management / Multiple PDN connection establishment in eHRPD pre-registration state.....	3230
13.4.4.4	Inter-system session management / Pre -registration at HRPD and Cell reselection / HRPD Zone Registration	3237
13.4.4.5	Pre-Registration at 1xRTT / Power Down Registration.....	3245
14	ETWS	3251
14.1	ETWS reception in RRC_IDLE state / Duplicate detection	3251
14.2	ETWS reception in RRC_CONNECTED state / Duplicate detection	3255
14.3	Void	3260
15	Mobility management based on DSMIPv6 (Dual-Stack Mobile IPv6).....	3260
15.1	Discovery of the home agent via DNS	3260
15.2	Discovery of the Home Agent via DHCP	3262
15.3	Void	3265
15.4	Security association establishment with Home Agent reallocation procedure	3265
15.5	Security association establishment without home agent reallocation procedure.....	3276
15.6	Registration of a new IPv6 CoA (Binding Update/Acknowledgment procedure in IPv6 network)	3290
15.7	Registration of a new IPv4 CoA (Binding Update/Acknowledgment procedure in IPv4 network)	3293
15.8	Re-registration of IPv6 CoA	3296
15.9	Re-registration of IPv4 CoA	3297
15.10	Return to home link.....	3298
15.11	Dual-Stack Mobile IPv6 detach in IPv6 network	3300
15.12	Dual-Stack Mobile IPv6 detach in IPv4 network	3302
16	Home (e)NB related	3305
16.1	UE Idle Mode Operations	3305
16.1.1	Cell Selection and Reselection.....	3305
16.1.1.1	Void	3305
16.1.1.2	Void	3305
17	MBMS in LTE.....	3305
17.1	MCCH Information Acquisition	3305
17.1.1	MCCH information acquisition/ UE is switched on	3305
17.1.2	MCCH information acquisition/ cell reselection to a cell in a new MBSFN area	3307
17.1.3	MCCH information acquisition/ UE handover to a cell in a new MBSFN area	3310

17.1.4	MCCH information acquisition/ UE is receiving an MBMS service	3314
17.1.5	MCCH information acquisition/ UE is not receiving MBMS data	3316
17.2	MBMS Data Reception	3320
17.2.1	UE Acquire the MBMS data based on the SIB13 and MCCH message /MCCH and MTCH are on the same MCH	3320
17.2.2	UE Acquire the MBMS data based on the SIB13 and MCCH message /MCCH and MTCH are on different MCHs	3325
17.2.3	UE receives the MBMS data when this data is in the beginning of the MSP	3330
17.2.4	Reception of PDCCH DCI format 0 and PHICH in MBSFN subframes	3335
17.3	MBMS Counting Procedure	3338
17.3.1	MBMS Counting / UE not receiving MBMS service	3338
17.3.2	MBMS Counting / UE receiving MBMS service	3342
17.4	MBMS Service Continuity	3346
17.4.1	Cell reselection to intra-frequency cell to continue MBMS service reception	3346
17.4.2	Cell reselection to inter-frequency cell to start MBMS service reception	3350
17.4.3	17.4.4 Handover to intra-frequency cell to continue MBMS service reception	3353
17.4.5	3357	
17.4.6	MBMS Interest Indication retransmission after returning from cell not broadcasting SIB15	3357
17.4.7	MBMS Interest Indication after Radio Link Failure	3362
17.4.8	Continued MBMS service reception after E-UTRAN release of unicast bearer.....	3366
18	PWS	3368
18.1	CMAS on LTE.....	3368
18.1.1	PWS reception in RRC_IDLE state / Duplicate detection	3368
18.1.2	PWS reception in RRC_CONNECTED state / Duplicate detection	3374
18.1.3	PWS reception in RRC_CONNECTED State/Power On	3379
	Annex A (informative): Change history	3385